

new to range

SPEED TO MARKET SECOND TO NONE

AYD
AUTOMOTIVE INDUSTRY



BRAKING NEW GROUND

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

INDEX

AUDI	3
BUICK	4-6
CADILLAC	7
CHEVROLET	8-12
CHRYSLER	13-14
CITROËN	15
DODGE	16-19
FIAT	20-21
FORD	22-30
GMC	31-32
HONDA	33
HYUNDAI	34
ISUZU	35
JEEP	36-38
KIA	39-40
LEXUS	41
LINCOLN	42
MAZDA	43
MERCEDES-BENZ	44
MERCURY	45
NISSAN	46-48
OLDSMOBILE	49-50
OPEL	51-52
PEUGEOT	53
PONTIAC	54-55
RAM	56-57
RENAULT	58
SAAB	59-60
SATURN	61-62
TOYOTA	63-65
VAUXHALL	66

BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
895615601A

10-50256



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
244.7	39.75	10	8	68	112	9+1

AUDI

MODEL	START Y.	END Y.
80 B4 Avant (8C5)	1991/09	1996/01
80 B4 Sedan (8C2)	1991/09	1995/07
COUPE B3 (89, 8B3)	1988/10	1996/12



BRAKE DISC


- Rear Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15158975

10-50635



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	85	20.1	18.5	78.75	127	6+2

BUICK

MODEL	START Y.	END Y.
RAINIER SUV	2003/09	2007/12



new to range

BRAKE DISCS


JULY 2022

BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19202731
18021015
18026591



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50636

MATERIAL
TYPE-I

WEIGHT
8,68 KG

BALANCING
100 %



10-50636

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302.8	52.25	32.25	30.7	70.8	118	5

BUICK

MODEL	START Y.	END Y.
LESABRE	1999/01	
PARK AVENUE	1996/10	2005/12
RIVIERA Coupe	1993/09	1999/12




BRAKE DISC

- Front Axle
- Vented

- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
19181002



10-50650

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	54.35	29	27.5	79.25	127	6+2

BUICK

MODEL	START Y.	END Y.
RAINIER SUV	2003/09	2007/12



new to range

BRAKE DISCS


JULY 2022

BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19202731



10-50636

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302.8	52.25	32.25	30.7	70.8	118	5

CADILLAC

MODEL	START Y.	END Y.
DEVILLE	1999/09	2005/12
SEVILLE	1997/09	2004/09



BRAKE DISC


- Rear Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15134671
15158975
8151346710

10-50635



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	85	20.1	18.5	78.75	127	6+2

CHEVROLET

MODEL	START Y.	END Y.
SSR Cabrio	2002/09	2006/12
TRAILBLAZER (KC_)	2001/09	2009/12



new to range


BRAKE DISCS
JULY 2022

BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19202731



10-50636

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302.8	52.25	32.25	30.7	70.8	118	5

CHEVROLET

MODEL	START Y.	END Y.
CAMARO Cabrio	1992/10	2002/12
IMPALA Sedan	1999/01	2005/12
MONTE CARLO Coupe	1999/09	2007/12




BRAKE DISC

- Front Axle
- Vented

- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
19303829
22702612
25836294



10-50648

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256.3	46.85	24	22	60.2	100	4

CHEVROLET

MODEL	START Y.	END Y.
COBALT	2003/11	
COBALT Coupe	2003/11	2010/12




BRAKE DISC

- Front Axle
- Vented

- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
18060664
19181002
8180606640



10-50650

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	54.35	29	27.5	79.25	127	6+2

CHEVROLET

MODEL	START Y.	END Y.
TRAILBLAZER (KC_)	2001/09	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
22666578



10-50663

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296.25	51.6	26	24.5	70.7	115	5

CHEVROLET

MODEL	START Y.	END Y.
EQUINOX	2003/04	2009/12



BRAKE DISC


- Rear Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52009968AC

10-50553



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50553

MATERIAL
TYPE-I

WEIGHT
11,02 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
352	72	22	20.4	78.4	139.7	5

CHRYSLER

MODEL	START Y.	END Y.
ASPEN (HG)	2006/02	



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4721820AC
4721820AF
4721820AG

10-50632



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	38	28	25.3	73.45	114.3	5

CHRYSLER

MODEL	START Y.	END Y.
VOYAGER IV (RG, RS)	1999/09	2008/12




BRAKE DISC

- Front Axle
- Vented



- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
4249K0
424924
424925



10-50232

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303.85	48	28	26	71	108	5+3

CITROËN

MODEL	START Y.	END Y.
C5 III (RD_)	2008/02	
C5 III Break (RW_)	2008/02	
JUMPY (VF7)	2007/01	
JUMPY Panelvan/Van	2007/01	
JUMPY Platform	2007/01	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52009968AD



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50553

MATERIAL
TYPE-I

WEIGHT
11,02 KG

BALANCING
100 %



10-50553

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
352	72	22	20.4	78.4	139.7	5

DODGE

MODEL	START Y.	END Y.
RAM 1500 Crew Cab Pickup	2001/09	2008/12
RAM 1500 Extended Crew Cab Pickup	2001/09	2008/12
RAM 1500 Pick-up (D1, DC, DH, DM, DR)	2001/06	2008/09
RAM 1500 Standard Cab Pickup	2001/09	2008/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4721820AC
4721820AG



10-50632

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	38	28	25.3	73.45	114.3	5

DODGE

MODEL	START Y.	END Y.
CARAVAN (RG_)	2000/02	2007/12



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4779197AB
4779197AD
4779197AE

10-50642



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	54.5	28.1	26.5	72.6	115	5

DODGE

MODEL	START Y.	END Y.
CHALLENGER Coupe	2007/09	
CHARGER	2011/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52009208
52009208AD



10-50666

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287	64	24	22.6	73.3	114.3	6

DODGE

MODEL	START Y.	END Y.
DAKOTA	1995/10	2005/02
DURANGO (DN)	1997/09	2003/12



BRAKE DISC


- Front Axle
- Vented



- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
9467548587
9467548588
1440027088

10-50232



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303.85	48	28	26	71	108	5+3

FIAT

MODEL	START Y.	END Y.
SCUDO Minibus/Bus (270_, 272_)	2007/01	
SCUDO Panelvan/Van (270_, 272_)	2007/01	
SCUDO Platform (270_, 272_)	2007/01	




BRAKE DISC

- Front Axle
- Vented

- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
6000619994



10-50303

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295.75	44	28	23.4	68	114.3	5+2

FIAT

MODEL	START Y.	END Y.
TALENTO Minibus/Bus (296_)	2016/06	
TALENTO Panelvan/Van (296_)	2016/06	
TALENTO Platform (296_)	2016/06	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
CK4Z2C026
CK4Z2C026C



10-50658

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	25.7	18	15	122.55	150	5

FORD

MODEL	START Y.	END Y.
TRANSIT CONNECT MPV	2013/02	
TRANSIT CONNECT V408	2013/02	
TRANSIT COURIER B460	2014/02	
TRANSIT COURIER B460 MPV	2014/02	
TRANSIT CUSTOM V362 Minibus/Bus (F3)	2012/04	
TRANSIT CUSTOM V362 Panelvan/Van (FY, FZ)	2012/04	
TRANSIT V363 Minibus/Bus (FAD, FBD)	2013/08	
TRANSIT V363 Panelvan/Van (FCD, FDD)	2013/08	
TRANSIT V363 Platform (FED, FFD)	2013/08	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
7U2Z1V125HC



10-50548

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350.5	49.5	34	32	90.1	135	6+2

FORD USA

MODEL	START Y.	END Y.
EXPEDITION	2017/10	
EXPEDITION	2006/09	
F-150 Crew Cab Pickup	2008/09	
F-150 Extended Cab Pickup	2008/09	
F-150 Standard Cab Pickup	2014/09	
F-150 Standard Cab Pickup	2008/09	
LOBO Standard Cab Pickup	2008/09	



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4U2Z1V125CB

10-50637



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	54.15	29.9	28.5	90.2	135	6

FORD USA

MODEL	START Y.	END Y.
F-150	2003/10	2007/12




BRAKE DISC

- Front Axle
- Vented

- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
HC3Z1125B



10-50643

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
363	100	38	36.4	129	170	8

FORD USA

MODEL	START Y.	END Y.
F-250 SUPER DUTY Crew Cab Pickup (W2A, W2B)	2017/07	
F-250 SUPER DUTY Extended Cab Pickup (X2A, X2B)	2017/07	
F-250 SUPER DUTY Standard Cab Pickup (F2A, F2B)	2017/07	
F-350 SUPER DUTY Crew Cab Pick Up	2017/07	
F-350 SUPER DUTY Extended Cab Pickup	2017/07	
F-350 SUPER DUTY Standard Cab Pickup	2017/07	




BRAKE DISC

- Rear Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5U2Z1V125ME



10-50645

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	126.35	34.1	32.4	127	170	8

FORD USA

MODEL	START Y.	END Y.
F-250 SUPER DUTY Crew Cab Pickup	2007/09	2010/12
F-250 SUPER DUTY Crew Cab Pickup (W2A, W2B)	2010/09	
F-250 SUPER DUTY Extended Cab Pickup	2007/09	2010/12
F-250 SUPER DUTY Standard Cab Pickup	2007/09	2010/12
F-350 SUPER DUTY Cab & Chassis	2007/09	2010/12
F-350 SUPER DUTY Crew Cab Pickup	2007/09	2010/12
F-350 SUPER DUTY Crew Cab Pickup	1998/09	2007/12
F-350 SUPER DUTY Extended Cab Pickup	2007/09	2010/12
F-350 SUPER DUTY Standard Cab Pickup	2007/09	2010/12



new to range


BRAKE DISCS
JULY 2022

BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
F65Z1125AC



10-50647

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	52	26	24.5	90	135	5

FORD USA

MODEL	START Y.	END Y.
F-150	1996/10	
F-150 Crew Cab Pickup	1996/09	2003/12
F-150 Extended Cab Pickup	1996/09	2003/12
F-150 Standard Cab Pickup	1996/09	2003/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
CB5Z1125A



10-50665

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	47	30	28.5	68	114.3	5+1

FORD USA

MODEL	START Y.	END Y.
EXPLORER	2010/10	
F-250 SUPER DUTY Crew Cab Pickup	2007/09	2010/12
F-250 SUPER DUTY Extended Cab Pickup	2007/09	2010/12
F-250 SUPER DUTY Standard Cab Pickup	2007/09	2010/12
F-350 SUPER DUTY	2008/01	
F-350 SUPER DUTY Cab & Chassis	2010/09	
F-350 SUPER DUTY Cab & Chassis	2007/09	2010/12
F-350 SUPER DUTY Crew Cab Pickup	2007/09	2010/12
F-350 SUPER DUTY Extended Cab Pickup	2007/09	2010/12
F-350 SUPER DUTY Standard Cab Pickup	2010/09	
F-350 SUPER DUTY Standard Cab Pickup	2007/09	2010/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
AS4Z1125A



10-50670

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275.2	45	25	23	63.5	108	4+2

FORD USA

MODEL	START Y.	END Y.
FOCUS	2007/09	2011/12
FOCUS Coupe	2007/09	2011/12




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
6L2ZC026B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50690

MATERIAL
TYPE-I

WEIGHT
6,32 KG

BALANCING
100 %



10-50690

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301	58.15	12	11	82	114.3	5

FORD USA

MODEL	START Y.	END Y.
EXPLORER (U251)	2006/01	2010/12
EXPLORER SPORT TRAC Crew Cab Pickup	2006/09	2010/12



BRAKE DISC


- Rear Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15158975

10-50635



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	85	20.1	18.5	78.75	127	6+2

GMC

MODEL	START Y.	END Y.
ENVOY SUV	2001/09	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19181002



10-50650

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	54.35	29	27.5	79.25	127	6+2

GMC

MODEL	START Y.	END Y.
ENVOY SUV	2001/09	2009/12




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
42510TBAA00
42510TEAT01



10-50576

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
259.75	39.25	9	8	64.15	114.3	5+3

HONDA

MODEL	START Y.	END Y.
CIVIC X Hatchback (FC_, FK_)	2016/09	
CIVIC X Sedan (FC_)	2015/09	
INSIGHT Sedan (ZE4)	2018/09	



BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5841139600
5841139300
584113K300

10-50659



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	61	10	8.4	76	114.3	5+3

HYUNDAI

MODEL	START Y.	END Y.
SONATA V (NF)	2004/12	2012/11
TUCSON (JM)	2004/06	
XG (XG)	1998/12	2005/12



BRAKE DISC


- Rear Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
8151346710

10-50635



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	85	20.1	18.5	78.75	127	6+2

ISUZU

MODEL	START Y.	END Y.
ASCENDER	2002/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52060137AB



10-50644

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	55.2	28	26.4	72.15	127	5

JEEP

MODEL	START Y.	END Y.
WRANGLER III (JK)	2006/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52128247AA



10-50669

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	65	28	26	72	114.3	5

JEEP

MODEL	START Y.	END Y.
CHEROKEE (KJ)	2001/03	2008/01



BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52128411AA
52128411AB

10-50707



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284.8	59.3	12	11	72	114.3	5

JEEP

MODEL	START Y.	END Y.
CHEROKEE (KJ)	2001/03	2008/01
WRANGLER II (TJ)	1996/08	2008/12



new to range


BRAKE DISCS
JULY 2022

BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5841139300
5841139600
584113K300



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50659

MATERIAL
TYPE-I

WEIGHT
4,25 KG

BALANCING
100 %



10-50659

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	61	10	8.4	76	114.3	5+3

KIA

MODEL	START Y.	END Y.
MAGENTIS (MG)	2005/10	
SPORTAGE II (JE_, KM)	2004/09	



BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
584112K300
584112K350

10-50660



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50660

MATERIAL
TYPE-1

WEIGHT
4,35 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	63.65	10	8.4	76	114.3	5+3

KIA

MODEL	START Y.	END Y.
CERATO II Sedan (TD)	2009/01	
CERATO KOUP II (TD)	2009/01	
SOUL I (AM)	2009/01	



BRAKE DISC


- Rear Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
424310C010
424310C011

10-50601



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50601

MATERIAL
TYPE-I

WEIGHT
8,08 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	76.5	18	16	112	150	5+8

LEXUS

MODEL	START Y.	END Y.
LX (_J2_)	2007/08	




BRAKE DISC

- Front Axle
- Vented

- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
CB5Z1125A



10-50665

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	47	30	28.5	68	114.3	5+1

LINCOLN

MODEL	START Y.	END Y.
MKS	2008/04	
MKT	2009/09	




BRAKE DISC

- Front Axle
- Vented

- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
BP4Y3325XD
C24Y3325XD
BP4Y3325XC



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50393

MATERIAL
TYPE-I

WEIGHT
7,06 KG

BALANCING
100 %



10-50393

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	48.5	25	23	72	114.3	5

MAZDA

MODEL	START Y.	END Y.
3 (BK)	2003/10	2009/12
3 (BL)	2008/12	2014/09
3 Sedan (BK)	1999/09	2009/12
3 Sedan (BL)	2008/12	2014/12
5 (CR19)	2005/02	2010/12
5 (CW)	2010/06	



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
A2034210312
A210421241264
A2104212412

10-50618



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50618

MATERIAL
TYPE-I

WEIGHT
6,72 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	46.7	25	22.4	67	112	5+2

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-SERIES (W202)	1993/03	2000/05
C-SERIES (W203)	2000/05	2007/12
C-SERIES Coupe (CL203)	2001/03	2011/06
C-SERIES T-Model (S202)	1996/06	2001/03
C-SERIES T-Model (S203)	2001/03	2007/08
CLC-SERIES (CL203)	2008/05	2011/06
CLK (C208)	1997/06	2003/12
CLK (C209)	2002/05	2010/03
CLK Cabrio (A208)	1998/03	2002/03
CLK Cabrio (A209)	2002/06	2010/03
E-SERIES (W210)	1995/06	2003/08




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
6L2Z2C026B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50690

MATERIAL
TYPE-I

WEIGHT
6,32 KG

BALANCING
100 %



10-50690

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301	58.15	12	11	82	114.3	5

MERCURY

MODEL	START Y.	END Y.
MOUNTAINEER	2005/09	2010/12
MOUNTAINEER	2000/10	2005/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4020600Q1C



10-50303

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295.75	44	28	23.4	68	114.3	5+2

NISSAN

MODEL	START Y.	END Y.
NV300 Combi (X82)	2016/09	
NV300 Panelvan/Van (X82)	2016/09	
NV300 platform (X82)	2016/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402061KA2A
402061KA3A



10-50316

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279.65	44	24	22	68	114.3	5

NISSAN

MODEL	START Y.	END Y.
JUST (F15)	2010/06	
PULSAR Hatchback (C13)	2012/08	
TIIDA Hatchback (C12)	2010/08	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402061HA0A
402061HA0H
402061HA0B



10-50376

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	43.9	22	20	61	100	4

NISSAN

MODEL	START Y.	END Y.
MICRA IV (K13_)	2010/05	
NOTE (E12)	2012/09	



BRAKE DISC


- Rear Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15158975

10-50635



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	85	20.1	18.5	78.75	127	6+2

OLDSMOBILE

MODEL	START Y.	END Y.
BRAVADA SUV	2001/09	2004/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19202731



10-50636

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302.8	52.25	32.25	30.7	70.8	118	5

OLDSMOBILE

MODEL	START Y.	END Y.
AURORA Sedan	2000/09	2003/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
569061



10-50210

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307.5	42.2	25	23	70	110	7+1

OPEL

MODEL	START Y.	END Y.
ASTRA G Coupe (T98)	2000/03	2005/05
ASTRA G Hatchback (T98)	1998/02	2009/12
ASTRA G Station wagon (T98)	1998/02	2004/07
ASTRA H (A04)	2004/01	2014/05
ASTRA H GTC (A04)	2005/03	2010/10
ASTRA H Combi van (L70)	2004/02	2013/12
ASTRA H Station wagon (A04)	2004/08	2014/05
ASTRA H TwinTop (A04)	2005/09	2010/10
CORSA E (X15)	2014/09	
CORSA E (X15)	2014/09	
MERIVA B MPV (S10)	2010/06	2017/03




BRAKE DISC

- Front Axle
- Vented

- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
4422285
93866700



10-50303

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295.75	44	28	23.4	68	114.3	5+2

OPEL

MODEL	START Y.	END Y.
VIVARO B Minibus/Bus (X82)	2014/06	
VIVARO B Panelvan/Van (X82)	2014/06	
VIVARO B Platform (X82)	2014/06	



BRAKE DISC


- Front Axle
- Vented



- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
1618865180

10-50232



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303.85	48	28	26	71	108	5+3

PEUGEOT

MODEL	START Y.	END Y.
407 (6D_)	2004/02	2011/12
EXPERT Panelvan/Van (VF3A_, VF3U_, VF3X_)	2007/01	
EXPERT Platform	2007/01	
EXPERT TEPEE (VF3X_)	2007/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19202731



10-50636

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302.8	52.25	32.25	30.7	70.8	118	5

PONTIAC

MODEL	START Y.	END Y.
BONNEVILLE Sedan	1999/09	2005/12
FIREBIRD Cabrio	1993/01	2002/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19303829



10-50648

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256.3	46.85	24	22	60.2	100	4

PONTIAC

MODEL	START Y.	END Y.
G5 Coupe	2007/01	2010/12
G5 Sedan	2007/01	2010/12




BRAKE DISC

- Rear Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52009968AC



10-50553

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
352	72	22	20.4	78.4	139.7	5

RAM

MODEL	START Y.	END Y.
1500 Crew Cab Pickup (DS)	2010/09	
1500 Crew Cab Pickup (DT)	2018/12	
1500 Extended Cab Pickup (DT)	2018/12	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52122182AB
68414882AB



10-50652

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	102	39	37.4	123	165	8

RAM

MODEL	START Y.	END Y.
2500 Crew Cab Pickup (DJ)	2010/09	
2500 Extended Crew Cab Pickup (DJ)	2010/09	
2500 Standard Cab Pickup (DJ)	2009/09	
3500 Platform (D2)	2009/09	




BRAKE DISC

- Front Axle
- Vented

- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
402066352R
8660003955



10-50303

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295.75	44	28	23.4	68	114.3	5+2

RENAULT

MODEL	START Y.	END Y.
TRAFIC III Minibus/Bus (JG_)	2014/05	
TRAFIC III Panelvan/Van (FG_)	2014/05	
TRAFIC III Platform (EG_)	2014/05	



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5084769
4567798
9184405

10-50210



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307.5	42.2	25	23	70	110	7+1

SAAB

MODEL	START Y.	END Y.
9-5 (YS3E)	1997/09	2009/12
9-5 Station wagon (YS3E)	1998/10	2009/12



BRAKE DISC


- Rear Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15158975

10-50635



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	85	20.1	18.5	78.75	127	6+2

SAAB

MODEL	START Y.	END Y.
9-7X	2004/06	2012/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19303829



10-50648

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256.3	46.85	24	22	60.2	100	4

SATURN

MODEL	START Y.	END Y.
ION Coupe	2002/09	2007/12
ION Sedan	2002/09	2007/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
22666578



10-50663

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296.25	51.6	26	24.5	70.7	115	5

SATURN

MODEL	START Y.	END Y.
VUE SUV	2001/09	2007/12




BRAKE DISC

- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
SU001A1064



10-50232

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303.85	48	28	26	71	108	5+3

TOYOTA

MODEL	START Y.	END Y.
PROACE Panelvan/Van (MDX_)	2013/06	2016/03




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
424310C011
424310C010



10-50601

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	76.5	18	16	112	150	5+8

TOYOTA

MODEL	START Y.	END Y.
LAND CRUISER 100 (_J1_)	1998/01	2008/07
LAND CRUISER 200 (_J2_)	2007/08	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351204020
4351235280
4351235310



10-50664

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296.7	70.35	21.85	20	108	139.7	6

TOYOTA

MODEL	START Y.	END Y.
4 RUNNER III (_N18_)	1995/11	2003/07
TACOMA Pick-up (_N1_)	1994/09	2004/08




BRAKE DISC

- Front Axle
- Vented

- Safety**
- Performance**
- OEM Standards**
- AYD Quality**

OE:
93866700



10-50303

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295.75	44	28	23.4	68	114.3	5+2

VAUXHALL

MODEL	START Y.	END Y.
VIVARO B Minibus/Bus (X82)	2014/05	
VIVARO B Panelvan/Van (X82)	2014/05	
VIVARO B Platform (X82)	2014/05	

