

new to range

SPEED TO MARKET SECOND TO NONE

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



JANUARY 2023

INDEX

AUDI	3-8
BESTURN (FAW)	9
BMW	10-19
CHEVROLET	20-21
CHRYSLER	22-23
CITROEN	24-27
DODGE	28
DS	29
FIAT	30-31
FORD	32-34
GMC	35
HONDA	36
HYUNDAI	37-38
LANCIA	39
LAND ROVER	40-42
MAZDA	43-45
MERCEDES-BENZ	46-49
MITSUBISHI	50-53
NISSAN	54
OPEL	55-58
PEUGEOT	59-62
PORSCHE	63
SAAB	64
SEAT	65-67
SKODA	68
SMART	69
SUBARU	70-71
SUZUKI	72-74
TOYOTA	75-78
VAUXHALL	79-82
VOLVO	83-86
VOLKSWAGEN	87-91


BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
815615301B
8D0615301B
8D0615601B

10-50263



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50263

MATERIAL
TYPE-1

WEIGHT
5,72 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
244.85	84	10	8	45.15	112	5

AUDI

MODEL	START Y.	END Y.
A4 B5 (8D2)	1994/11	2001/12
A4 B5 Avant (8D5)	1994/11	2002/12
A4 B6 (8E2)	2000/11	2005/12
A4 B6 Avant (8E5)	2000/02	2005/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
8K0615301A

10-50363



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50363

MATERIAL
TYPE-1

WEIGHT
9,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	52.1	30	28	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A4 Allroad B8 (8KH)	2009/04	2016/05
A4 B8 (8K2)	2007/08	2015/12
A4 B8 Avant (8K5)	2007/11	2015/12
A5 (8T3)	2007/06	2017/01
A5 Cabrio (8F7)	2009/02	2017/01
A5 Sportback (8TA)	2007/07	2017/01
Q5 (8RB)	2008/11	2017/12





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
321615301B
321615301A
321615301C

10-50369



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50369

MATERIAL
TYPE-1

WEIGHT
3,73 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239	38.65	20	18	65	100	4+1

AUDI

MODEL	START Y.	END Y.
80 B1 Sedan (80, 82)	1972/05	1978/07
80 B2 Sedan (811, 813, 814, 819, 853)	1978/08	1987/03
90 B2 (813, 814, 853)	1984/08	1988/07
COUPE B2 (81, 855, 856)	1980/07	1988/10




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
8D0615601A

10-50460



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50460

MATERIAL
TYPE-1

WEIGHT
3,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
244.7	47.7	10.1	8	68	112	5

AUDI

MODEL	START Y.	END Y.
A4 B5 (8D2)	1994/11	2001/12
A4 B5 Avant (8D5)	1994/11	2002/12





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4F0615301E
4E0615301AD

10-50461



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	59.45	30.1	28	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A6 Allroad C6 (4FH)	2006/03	2011/08
A6 C6 (4F2)	2004/04	2011/08
A6 C6 Avant (4F5)	2004/11	2011/08
A8 D3 (4E2, 4E8)	2002/10	2010/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
7L6615601J
7L8615601G
7L8615601C

10-50464



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50464

MATERIAL
TYPE-1

WEIGHT
8,79 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	73.7	28	26	85	130	5+2

AUDI

MODEL	START Y.	END Y.
Q7 (4LB)	2006/03	2016/01





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5DA026251

10-50414



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298.8	48.5	25	23	72	114.3	5+3

BESTURN (FAW)

MODEL	START Y.	END Y.
X80	2013/05	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34111164539
34116766224
34116794302

10-50338



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50338

MATERIAL
TYPE-1

WEIGHT
6,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	51.8	22	20.4	79	120	5+1

BMW

MODEL	START Y.	END Y.
3 (E46)	1997/12	2005/05
3 Cabrio (E46)	2000/04	2007/12
3 Compact (E46)	2001/03	2005/02
3 Coupe (E46)	1998/12	2006/07
3 Touring (E46)	1999/06	2005/07
Z3 Coupe (E36)	1997/04	2003/06
Z3 Roadster (E36)	1995/10	2003/01
Z4 Roadster (E85)	2002/09	2009/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
94216855154
34216855154
34211165563

10-50381



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	59.75	19	17.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
3 (E46)	1997/12	2005/05
3 Cabrio (E46)	2000/04	2007/12
3 Compact (E46)	2001/03	2005/02
3 Coupe (E46)	1998/12	2006/07
3 Touring (E46)	1999/06	2005/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34111163013
34116767061
34111164839

10-50429



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	76	22	20.4	79	120	5+1

BMW

MODEL	START Y.	END Y.
5 (E39)	1995/09	2003/07
5 Touring (E39)	1996/09	2004/06




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34116764021
34116756745
34116778967

10-50445



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50445

MATERIAL
TYPE-1

WEIGHT
8,08 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
309.7	77.1	24	22.4	79	120	5+1

BMW

MODEL	START Y.	END Y.
5 (E60)	2001/12	2010/03
5 Touring (E61)	2004/03	2010/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34216753215
34216772085
34216778965

10-50450



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	63.05	20	18.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
5 (E60)	2001/12	2010/03
5 Touring (E61)	2004/03	2010/12
6 (E63)	2003/09	2010/12
6 Cabrio (E64)	2004/03	2010/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34113400151

10-50485



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
324.5	62	25	23.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
X3 (E83)	2003/01	2011/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34116764645
34116854999

10-50493



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50493

MATERIAL
TYPE-1

WEIGHT
9,09 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	73	24	22.4	79	120	5+1

BMW

MODEL	START Y.	END Y.
1 (E81)	2006/09	2012/09
1 (E87)	2003/02	2013/01
1 Cabrio (E88)	2007/12	2013/12
1 Coupe (E82)	2006/10	2013/10
3 (E90)	2004/02	2012/02
3 Cabrio (E93)	2006/05	2013/12
3 Coupe (E92)	2005/01	2013/12
3 Touring (E91)	2004/12	2012/12
X1 (E84)	2009/03	2015/06




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34116859679
34116765457
34116756045

10-50499



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
331.9	62	30	28.4	75	120	5+3

BMW

MODEL	START Y.	END Y.
X3 (E83)	2003/01	2011/12
X5 (E53)	2000/01	2006/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34106787490
34106879122
6787490

10-50809



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50809

MATERIAL
TYPE-1

WEIGHT
10,33 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
328	73	28	26.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
X3 (F25)	2010/09	2017/08
X4 (F26)	2013/05	2018/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34116868939
34116771985
34116793245

10-50817



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50817

MATERIAL
TYPE-1

WEIGHT
11,43 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
332	62.2	30	28.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
X5 (E70)	2006/02	2013/07
X5 (F15, F85)	2013/08	2018/07
X6 (E71, E72)	2007/06	2014/07
X6 (F16, F86)	2014/08	2019/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
18060665
8180606650
9180606650

10-50728



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50728

MATERIAL
TYPE-1

WEIGHT
10,52 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	54.5	29.1	27.5	79.2	127	6+2

CHEVROLET

MODEL	START Y.	END Y.
SSR Cabrio	2002/09	2006/12
TRAILBLAZER (KC_)	2001/09	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13502059

10-50811



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	45.6	26	23	60	105	5+1

CHEVROLET

MODEL	START Y.	END Y.
TRAX	2012/12	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5098064AA
5098063AA

10-50409



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	46.6	28	25.4	67	112	5+2

CHRYSLER

MODEL	START Y.	END Y.
CROSSFIRE	2003/07	2008/12
CROSSFIRE Roadster	2004/05	2008/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
05019981AA

10-50439



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	38	28.1	25.3	73.5	114.3	5

CHRYSLER

MODEL	START Y.	END Y.
VOYAGER IV (RG, RS)	1999/09	2008/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
424958
4249F3
424959



10-50296

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	45.8	24	22.4	69	114.3	5+2

CITROËN

MODEL	START Y.	END Y.
C-CROSSER (VU_, VV_)	2007/02	2012/12
C-CROSSER ENTERPRISE (VU_, VV_)	2009/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4246P2
1606309280
42490

10-50345



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50345

MATERIAL
TYPE-1

WEIGHT
7,83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284.75	43.5	28	26	59	98	5+1

CITROËN

MODEL	START Y.	END Y.
C8 (EA_, EB_)	2002/06	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
424964
424986
4249J8



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50470

MATERIAL
TYPE-1

WEIGHT
7,76 KG

BALANCING
100 %



10-50470

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301.75	34.3	26	24	66	108	4+2

CITROËN

MODEL	START Y.	END Y.
C4 I (LC_)	2004/11	2014/11
C4 II (NC_)	2009/02	
C4 III (BA_, BB_, BC_)	2020/10	
DS4 (NX_)	2011/03	2015/07
DS5	2011/09	2016/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1616394580

10-50810



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
293.6	35	22	20	71.1	108	5+3

CITROËN

MODEL	START Y.	END Y.
C4 SPACETOURER (3D_)	2018/04	
JUMPY Minibus/Bus (V_)	2016/04	
JUMPY Panelvan/Van (V_)	2016/04	
JUMPY Platform (V_)	2016/09	
SPACETOURER Minibus/Bus (V_)	2016/04	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
05019981AA

10-50439



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	38	28.1	25.3	73.5	114.3	5

DODGE

MODEL	START Y.	END Y.
CARAVAN (RG_)	2000/02	2007/12
GRAND CARAVAN Mini Cargo Van	2000/09	2007/12
GRAND CARAVAN Mini Passenger Van	2000/08	2007/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1611841780

10-50470



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301.75	34.3	26	24	66	108	4+2

DS

MODEL	START Y.	END Y.
DS 4 / DS 4 CROSSBACK (NX_)	2015/07	2018/12
DS 5 (KF_)	2015/04	2018/12



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
71750162
71742850
71768306

10-50312



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	47	22	20	62	114.3	5+4

FIAT

MODEL	START Y.	END Y.
SEDICI (189_)	2006/06	2014/10




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1355376080
9464640587

10-50345



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50345

MATERIAL
TYPE-1

WEIGHT
7,83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284.75	43.5	28	26	59	98	5+1

FIAT

MODEL	START Y.	END Y.
ULYSSE (179_)	2002/08	2011/06




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1380046
6G9N2C375DB
1404955

10-50396



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315.75	52	28	26	63.6	108	5+1

FORD

MODEL	START Y.	END Y.
GALAXY II (WA6)	2006/05	2015/06
S-MAX (WA6)	2006/05	2014/12



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
K1W1125AA
4041427
1738807

10-50404



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50404

MATERIAL
TYPE-1

WEIGHT
6,31 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275.9	42.9	24.4	22.1	82	100	5

FORD

MODEL	START Y.	END Y.
TRANSIT Minibus/Bus(FD__,FB__,FS__,FZ__, FC__)	2000/01	2006/05
TRANSIT Panelvan/Van (FA__)	2000/01	2006/05
TRANSIT Platform (FM__, FN__)	2000/01	2006/05
TRANSIT TOURNEO Minibus/Bus (FC__)	2000/06	2006/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
95VWX1125BD
1045994
1143641

10-50419



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50419

MATERIAL
TYPE-1

WEIGHT
7,40 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287.65	55.4	25	21	68.1	112	5+1

FORD

MODEL	START Y.	END Y.
GALAXY I (WGR)	1995/03	2006/05




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
25826103

10-50728



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	54.5	29.1	27.5	79.2	127	6+2

GMC

MODEL	START Y.	END Y.
ENVOY SUV	2001/09	2009/12





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
45251T1EG01
45251T1EG00
45251SWWG01

10-51076



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
293	47	28	26	64.1	114.3	5+4

HONDA

MODEL	START Y.	END Y.
CR-V III (RE_)	2006/06	
CR-V IV (RM_)	2012/01	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
ZB403101

10-50884



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
277	45.4	21.8	20.4	87	108	6

HYUNDAI

MODEL	START Y.	END Y.
GALLOPER II (JK-01)	1997/02	2003/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
517123J500
517123J500DS

10-51075



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	51.1	32.1	30.4	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
ix55	2006/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1355376080
1489738080
9464640588

10-50345



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50345

MATERIAL
TYPE-1

WEIGHT
7.83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284.75	43.5	28	26	59	98	5+1

LANCIA

MODEL	START Y.	END Y.
PHEDRA (179_)	2002/09	2010/11




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
SDB000636
SDB000632
SDB000633



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50375

MATERIAL
TYPE-1

WEIGHT
7,65 KG

BALANCING
100 %



10-50375

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325.1	59.35	20.1	17	79	120	5+2

LAND ROVER

MODEL	START Y.	END Y.
DISCOVERY III (L319)	2004/07	2009/09
DISCOVERY IV (L319)	2009/09	2018/12
RANGE ROVER SPORT I (L320)	2005/02	2013/03



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
SDB000080
SDB101070

10-50388



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276.8	51.1	21	18	66.1	114.3	5+2

LAND ROVER

MODEL	START Y.	END Y.
FREELANDER I (L314)	1998/02	2006/10
FREELANDER I Soft Top (L314)	1998/02	2006/10




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
LR000470
LR027107

10-50396



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50396

MATERIAL
TYPE-1

WEIGHT
10,32 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315.75	52	28	26	63.6	108	5+1

LAND ROVER

MODEL	START Y.	END Y.
FREELANDER 2 (L359)	2006/10	2015/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
DF7133251
DF7133251A

10-50319



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50319

MATERIAL
TYPE-1

WEIGHT
5,89 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257.9	44	23	21	55	100	4+1

MAZDA

MODEL	START Y.	END Y.
2 (DE_, DH_)	2007/07	2015/06
2 Sedan (DE_)	2010/05	2015/06




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
G33Y3325XA
G33Y3325X

10-50414



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298.8	48.5	25	23	72	114.3	5+3

MAZDA

MODEL	START Y.	END Y.
6 Hatchback (GG)	2002/08	2008/12
6 Hatchback (GH)	2007/08	2013/07
6 Sedan (GH)	2007/08	2013/12
6 Station wagon (GH)	2007/12	2013/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
G33Y3325XA

10-50414



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298.8	48.5	25	23	72	114.3	5+3


MAZDA (FAW)

MODEL	START Y.	END Y.
6 RUI YI Sedan	2009/01	



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2104212512
2104212212
2104211512

10-50409



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50409

MATERIAL
TYPE-1

WEIGHT
8,67 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	46.6	28	25.4	67	112	5+2

MERCEDES-BENZ

MODEL	START Y.	END Y.
CLK (C208)	1997/06	2003/12
CLK Cabrio (A208)	1998/03	2002/03
E-SERISI (W210)	1995/06	2003/08
E-SERISI T-Model (S210)	1996/06	2003/03
SLK (R170)	1996/04	2004/04
SLK (R171)	2004/03	2011/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1684210812
A168421081264
A1684210212

10-50446



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50446

MATERIAL
TYPE-1

WEIGHT
4,80 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
259.75	40.5	22	19.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-SERISI (W168)	1997/07	2005/08




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
0004211112
A0004211112
A2044211012

10-50622



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
322	64.5	32	30	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-SERISI (W204)	2007/01	2015/01
C-SERISI Coupe (C204)	2011/01	
C-SERISI T-Model (S204)	2007/08	2014/08
E-SERISI (W212)	2009/01	2016/12
E-SERISI Cabrio (A207)	2010/01	2016/12
E-SERISI Coupe (C207)	2009/01	2016/12
E-SERISI T-Model (S212)	2009/08	2016/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2114230912
423091207
0004230912

10-50813



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50813

MATERIAL
TYPE-1

WEIGHT
6,93 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	68.3	22	19.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
CLS (C218)	2011/01	2017/12
CLS (C219)	2004/10	2011/02
CLS Shooting Brake (X218)	2012/10	2017/12
E-SERISI (W211)	2002/03	2009/03
E-SERISI (W212)	2009/01	2016/12
E-SERISI T-Model (S211)	2003/02	2009/07
E-SERISI T-Model (S212)	2009/08	2016/12
GLK-SERISI (X204)	2008/06	2015/12





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4615A179
MR128659
4615A006



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50296

MATERIAL
TYPE-1

WEIGHT
6,75 KG

BALANCING
100 %



10-50296

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	45.8	24	22.4	69	114.3	5+2

MITSUBISHI

MODEL	START Y.	END Y.
LANCER VIII Sportback (CX_A)	2007/10	
OUTLANDER I (CU_W)	2001/03	2008/07
OUTLANDER II (CW_W)	2006/11	2012/12
OUTLANDER III (GG_W, GF_W, ZJ, ZL, ZK)	2010/11	



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
M4605A068
4605A068

10-50322



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	45.6	24	21.5	69	114.3	4

MITSUBISHI

MODEL	START Y.	END Y.
COLT CZC VI Cabrio (RG)	2006/05	2009/07
COLT Van (Z3_V)	2004/08	2012/06
COLT VI (Z3_A, Z2_A)	2002/10	2012/12





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
M818027
MB818027

10-50340



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	45.6	24	21.5	69	114.3	4+2


MITSUBISHI

MODEL	START Y.	END Y.
CARISMA (DA_)	1995/07	2006/06
CARISMA Sedan (DA_)	1996/09	2006/06



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
HQ232405

10-50884



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
277	45.4	21.8	20.4	87	108	6

MITSUBISHI

MODEL	START Y.	END Y.
GALLOPER (JK-01)	1998/09	2003/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402063Y502
402063Y503
402064U101

10-50286



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50286

MATERIAL
TYPE-1

WEIGHT
7,47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279.85	49.05	28	26	68	114.3	5

NISSAN

MODEL	START Y.	END Y.
ALMERA TINO (V10)	1998/12	2006/02
MAXIMA / MAXIMA QX V (A33)	1999/04	2003/11
PRIMERA (P12)	2002/01	
PRIMERA Hatchback (P12)	2002/01	
PRIMERA Station wagon (WP12)	2002/01	
X-TRAIL I (T30)	2001/01	2013/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
93176389
4707288
4706749

10-50333



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50333

MATERIAL
TYPE-1

WEIGHT
4,06 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
253	49.2	17	15	60	100	4+4

OPEL

MODEL	START Y.	END Y.
AGILA (A) (H00)	2000/09	2007/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
90512029
90496327
569056



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50371

MATERIAL
TYPE-1

WEIGHT
7.70 KG

BALANCING
100 %



10-50371

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287.65	42	25	22	70	110	7+1

OPEL

MODEL	START Y.	END Y.
CALIBRA A (C89)	1989/08	1997/07
SPEEDSTER (E01)	2000/06	2006/08
VECTRA B (J96)	1995/09	2004/07
VECTRA B Hatchback (J96)	1995/09	2003/07
VECTRA B Station wagon (J96)	1996/11	2003/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1616394580

10-50810



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50810

MATERIAL
TYPE-1

WEIGHT
5,77 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
293.6	35	22	20	71.1	108	5+3

OPEL

MODEL	START Y.	END Y.
VIVARO C Minibus/Bus (K0)	2019/03	
VIVARO C Panelvan/Van (K0)	2019/03	
VIVARO C Platform Cabin (K0)	2019/03	
ZAFIRA LIFE Minibus/Bus (K0)	2019/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
569091
13502059

10-50811



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50811

MATERIAL
TYPE-1

WEIGHT
8,59 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	45.6	26	23	60	105	5+1

OPEL

MODEL	START Y.	END Y.
MOKKA / MOKKA X (J13)	2012/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1611429880

10-50296



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	45.8	24	22.4	69	114.3	5+2

PEUGEOT

MODEL	START Y.	END Y.
4007 (VU_, VV_)	2007/02	2013/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4246Z7
424978
4249A8

10-50345



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50345

MATERIAL
TYPE-1

WEIGHT
7,83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284.75	43.5	28	26	59	98	5+1

PEUGEOT


MODEL	START Y.	END Y.
807 (EB_)	2002/06	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1611841780

10-50470



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50470

MATERIAL
TYPE-1

WEIGHT
7,76 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301.75	34.3	26	24	66	108	4+2

PEUGEOT

MODEL	START Y.	END Y.
208 I (CA_, CC_)	2012/03	
208 Van (CR_)	2012/10	
3008 MPV (0U_)	2009/05	2017/12
308 CC (4B_)	2009/02	2015/12
308 I (4A_, 4C_)	2007/09	2016/12
308 SW I (4E_, 4H_)	2007/09	2014/10
5008 (0U_, 0E_)	2009/06	2017/03



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1616394580

10-50810



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50810

MATERIAL
TYPE-1

WEIGHT
5,77 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
293.6	35	22	20	71.1	108	5+3

PEUGEOT

MODEL	START Y.	END Y.
EXPERT Minibus/Bus (V_)	2016/04	
EXPERT Panelvan/Van (V_)	2016/04	
EXPERT Platform (V_)	2016/09	
TRAVELLER Minibus/Bus (V_)	2016/04	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
95535240130
95535240131

10-50464



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50464

MATERIAL
TYPE-1

WEIGHT
8,79 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	73.7	28	26	85	130	5+2

PORSCHE

MODEL	START Y.	END Y.
CAYENNE (92A)	2010/06	
CAYENNE (9PA)	2002/09	2010/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5390786
4839320

10-50371



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287.65	42	25	22	70	110	7+1

SAAB

MODEL	START Y.	END Y.
9-3 (YS3D)	1998/02	2003/08
9-3 Cabriolet (YS3D)	1998/02	2003/08
9-5 (YS3E)	1997/09	2009/12
9-5 Station wagon (YS3E)	1998/10	2009/12
900 II	1993/07	1999/04
900 II Cabrio	1993/09	1999/04
900 II Coupe	1993/12	1999/04





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
321615301B

10-50369



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50369

MATERIAL
TYPE-1

WEIGHT
3,73 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239	38.65	20	18	65	100	4+1

SEAT

MODEL	START Y.	END Y.
CORDOBA (6K1, 6K2)	1993/02	2002/12
CORDOBA Vario (6K5)	1996/07	2002/12
IBIZA II (6K1)	1993/03	2002/05
TOLEDO I (1L2)	1991/01	1999/10




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
7M0615301E
7M0615301G

10-50419



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50419

MATERIAL
TYPE-1

WEIGHT
7,40 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287.65	55.4	25	21	68.1	112	5+1

SEAT

MODEL	START Y.	END Y.
ALHAMBRA (7V8, 7V9)	1996/04	2010/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1K0615301AJ

10-50814



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	49.65	30	27	65	112	9+1

SEAT

MODEL	START Y.	END Y.
ALHAMBRA (710, 711)	2010/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1K0615301AJ

10-50814



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50814

MATERIAL
TYPE-1

WEIGHT
9,56 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	49.65	30	27	65	112	9+1

SKODA

MODEL	START Y.	END Y.
KODIAQ (NS7, NV7, NS6)	2016/10	



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4544200001
45442000101

10-50322



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	45.6	24	21.5	69	114.3	4

SMART

MODEL	START Y.	END Y.
FORFOUR (454)	2004/01	2006/06




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5531186G02
5531186G02000
5531184E01

10-50333



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50333

MATERIAL
TYPE-1

WEIGHT
4,06 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
253	49.2	17	15	60	100	4+4

SUBARU

MODEL	START Y.	END Y.
JUSTY III (G3X)	2003/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5531180F01
5531180F00
5531180F03

10-50433



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50433

MATERIAL
TYPE-1

WEIGHT
3,43 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
231	50	17	15	64	114.3	4+4

SUBARU

MODEL	START Y.	END Y.
JUSTY II (JMA, MS)	1995/10	2003/11



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5531180J02
5531180J02000
5531179J01

10-50312



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	47	22	20	62	114.3	5+4

SUZUKI

MODEL	START Y.	END Y.
SX4 (EY, GY)	2006/06	
SX4 Sedan (GY, RW)	2007/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5531184E01

10-50333



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50333

MATERIAL
TYPE-1

WEIGHT
4,06 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
253	49.2	17	15	60	100	4+4

SUZUKI

MODEL	START Y.	END Y.
IGNIS II (MH)	2003/08	
WAGON R Hatchback	2002/03	2012/12
WAGON R+ Hatchback (MM)	2000/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5531160B30

10-50433



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50433

MATERIAL
TYPE-1

WEIGHT
3,43 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
231	50	17	15	64	114.3	4+4

SUZUKI

MODEL	START Y.	END Y.
ALTO IV (EF)	1993/10	2002/06
ALTO V (HA12, HA23)	1997/10	2004/09
CAPPUCCINO (EE)	1992/02	1998/08
SWIFT Cabrio (SF413)	1991/09	1996/10
SWIFT II Hatchback (EA, MA)	1989/03	2005/12
SWIFT II Sedan (AH, AJ)	1989/03	2001/05




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351202080
4351202081
4351213020

10-50403



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275	49.15	24.9	23	55	100	4+2

TOYOTA

MODEL	START Y.	END Y.
COROLLA (_E12_)	2001/01	2007/12
COROLLA Sedan (_E12_)	2000/08	2008/12
COROLLA Station wagon (_E12_)	2001/03	2008/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351202390

10-50410



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50410

MATERIAL
TYPE-1

WEIGHT
6,94 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	46	25	22	62	114.3	5+2

TOYOTA

MODEL	START Y.	END Y.
COROLLA Hatchback (_E21_)	2018/10	
COROLLA Sedan (_E21_)	2019/01	
COROLLA Station wagon (_E21_)	2019/02	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351217120
4351217130
4351217131

10-50457



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50457

MATERIAL
TYPE-1

WEIGHT
4,74 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255	43	20	18	55.05	100	4+2

TOYOTA

MODEL	START Y.	END Y.
MR2 III (ZZW3_)	1999/10	2007/06
YARIS (_P1_)	1999/01	2005/12
YARIS VERSO (_P2_)	1999/08	2005/09




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
SU001A6135

10-50810



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
293.6	35	22	20	71.1	108	5+3

TOYOTA

MODEL	START Y.	END Y.
PROACE Minibus/Bus (MDZ_)	2016/02	
PROACE Panelvan/Van (MDZ_)	2016/02	
PROACE Platform (MDZ_)	2016/02	
PROACE VERSO Minibus/Bus (MPY_)	2016/02	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
93179462

10-50333



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50333

MATERIAL
TYPE-1

WEIGHT
4,06 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
253	49.2	17	15	60	100	4+4

VAUXHALL

MODEL	START Y.	END Y.
AGILA Mk I (A) (H00)	2000/02	2008/03



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
93177674

10-50371



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287.65	42	25	22	70	110	7+1

VAUXHALL

MODEL	START Y.	END Y.
CALIBRA (C89)	1990/06	1997/07
VECTRA (B) Hatchback (J96)	1995/08	2003/07
VECTRA (B) Sedan (J96)	1995/08	2002/03
VECTRA (B) Station wagon (J96)	1995/08	2002/03
VX220 Cabrio (E01)	2000/09	2005/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1616394580

10-50810



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
293.6	35	22	20	71.1	108	5+3

VAUXHALL

MODEL	START Y.	END Y.
VIVARO C Panelvan/Van (K0)	2019/03	
VIVARO C Platform Cabin (K0)	2019/03	
VIVARO LIFE Minibus/Bus (K0)	2019/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13502059

10-50811



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	45.6	26	23	60	105	5+1

VAUXHALL

MODEL	START Y.	END Y.
MOKKA / MOKKA X (J13)	2012/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
30818027
308180272

10-50340



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	45.6	24	21.5	69	114.3	4+2

VOLVO

MODEL	START Y.	END Y.
S40 I (644)	1995/07	2004/12
V40 Station wagon (645)	1995/07	2004/06




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
30769061
307690610
31400764



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50396

MATERIAL
TYPE-1

WEIGHT
10,32 KG

BALANCING
100 %



10-50396

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315.75	52	28	26	63.6	108	5+1

VOLVO

MODEL	START Y.	END Y.
S60 II (134)	2010/04	2018/12
S80 II (124)	2006/03	2016/12
V60 I (155, 157)	2010/07	2018/12
V70 III (135)	2007/04	2016/04
XC70 II (136)	2007/04	2016/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2724037
31262706
31400739

10-50423



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50423

MATERIAL
TYPE-1

WEIGHT
6,88 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285.8	50.2	26	23	68	108	5+5

VOLVO

MODEL	START Y.	END Y.
S60 I (384)	2000/07	2010/04
S80 I (184)	1998/05	2008/02
V70 II (285)	1999/11	2008/12
XC70 CROSS COUNTRY I (295)	1997/10	2007/10




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
31277357
31471033
31410569

10-50812



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50812

MATERIAL
TYPE-1

WEIGHT
7,23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	50.8	22	20	63.6	108	5+1

VOLVO

MODEL	START Y.	END Y.
XC60 I SUV (156)	2008/05	2017/12





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
321615301B

10-50369



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50369

MATERIAL
TYPE-1

WEIGHT
3,73 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239	38.65	20	18	65	100	4+1

VW

MODEL	START Y.	END Y.
GOL II	1994/06	2013/06
GOL IV	2003/05	2014/12
GOLF I (17)	1974/04	1985/12
GOLF I Cabriolet (155)	1979/01	1993/08
GOLF II (19E, 1G1)	1983/08	1992/12
GOLF II Van (19E, 1G1)	1983/08	1991/07
GOLF III (1H1)	1989/10	1998/07
GOLF III Variant (1H5)	1993/07	1999/04
JETTA I (16)	1978/08	1987/12
JETTA II (19E, 1G2, 165)	1983/08	1992/12
PASSAT B1 (32)	1973/05	1981/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
7M0615301E
7M0615301G

10-50419



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50419

MATERIAL
TYPE-1

WEIGHT
7,40 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287.65	55.4	25	21	68.1	112	5+1

VW

MODEL	START Y.	END Y.
SHARAN (7M8, 7M9, 7M6)	1995/05	2010/03




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
8E0615601A

10-50460



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50460

MATERIAL
TYPE-1

WEIGHT
3,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
244.7	47.7	10.1	8	68	112	5

VW

MODEL	START Y.	END Y.
PASSAT B5 (3B2)	1996/08	2001/12
PASSAT B5 Variant (3B5)	1997/05	2001/12
PASSAT B5.5 (3B3)	2000/10	2005/12
PASSAT B5.5 Variant (3B6)	2000/09	2005/08




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
7L6615601D

10-50464



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	73.7	28	26	85	130	5+2

VW

MODEL	START Y.	END Y.
TOUAREG (7LA, 7L6, 7L7)	2002/10	2013/01
TOUAREG (7P5, 7P6)	2010/01	2018/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5QN615301
5QF615301A

10-50814



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50814

MATERIAL
TYPE-1

WEIGHT
9,56 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	49.65	30	27	65	112	9+1

VW

MODEL	START Y.	END Y.
SHARAN (7N1, 7N2)	2010/05	
TIGUAN (AD1, AX1)	2016/01	

