

new to range

SPEED TO MARKET SECOND TO NONE

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



DECEMBER 2023

INDEX BRAKE DISC

ALFA ROMEO	3-4
BUICK	5
CADILLAC	6
CHEVROLET	7-13
CHRYSLER	14-15
DODGE	16
FIAT	17
FORD	18
FORD USA	19-20
GMC	21-24
HUMMER	25
INFINITI	26
JEEP	27
KIA	28
LANCIA	29
LAND ROVER	30
LINCOLN	31
MAZDA	32-33
MERCEDES BENZ	34
MERCURY	35
NISSAN	36-37
OLDSMOBILE	38
PEUGEOT	39-40
PLYMOUTH	41
PONTIAC	42
SCION	43
SEAT	44
TOYOTA	45
VOLKSWAGEN	46

BRAKE DRUM

AUDI	47
FORD	48
NISSAN	49
SCION	50
SEAT	51
SKODA	52
TOYOTA	53
VOLKSWAGEN	54


BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
82418684
7789267
82439939

10-50472



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
251	50,7	10	9	59	98	5+1

ALFA ROMEO

MODEL	START Y.	END Y.
147 (937_)	2000/10	2010/12
156 (932_)	1997/09	2005/10
156 Sportwagon (932_)	1997/02	2006/05
164 (164_)	1987/01	1998/10




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
68249842AA
51767377
51767378



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51112

MATERIAL
TYPE-1

WEIGHT
4,77 KG

BALANCING
100 %



10-51112

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	43,2	12	10	70	110	5+5

ALFA ROMEO

MODEL	START Y.	END Y.
159 (939_)	2005/06	2012/12
159 Sportwagon (939_)	2005/06	2012/12
BRERA (939_)	2006/01	2011/05
GIULIETTA (940_)	2010/04	2020/12
GIULIETTA Hatchback Van (940_)	2011/04	2020/12
SPIDER (939_)	2006/03	2011/03
TONALE (965_)	2022/03	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
19174917

10-51144



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260,8	50,7	26,4	24,3	70,7	114,3	5

BUICK

MODEL	START Y.	END Y.
CENTURY Saloon	1981/05	1996/12
ELECTRA	1984/10	1991/09
LESABRE	1985/10	1991/09
LESABRE Coupe	1985/09	1991/12
REATTI Coupe	1987/09	1991/12
RIVIERA Coupe	1985/09	1993/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19174917
18027718
1642177



10-51144

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260,8	50,7	26,4	24,3	70,7	114,3	5

CADILLAC

MODEL	START Y.	END Y.
ALLANTE Convertible (V)	1985/09	1993/09
DEVILLE	1989/09	1993/09
DEVILLE Saloon	1984/09	1988/12
ELDORADO Coupe	1987/10	1991/09
ELDORADO Coupe	1985/09	1991/12
FLEETWOOD Saloon	1988/09	1993/12
FLEETWOOD Saloon	1984/09	1988/12
SEVILLE II (K)	1985/09	1991/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15733196

10-51129



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	73,1	20	18,5	70,6	120,65	5

CHEVROLET

MODEL	START Y.	END Y.
S10 Crew Cab Pickup	1993/09	2004/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13537160
13515289
13517843



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51132

MATERIAL
TYPE-1

WEIGHT
8,61 KG

BALANCING
100 %



10-51132

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	45,6	26	23	70,8	115	5+1

CHEVROLET

MODEL	START Y.	END Y.
EQUINOX	2017/03	
MALIBU	2015/09	
TRAILBLAZER	2020/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
15981339
12549136



10-51142

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
317,5	69,9	32,7	30,86	137,4	165,1	8

CHEVROLET

MODEL	START Y.	END Y.
K2500 Crew Cab Pickup	1987/09	2000/12
K2500 Extended Cab Pickup	1987/09	2000/12
K2500 Standard Cab Pickup	1987/09	2000/12
TAHOE (GMT400)	1993/10	2001/04



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
94775725

10-51143



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
310	60,8	27	25	71	120	6+1

CHEVROLET

MODEL	START Y.	END Y.
COLORADO Cab & Chassis	2011/09	
COLORADO Crew Cab Pickup	2011/09	
COLORADO Extended Cab Pickup	2011/09	
COLORADO Standard Cab Pickup	2011/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19174917

10-51144



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260,8	50,7	26,4	24,3	70,7	114,3	5

CHEVROLET

MODEL	START Y.	END Y.
CELEBRITY Saloon	1981/09	1989/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15718896
18060215

10-51146



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	89,25	38	36,5	118,1	165,1	8+2

CHEVROLET

MODEL	START Y.	END Y.
AVALANCHE	2000/10	2006/09
EXPRESS 2500 Extended Cargo Van	2002/09	
EXPRESS 2500 Extended Passenger Van	2002/09	
EXPRESS 2500 Standard Cargo Van	2002/09	
EXPRESS 2500 Standard Passenger Van	2002/09	
EXPRESS Bus	2003/01	
EXPRESS Standard Passenger Van	2008/09	
SILVERADO 1500	2006/09	
SILVERADO 1500	1997/09	2007/12
SILVERADO 1500 Crew Cab Pickup	2007/09	2013/12
SILVERADO 1500 Extended Cab Pickup	2007/09	2013/12




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19303821
10377634
25999701

10-51153



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	35,2	12	10,5	70,75	115	6+1

CHEVROLET

MODEL	START Y.	END Y.
UPLANDER	2004/04	2010/01




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4721240AF
04721240AF
4721240AB

10-51027



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
311,85	59	14	12,5	82	127	5

CHRYSLER

MODEL	START Y.	END Y.
PACIFICA	2003/08	2008/09




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5085651AA
5085651AD
5085651AB



10-51127

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
270	53,15	9	7,25	57,5	100	5

CHRYSLER

MODEL	START Y.	END Y.
CIRRUS	1994/05	2000/09
NEON (PL)	1994/05	2000/09
NEON II	1999/08	2006/12
PT CRUISER (PT_)	2000/06	2010/12
PT CRUISER Combi Van (PT_)	2002/10	2008/08
PT CRUISER Convertible	2000/06	2010/12
SEBRING (JR)	2000/09	2007/06
SEBRING Convertible (JR)	2001/04	2007/06
STRATUS (JA)	1994/09	2001/04
STRATUS Convertible (JX)	1996/04	2001/04




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4509553AB
5085651AB
5085651AA

10-51127



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51127

MATERIAL
TYPE-1

WEIGHT
3,99 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
270	53,15	9	7,25	57,5	100	5

DODGE

MODEL	START Y.	END Y.
AVENGER Coupe	1994/09	2000/12
NEON	1994/05	1999/08
NEON II	1999/08	
STRATUS	1994/09	2001/04




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
68249842AB
51964082

10-51112



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	43,2	12	10	70	110	5+5

FIAT

MODEL	START Y.	END Y.
500X (334_)	2014/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1763037
1742318
AB311125AA

10-51211



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301,8	61,1	32	30	98	139,7	6+1

FORD

MODEL	START Y.	END Y.
RANGER (TKE)	2011/04	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
F3DZ2C026A

10-51022



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256,5	39,7	14	12,75	64,5	108	5

FORD USA

MODEL	START Y.	END Y.
CONTOUR	1993/08	1997/12
TAURUS	1991/01	1995/12
TAURUS	1985/01	1991/12
TAURUS (P5_)	1995/09	1999/12
TAURUS Estate	1999/09	2005/12
TAURUS Wagon (P5_)	1995/06	1999/12



BRAKE DISC


• Rear Axle

• solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
F5TZ2C026A
YL242C026AA
YL242C026AB

10-51176



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285	58,65	12	11	71,2	114,3	5

FORD USA

MODEL	START Y.	END Y.
EXPLORER	2001/09	
EXPLORER (U2. U_)	1994/09	2003/04
EXPLORER (U251)	2006/01	2010/12
EXPLORER (UN46)	1990/10	1994/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15733196

10-51129



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	73,1	20	18,5	70,6	120,65	5

GMC

MODEL	START Y.	END Y.
SONOMA Crew Cab Pickup	1993/09	2004/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13537160

10-51132



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	45,6	26	23	70,8	115	5+1

GMC

MODEL	START Y.	END Y.
TERRAIN	2017/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
94775725

10-51143



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
310	60,8	27	25	71	120	6+1

GMC

MODEL	START Y.	END Y.
CANYON Crew Cab Pickup	2012/09	
CANYON Extended Cab Pickup	2012/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15942195
15718896
18060215

10-51146



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	89,25	38	36,5	118,1	165,1	8+2

GMC

MODEL	START Y.	END Y.
SIERRA	1996/05	2007/12
SIERRA Extended Cab Pickup	1998/10	2007/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15942195

10-51146



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	89,25	38	36,5	118,1	165,1	8+2

HUMMER

MODEL	START Y.	END Y.
HUMMER H2	2002/08	
HUMMER H2 SUT	2004/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
40206CL70A
40206CL70B
D0206CL70CNW



10-51025

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	49,1	34	32	68	114,3	5+1

INFINITI

MODEL	START Y.	END Y.
EX	2007/09	2008/12
FX	2008/07	
FX	2002/09	
G Convertible	2010/09	
G Coupe	2007/09	
G Saloon	2007/01	
M (Y51)	2010/03	
M35	2005/01	
M37	2010/01	
Q60 Convertible	2013/10	
Q60 Coupe	2013/08	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
68249842AC
51963547
52059174



10-51112

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	43,2	12	10	70	110	5+5

JEEP


MODEL	START Y.	END Y.
COMPASS (MP. M6. MV. M7)	2016/01	
RENEGADE SUV (BU. B1. BV)	2014/07	
RENEGADE VAN (BU. B1)	2014/07	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
581294E000

10-51145



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	26,2	26,2	24	92	116	5

KIA

MODEL	START Y.	END Y.
K2900	2008/01	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
71738911
60814804
71772244



10-50472

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
251	50,7	10	9	59	98	5+1

LANCIA

MODEL	START Y.	END Y.
DELTA I (831_)	1979/09	1994/01
DELTA III (844_)	2008/08	2014/08
LYBRA (839_)	1999/07	2005/10
LYBRA SW (839_)	1999/07	2005/10
THEMA (834_)	1984/11	1994/07
THEMA SW (834_)	1987/03	1994/07




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
LR099038
LR033303

10-51130



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51130

MATERIAL
TYPE-1

WEIGHT
10,49 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
365	49	25	22	79	120	5+1

LAND ROVER

MODEL	START Y.	END Y.
DEFENDER Station Wagon (L663)	2019/09	
DEFENDER Van (L663)	2020/02	
DISCOVERY V (L462)	2016/09	
DISCOVERY V VAN (L462)	2016/09	
RANGE ROVER IV (L405)	2012/08	
RANGE ROVER SPORT II (L494)	2013/04	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
YF1Z2C026AA

10-51022



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256,5	39,7	14	12,75	64,5	108	5

LINCOLN

MODEL	START Y.	END Y.
CONTINENTAL	1995/01	2002/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
T0023325XA
TY0133251XA
TY013325X



10-51131

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
274	50,7	28	26	72,15	114,3	5+1

MAZDA

MODEL	START Y.	END Y.
MPV II (LW)	1999/08	2006/12
MPV III (LY)	2006/02	
XEDOS 9 (TA)	1993/07	2002/09




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
UC2B33251A
UC2B33251B

10-51211



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301,8	61,1	32	30	98	139,7	6+1

MAZDA

MODEL	START Y.	END Y.
BT-50 II Pickup (B22. B32. UP. UR)	2011/11	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
6384230112
A6384230112

10-50866



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	65	10	8	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
V-CLASS (638/2)	1996/02	2003/07
V-CLASS Van (638/2)	1996/08	2003/07
VITO Bus (W638)	1996/02	2003/07
VITO Van (W638)	1997/03	2003/07




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
YF1Z2C026BA
F3DZ2C026A

10-51022



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256,5	39,7	14	12,75	64,5	108	5

MERCURY

MODEL	START Y.	END Y.
SABLE	1995/09	2000/02
SABLE	1992/01	1995/08
SABLE Estate	1995/09	2000/02
SABLE Estate	1992/01	1995/08




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4020603N00
40206F4001
4020601G03

10-51024



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51024

MATERIAL
TYPE-1

WEIGHT
5,37 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249,8	37	22	20	81	103	6

NISSAN

MODEL	START Y.	END Y.
NAVARA (D21)	1985/09	2008/03
NAVARA (D22)	1997/01	
PICK UP (D21)	1985/09	2008/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402061HL0C
402061HL0E
402061HL0B



10-51147

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
259,75	44	22	20	61	100	4

NISSAN

MODEL	START Y.	END Y.
ALMERA (N17)	2011/09	
CUBE (Z12)	2007/09	
VERSA II (N17_)	2011/08	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
19174917

10-51144



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260,8	50,7	26,4	24,3	70,7	114,3	5

OLDSMOBILE

MODEL	START Y.	END Y.
CUTLASS CIERA	1989/01	1996/12
CUTLASS CIERA	1981/09	1988/12
CUTLASS CIERA Coupe	1981/09	1988/12
CUTLASS CIERA Estate	1983/09	1988/12
CUTLASS SUPREME Coupe	1987/09	1997/12
CUTLASS SUPREME Saloon	1988/10	1997/09
DELTA 88	1986/01	1991/12
SILHOUETTE	1989/09	1996/12




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4249G2
1642773580
4249E0

10-51138



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
289,7	44	12	10	71,1	108	5+2

PEUGEOT

MODEL	START Y.	END Y.
508 I (8D_)	2010/11	2018/12
508 SW Estate Van (8E_)	2011/11	
508 SW I (8E_)	2010/11	2018/12




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1610761980
1642776280

10-51139



AYD NO
10-51139

MATERIAL
TYPE-1

WEIGHT
3,25 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	35	10	8	71,05	108	5+2

PEUGEOT

MODEL	START Y.	END Y.
308 Hatchback Van (LB_)	2015/03	
308 II (LB_, LP_, LW_, LH_, L3_)	2013/09	2021/06
308 SW II (LC_, LJ_, LR_, LX_, L4_)	2014/03	2021/06
308 SW II Estate Van (LC_)	2014/04	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4509553AC
5085651AB
5085651AA

10-51127



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
270	53,15	9	7,25	57,5	100	5

PLYMOUTH

MODEL	START Y.	END Y.
NEON II Saloon	1999/08	
NEON Saloon	1994/05	1999/08



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
19174917

10-51144



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260,8	50,7	26,4	24,3	70,7	114,3	5

PONTIAC

MODEL	START Y.	END Y.
6000 Coupe	1981/09	1987/12
6000 Estate	1983/09	1991/12
6000 Saloon	1981/09	1991/12
BONNEVILLE Saloon	1986/09	1991/12




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4243121020

10-51154



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279	42,35	10	8,5	62	114,3	5+2

SCION

MODEL	START Y.	END Y.
tC Coupe	2009/09	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
6N0615601
191615601B
357615601

10-50467



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
226	71,55	10	8	39,8	100	4

SEAT

MODEL	START Y.	END Y.
CORDOBA (6K1. 6K2)	1993/02	2002/12
CORDOBA Vario (6K5)	1996/07	2002/12
CORDOBA VARIO Estate Van (6K5)	2000/08	2002/12
IBIZA II (6K1)	1993/03	2002/05
TOLEDO I (1L2)	1991/01	1999/10




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351235080
4351235081

10-51028



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
248	46	22	21	84	110	5

TOYOTA

MODEL	START Y.	END Y.
PICKUP Cab & Chassis	1978/09	1993/12



BRAKE DISC


• Rear Axle

• solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
191615601B
6N0615601
357615601

10-50467



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
226	71,55	10	8	39,8	100	4

VW

MODEL	START Y.	END Y.
CORRADO (53I)	1987/08	1995/12
GOLF I (17)	1974/04	1985/12
GOLF II (19E. 1G1)	1983/08	1992/12
GOLF II Van (19E. 1G1)	1983/08	1991/07
GOLF III (1H1)	1989/10	1998/07
GOLF III Cabriolet (1E7)	1993/07	1998/05
GOLF III Van (1H1)	1991/08	1997/12
GOLF III Variant (1H5)	1993/07	1999/04
GOLF IV Cabriolet (1E7)	1998/06	2002/12
GOLF Van III Variant (1H5)	1991/08	1999/12
JETTA I (16)	1978/08	1987/12




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2Q0609617A

13-51048



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51048

MATERIAL
TYPE-1

WEIGHT
5,49 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	56.2	228.4	229.8	65	100	5+1

AUDI

MODEL	START Y.	END Y.
A1 City Carver (GBH)	2019/07	2022/06
A1 Sportback (GBA)	2018/07	




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2T1Z1126B
8T1Z1126B
AT1Z1126A

13-51066



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51066

MATERIAL
TYPE-1

WEIGHT
7,99 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279.25	89.5	228.4	230.2	63.4	108	5

FORD

MODEL	START Y.	END Y.
TRANSIT CONNECT (P65_. P70_. P80_)	2002/06	




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
432063SG0C
432063SG0B

13-51068



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51068

MATERIAL
TYPE-1

WEIGHT
5,68 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
270.6	60.1	228.7	230	68	114.3	5+2

NISSAN

MODEL	START Y.	END Y.
SENTRA VII (B17)	2012/08	
SENTRA VIII (B18X)	2019/11	




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
424310D010

13-51065



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51065

MATERIAL
TYPE-1

WEIGHT
4,28 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
242.2	51.7	200	201	55	100	4+2

SCION

MODEL	START Y.	END Y.
xA Hatchback	2003/09	2006/12
xB MPV	2003/09	2006/12




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2Q0609617A

13-51048



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51048

MATERIAL
TYPE-1

WEIGHT
5,49 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	56.2	228.4	229.8	65	100	5+1

SEAT

MODEL	START Y.	END Y.
ARONA (KJ7. KJP)	2017/07	
IBIZA V (KJ1. KJG)	2017/01	




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2Q0609617A

13-51048



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51048

MATERIAL
TYPE-1

WEIGHT
5,49 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	56.2	228.4	229.8	65	100	5+1

SKODA

MODEL	START Y.	END Y.
FABIA IV (PJ3)	2021/06	
KAMIQ (NW4)	2019/07	
SCALA (NW1)	2019/02	




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4243152021
4243152020

13-51065



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51065

MATERIAL
TYPE-1

WEIGHT
4,28 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
242.2	51.7	200	201	55	100	4+2

TOYOTA

MODEL	START Y.	END Y.
bB I (NCP3_)	2000/01	2005/12
IST (NCP6_)	2002/04	2007/07
PORTE I (_NNP1_)	2004/07	2012/07
RAUM MPV (NCZ2_)	2003/05	
WILL CYPHA I (NCP7_)	2001/05	2005/07
YARIS (_P1_)	1999/01	2005/12
YARIS VERSO (_P2_)	1999/08	2005/09
YARIS VERSO VAN (_P2_)	2000/03	2005/09




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
2Q0609617A

13-51048



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51048

MATERIAL
TYPE-1

WEIGHT
5,49 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	56.2	228.4	229.8	65	100	5+1

VW

MODEL	START Y.	END Y.
POLO VI (AW1. BZ1. AE1)	2017/06	
T-CROSS (C11)	2018/12	
TAIGO (CS1)	2021/09	

