

BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

APRIL 2025



www.aydtr.com


INDEX BRAKE DISC

ACURA	3-4
CHRYSLER	5-6
DAIHATSU	7
DODGE	8-9
FIAT	10
FORD	11-12
HONDA	13-15
HYUNDAI	16-24
JAGUAR	25-26
KIA	27-32
LEXUS	33-34
MAZDA	35-38
MERCEDES BENZ	39
SUBARU	40
SUZUKI	41
TOYOTA	42-44
VOLKSWAGEN	45

BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
45251SEPA51

10-51564




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51564

MATERIAL
TYPE-1

WEIGHT
8.44 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
310	45.3	25	23	64.25	114.3	5+4

ACURA

MODEL	START Y.	END Y.
TL (UC_)	2003/10	2012/11



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
42510SM4950

10-51551



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51551

MATERIAL
TYPE-1

WEIGHT
3.79 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	48.65	10	8	64.15	114.3	4+4

ACURA

MODEL	START Y.	END Y.
CL Coupe	1996/10	2003/09
VIGOR	1991/09	1994/09



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5290537AD / 5290537AC / 5290537AA

10-51560



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51560

MATERIAL
TYPE-1

WEIGHT
12.25 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	58	32	30	72.6	115	5

CHRYSLER


MODEL	START Y.	END Y.
300	2008	2014



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4683918AD / 4683918AA

10-51562



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	39.2	28	26.5	73.4	114.3	5

CHRYSLER


MODEL	START Y.	END Y.
GRAND VOYAGER III VAN (GS)	1995/01	2001/12
RAM VAN Van (RG)	2005/11	2009/07
VOYAGER / GRAND VOYAGER III (GS_, NS_)	1992/01	2001/03
VOYAGER / GRAND VOYAGER IV (RG)	2000/02	2008/02
VOYAGER III VAN (GS_)	1995/01	2001/12
VOYAGER IV (RG. RS)	1999/09	2008/12
VOYAGER IV VAN (S_)	1999/09	2008/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351297402 / 4351297402000 /
43512B1110

10-51556




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51556

MATERIAL
TYPE-1

WEIGHT
4.2 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
246	42	17	16	55.1	100	4+2

DAIHATSU

MODEL	START Y.	END Y.
COPEN (L880_, L881_)	2002/03	2012/09
CUORE VII (L275_, L285_, L276_)	2006/12	
SIRION (M3_)	2005/01	
YRV (M2)	2001/02	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5290537AD / 5290537AB

10-51560



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51560

MATERIAL
TYPE-1

WEIGHT
12.25 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	58	32	30	72.6	115	5

DODGE


MODEL	START Y.	END Y.
Challenger	2008	2020
Charger	2007	2020
Magnum	2008	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4683918AB / 4863918AB /
46833918AB

10-51562




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51562

MATERIAL
TYPE-1

WEIGHT
8.09 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	39.2	28	26.5	73.4	114.3	5

DODGE

MODEL	START Y.	END Y.
CARAVAN (RG_)	2000/02	2007/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
52067393 / 52067394 / 52017292

10-51554



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51554

MATERIAL
TYPE-1

WEIGHT
6.85 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	43.5	26	24.2	59.05	98	5+5

FIAT


MODEL	START Y.	END Y.
TIPO Estate (356_. 357_)	2016/03	
TIPO Hatchback (356_. 357_)	2016/03	
TIPO Saloon (356_. 357_)	2015/10	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
KR3Z1125H / GR3Z1125K /
GR3Z1125G

10-51561




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51561

MATERIAL
TYPE-1

WEIGHT
9.22 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	61.9	30	28.5	71.05	114.3	5

FORD


MODEL	START Y.	END Y.
Mustang	2015	2018



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
GN151125CA / 2147409

10-51563



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	39.65	25	23	63.5	107.95	4

FORD

MODEL	START Y.	END Y.
ECOSPORT	2011/09	2022/12



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
42510SV4A00 / 42510SM4950 /
42510SV1A00

10-51551



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51551

MATERIAL
TYPE-1

WEIGHT
3.79 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	48.65	10	8	64.15	114.3	4+4

HONDA

MODEL	START Y.	END Y.
ACCORD IV (CB)	1989/11	1993/12
ACCORD IV Aerodeck (CB)	1989/09	1994/02
ACCORD IV Coupe (CB. CC)	1989/05	1993/12
ACCORD V (CC. CD)	1992/06	1997/12
ACCORD V (CE. CF_. CD)	1995/09	1998/12
ACCORD V Aerodeck (CE)	1993/04	1998/02
ACCORD V Coupe (CD)	1993/04	1998/12
ACCORD VI (CK. CG. CH. CF. CL)	1997/03	2003/12
CIVIC VI Aerodeck (MB. MC)	1998/04	2001/02
CIVIC VI Fastback (MA. MB)	1994/09	2001/02
CIVIC VI Hatchback (EJ. EK)	1995/10	2001/03




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
42510TZEJ00

10-51553



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51553

MATERIAL
TYPE-1

WEIGHT
2,82 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239	33.3	9	8	61	100	4+3

HONDA

MODEL	START Y.	END Y.
CITY VII Hatchback (GN6. GN2)	2020/11	
CITY VII Saloon (GN1. GN2. GN3)	2019/12	
JAZZ V (GR_. GS_)	2020/02	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
45251SAA901 / 45251SAA000 /
45251SAA900

10-51574



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51574

MATERIAL
TYPE-1

WEIGHT
3.11 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
231	39.15	17	15	61	100	5+4

HONDA

MODEL	START Y.	END Y.
CITY IV Saloon (GD_)	2002/12	2008/07
JAZZ II (GD_, GE3, GE2)	2001/06	2008/12
JAZZ III (GE_, GG_, GP_, ZA_)	2007/10	
LIFE (JB_)	2003/09	
LIFE (JB)	2001/09	2003/08
LOGO (GA)	1996/10	2002/03




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
58411D4650

10-50926



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50926

MATERIAL
TYPE-1

WEIGHT
5.21 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	32.1	10	8.4	76	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
GRANDEUR (IG)	2016/11	
KONA (OS. OSE. OSI)	2017/06	2023/04
KONA SUV Van (OS. OSE. OSI)	2017/06	



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
584113J000

10-51550



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51550

MATERIAL
TYPE-1

WEIGHT
7.1 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
324	67	12	10.4	69	114.3	5+3

HYUNDAI


MODEL	START Y.	END Y.
Veracruz	2007	2012



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
517123J010 / 517123J000

10-51558




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51558

MATERIAL
TYPE-1

WEIGHT
10.55 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	49	28	26.4	69.05	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
Veracruz	2007	2012



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712S0200

10-51569




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51569

MATERIAL
TYPE-1

WEIGHT
12,69 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	52.3	30	28	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
i30 (PDE. PD. PDEN)	2016/11	
i30 FASTBACK (PDE. PDEN)	2017/06	
KONA (OS. OSE. OSI)	2017/06	2023/04



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712L1700

10-51570




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51570

MATERIAL
TYPE-1

WEIGHT
12.1 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	48.1	30	28	69.05	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
IONIQ 5 (NE)	2020/07	
IONIQ 6 (CE)	2022/10	
SANTA FE IV (TM. TMA)	2018/02	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712GI000

10-51571




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51571

MATERIAL
TYPE-1

WEIGHT
9.46 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	48.4	30	28	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
IONIQ 5 (NE)	2020/07	
IONIQ 6 (CE)	2022/10	
TUCSON (NX4E. NX4A)	2020/10	



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
584113L010 / 584113L000

10-51582



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	55	10	8.4	76.05	114.3	5+3

HYUNDAI

MODEL	START Y.	END Y.
GRANDEUR (TG)	2003/06	2012/06



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
58411N7000

10-51584




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51584

MATERIAL
TYPE-1

WEIGHT
4,22 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	32.2	10	8	76.1	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
KONA (SX2)	2023/04	
SANTA CRUZ (NX4A OB)	2021/09	
TUCSON (NX4E. NX4A)	2020/10	



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
58411J9500

10-51586



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51586

MATERIAL
TYPE-1

WEIGHT
4.4 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	32.1	10	8	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
KONA (OS. OSE. OSI)	2017/06	2023/04



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
C2P13648 / T2R5942

10-51566




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51566

MATERIAL
TYPE-1

WEIGHT
11.55 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
376	42	26	24	64.5	107.95	5

JAGUAR

MODEL	START Y.	END Y.
F-TYPE Convertible (X152)	2012/10	
F-TYPE Coupe (X152)	2013/09	
XF I (X250)	2008/03	2015/04
XF SPORTBRAKE (X250)	2012/09	2015/12
XJ (X351)	2009/10	
XK II Convertible (X150)	2006/03	2014/07
XK II Coupe (X150)	2006/03	2014/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
C2P12622 / C2D61076 / T2R5940

10-51567



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
380	48.1	36	34	71.1	107.95	5

JAGUAR

MODEL	START Y.	END Y.
F-TYPE Convertible (X152)	2012/10	
F-TYPE Coupe (X152)	2013/09	
XF I (X250)	2008/03	2015/04
XF SPORTBRAKE (X250)	2012/09	2015/12
XJ (X351)	2009/10	
XK II Convertible (X150)	2006/03	2014/07
XK II Coupe (X150)	2006/03	2014/12





BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
58411D4650

10-50926



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50926

MATERIAL
TYPE-1

WEIGHT
5.21 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	32.1	10	8.4	76	114.3	5+2

KIA

MODEL	START Y.	END Y.
CADENZA II (YG)	2016/01	
NIRO I (DE)	2016/09	2022/08
OPTIMA (JF)	2015/09	
OPTIMA Sportswagon (JF)	2016/09	2019/12
SOUL III (SK3)	2019/01	
SOUL III Cargo (SK3)	2020/06	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712L1700

10-51570



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	48.1	30	28	69.05	114.3	5+2

KIA

MODEL	START Y.	END Y.
EV6 (CV)	2021/07	
SORENTO IV (MQ4. MQ4A)	2020/03	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712GI000

10-51571



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	48.4	30	28	69	114.3	5+2

KIA

MODEL	START Y.	END Y.
EV6 (CV)	2021/07	
SPORTAGE V (NQ5)	2021/09	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
584113L010

10-51582



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51582

MATERIAL
TYPE-1

WEIGHT
4.44 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	55	10	8.4	76.05	114.3	5+3

KIA

MODEL	START Y.	END Y.
OPIRUS (GH)	2003/06	2012/10



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
58411L4100

10-51584




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51584

MATERIAL
TYPE-1

WEIGHT
4,22 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	32.2	10	8	76.1	114.3	5+2

KIA

MODEL	START Y.	END Y.
SPORTAGE V (NQ5)	2021/09	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
58411J9500

10-51586



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51586

MATERIAL
TYPE-1

WEIGHT
4.4 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	32.1	10	8	69	114.3	5+2

KIA

MODEL	START Y.	END Y.
SELTOS (SP2. SP2I)	2019/08	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351250220 / 4351250160 /
4351250230

10-51557



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51557

MATERIAL
TYPE-1

WEIGHT
9,95 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	50.25	30	28	62	114.3	5+2

LEXUS

MODEL	START Y.	END Y.
LS (_F3_)	2000/08	2006/08



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351250240

10-51559




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51559

MATERIAL
TYPE-1

WEIGHT
10.79 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	60.2	30	27	62	120	5+7

LEXUS


MODEL	START Y.	END Y.
LS (_F4_)	2006/04	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
K13T33251

10-51572



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
347	50.6	32	30	68.05	114.3	5+1

MAZDA

MODEL	START Y.	END Y.
CX-60 (KH_)	2022/03	
CX-80 (KL_)	2024/04	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
K20F26251

10-51575



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51575

MATERIAL
TYPE-1

WEIGHT
7.3 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
328	40.5	22	20	68.05	114.3	5+1

MAZDA

MODEL	START Y.	END Y.
CX-60 (KH_)	2022/03	
CX-80 (KL_)	2024/04	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
D10E26251

10-51583



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51583

MATERIAL
TYPE-1

WEIGHT
3,97 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	35.65	9.5	7.5	68	114.3	5+3

MAZDA

MODEL	START Y.	END Y.
CX-3 (DK)	2015/01	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
N24326251 / DA9L26251

10-51585



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255	35.6	9.5	7.5	55.1	100	4+4

MAZDA

MODEL	START Y.	END Y.
2 Hatchback (DL, DJ)	2014/08	
2 Saloon (DL)	2015/01	
MX-5 IV (ND__)	2015/04	
MX-5 RF Targa (ND)	2016/10	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1664230512

10-51568




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51568

MATERIAL
TYPE-1

WEIGHT
10.13 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	54	26	24	67	112	5+1

MERCEDES-BENZ


MODEL	START Y.	END Y.
GL-CLASS (X166)	2012/07	2015/12
GLE (W166)	2015/04	2018/10
GLE Coupe (C292)	2015/03	2019/10
GLS (X166)	2015/11	2019/04
M-CLASS (W166)	2011/06	2015/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
43512B1110

10-51556



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
246	42	17	16	55.1	100	4+2

SUBARU

MODEL	START Y.	END Y.
JUSTY IV	2007/01	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5561168L00 / 5561161M10 /
5561158M00

10-51552



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
259	43.4	9	8	62	100	4+3

SUZUKI


MODEL	START Y.	END Y.
SWIFT IV (FZ. NZ)	2010/10	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
43512B1110

10-51556




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51556

MATERIAL
TYPE-1

WEIGHT
4.2 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
246	42	17	16	55.1	100	4+2

TOYOTA

MODEL	START Y.	END Y.
bB II (QNC2_)	2005/12	2016/06
DUET (M11_, M10_)	1998/04	2004/10



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4251250220

10-51557



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51557

MATERIAL
TYPE-1

WEIGHT
9,95 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	50.25	30	28	62	114.3	5+2

TOYOTA

MODEL	START Y.	END Y.
CELSIOR (UCF3_)	2000/09	2006/08



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351250240

10-51559



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51559

MATERIAL
TYPE-1

WEIGHT
10.79 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	60.2	30	27	62	120	5+7

TOYOTA

MODEL	START Y.	END Y.
MIRAI (JPD2_)	2020/11	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2N0615301E / 2N0615301C

10-51573



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51573

MATERIAL
TYPE-1

WEIGHT
11,68 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
332	70.5	30	27	76	120	5+1

VW

MODEL	START Y.	END Y.
MULTIVAN T7 (STM. STN)	2021/08	

