



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY



JULY 2025

www.aydtr.com

INDEX BRAKE DISC

ACURA	3-5
BUICK	6
CADILLAC	7-9
CHEVROLET	10-12
CHRYSLER	13-14
FORD	15-21
GMC	22-24
HONDA	25-26
INFINITI	27-28
JEEP	29-31
KIA	32
LINCOLN	33-35
MAZDA	36
MERCURY	37
NISSAN	38
OPEL	39
RAM	40-42
SUBARU	43
TOYOTA	44-45
VAUXHALL	46

BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
45251T2FA82 / 45251T3RA00 /
45251T2FA80

10-51668



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
312	47.2	25	23	64.2	114.3	5+3

ACURA


MODEL	START Y.	END Y.
ILX	2017	2022



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51674

MATERIAL
TYPE-1

WEIGHT
8,99 KG

BALANCING
100 %



OE:
45251TJBA02

10-51674

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	47.2	28	26	64.2	114.3	5+3

ACURA

MODEL	START Y.	END Y.
RDX (TC_)	2018/06	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
42510TRXA00 / 42510TZ5H10

10-51681



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
329.6	45.9	11	9	70.15	120	5+3

ACURA

MODEL	START Y.	END Y.
MDX (YD_)	2013/06	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13528069

10-51663



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51681

MATERIAL
TYPE-1

WEIGHT
6,05 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	45	23	21	67.45	120	5+1

BUICK


MODEL	START Y.	END Y.
ENVISION	2021	2025



BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51663

MATERIAL
TYPE-1

WEIGHT
8.2 KG

BALANCING
100 %



OE:
13528069 / 13509676

10-51663

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	45	23	21	67.45	120	5+1

CADILLAC

MODEL	START Y.	END Y.
XT4	2018/03	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
23144341

10-51676



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51676

MATERIAL
TYPE-1

WEIGHT
11.92 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	55.4	30	28	78.6	139.7	6+3

CADILLAC


MODEL	START Y.	END Y.
ESCALADE	2006/10	2014/12



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51688

MATERIAL
TYPE-1

WEIGHT
10,17 KG

BALANCING
100 %



OE:
13592358

10-51688

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	61	30	27	67.4	120	5+5

CADILLAC


MODEL	START Y.	END Y.
CT6	2015/11	2020/12



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51672

MATERIAL
TYPE-1

WEIGHT
11,41 KG

BALANCING
100 %



OE:
84703914 / 85158898

10-51672

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	61.4	30	28	71	120	6+1

CHEVROLET

MODEL	START Y.	END Y.
COLORADO Crew Cab Pickup (14_)	2022/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
23144341 / 22950037 / 25928787

10-51676



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51676

MATERIAL
TYPE-1

WEIGHT
11.92 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	55.4	30	28	78.6	139.7	6+3

CHEVROLET

MODEL	START Y.	END Y.
SILVERADO	2007/01	
SUBURBAN (GMT 900)	2005/01	
TAHOE (K2UC)	2014/07	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
84309171

10-51677



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51677

MATERIAL
TYPE-1

WEIGHT
8,63 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334.1	82.6	23.1	21	71	120	6+1

CHEVROLET

MODEL	START Y.	END Y.
COLORADO Crew Cab Pickup (14_)	2022/09	



BRAKE DISC

• Rear Axle


• solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68223507AA / 68223507AB

10-51644



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51644

MATERIAL
TYPE-1

WEIGHT
6,16 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	35	12	10.4	72.5	127	5

CHRYSLER

MODEL	START Y.	END Y.
PACIFICA (RU)	2016/02	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68420068AA

10-51679



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51679

MATERIAL
TYPE-1

WEIGHT
6,57 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
339	35.1	12	10	72.55	127	5+5

CHRYSLER


MODEL	START Y.	END Y.
PACIFICA (RU)	2016/02	



BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51646

MATERIAL
TYPE-1

WEIGHT
6,79 KG

BALANCING
100 %



OE:
GN1Z2C026B / GN1Z2C026C

10-51646

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
271	35.8	11	9	63.6	107.95	4

FORD

MODEL	START Y.	END Y.
ECOSPORT	2011/09	2022/12



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
F2GZ2C026AB / F2GZ2C026A

10-51667



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	50.8	19	17.5	63.55	107.95	5

FORD


MODEL	START Y.	END Y.
Edge	2019	2024



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51670

MATERIAL
TYPE-1

WEIGHT
7,8 KG

BALANCING
100 %



OE:
GN1Z1125C

10-51670

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	39.6	25	23	63.55	107.95	4

FORD

MODEL	START Y.	END Y.
ECOSPORT	2011/09	2022/12



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
KB3Z2C026B / KB3Z2C026A

10-51675



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51675

MATERIAL
TYPE-1

WEIGHT
8,19 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	80.6	24	22	93	139.7	6

FORD

MODEL	START Y.	END Y.
RANGER	2019	2023



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
9E5Z2C026B

10-51682



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51682

MATERIAL
TYPE-1

WEIGHT
4,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	40.8	11	8	72	114.3	5+2

FORD

MODEL	START Y.	END Y.
FUSION Saloon	2006/05	2012/12



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
ML1Z2C026C

10-51666




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51666

MATERIAL
TYPE-1

WEIGHT
7,26 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
336	42	20	18.5	90.1	135	6

FORD

MODEL	START Y.	END Y.
EXPEDITION (U553)	2017/10	
F-150 Crew Cab Pickup	2020/07	
F-150 LIGHTNING Crew Cab Pickup	2022/04	
F-150 Standard Cab Pickup	2020/07	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
ML3Z2C026C

10-51669



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51669

MATERIAL
TYPE-1

WEIGHT
9,48 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	45.1	24	22.5	90.05	135	6

FORD

MODEL	START Y.	END Y.
F-150 Crew Cab Pickup	2020/07	
F-150 Extended Cab Pickup	2020/07	
F-150 Standard Cab Pickup	2020/07	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
85158898

10-51672




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51672

MATERIAL
TYPE-1

WEIGHT
11,41 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	61.4	30	28	71	120	6+1

GMC

MODEL	START Y.	END Y.
CANYON Crew Cab Pickup (T4_)	2022/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
23144341

10-51676



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51676

MATERIAL
TYPE-1

WEIGHT
11.92 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	55.4	30	28	78.6	139.7	6+3

GMC

MODEL	START Y.	END Y.
SIERRA	2007/01	
YUKON (K2UG)	2014/07	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
84309171

10-51677



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51677

MATERIAL
TYPE-1

WEIGHT
8,63 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334.1	82.6	23.1	21	71	120	6+1

GMC

MODEL	START Y.	END Y.
CANYON Crew Cab Pickup (T4_)	2022/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
45251T2FA81

10-51668




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51668

MATERIAL
TYPE-1

WEIGHT
8.1 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
312	47.2	25	23	64.2	114.3	5+3

HONDA

MODEL	START Y.	END Y.
ACCORD IX Saloon (CR)	2012/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
45251TLAA50

10-51685



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51685

MATERIAL
TYPE-1

WEIGHT
9,13 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	47.3	28	26	64.15	114.3	5+3

HONDA

MODEL	START Y.	END Y.
CR-V V (RW_. RT_)	2016/12	
CR-V VI (RS_. RY_)	2022/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
402065NA0A / 402063WU0A

10-51645



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	49.2	34	32	68	114.3	5+1

INFINITI

MODEL	START Y.	END Y.
QX55 (J55)	2021/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402066SA0A

10-51665




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51665

MATERIAL
TYPE-1

WEIGHT
11,57 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	43.9	30	27.4	68	114.3	5

INFINITI

MODEL	START Y.	END Y.
Qx60	2022	2024



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68321348AC / 68321348AB /
68321343AC

10-51641



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51641

MATERIAL
TYPE-1

WEIGHT
10,13 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	76.4	22	20	72	127	5+5

JEEP

MODEL	START Y.	END Y.
GLADIATOR Pickup (JT_)	2019/04	
WRANGLER IV (JL)	2017/11	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68437279AA

10-51664



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51664

MATERIAL
TYPE-1

WEIGHT
11,21 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
375	53.1	22	20.4	78.5	139.7	6+4

JEEP

MODEL	START Y.	END Y.
GRAND WAGONEER (WS)	2022/01	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
68249590AA / 68249590AB /
68249590AC

10-51680



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51680

MATERIAL
TYPE-1

WEIGHT
8,76 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
342	76.3	14	12.4	72	127	5+5

JEEP

MODEL	START Y.	END Y.
WRANGLER IV (JL)	2017/11	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
51712S9000

10-51686




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51686

MATERIAL
TYPE-1

WEIGHT
12,15 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	50.1	30	28	69	114.3	5+2

KIA

MODEL	START Y.	END Y.
TELLURIDE (ON)	2019/02	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
ML1Z2C026C

10-51666




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51666

MATERIAL
TYPE-1

WEIGHT
7,26 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
336	42	20	18.5	90.1	135	6

LINCOLN

MODEL	START Y.	END Y.
Navigator	2022	2023



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
F2GZ2C026AB

10-51667




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51667

MATERIAL
TYPE-1

WEIGHT
7.88 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	50.8	19	17.5	63.55	107.95	5

LINCOLN

MODEL	START Y.	END Y.
Nautilus	2019	2023



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standarts
• AYD Quality

OE:
9E5Z2C026B

10-51682



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51682

MATERIAL
TYPE-1

WEIGHT
4,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	40.8	11	8	72	114.3	5+2

LINCOLN

MODEL	START Y.	END Y.
MKZ	2006/04	2012/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
VA4033251

10-51684




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51684

MATERIAL
TYPE-1

WEIGHT
9,38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
326	46.5	25	23	68	114.3	5+1

MAZDA

MODEL	START Y.	END Y.
CX-50	2023	2024




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
9E5Z2C026B

10-51682



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51682

MATERIAL
TYPE-1

WEIGHT
4,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	40.8	11	8	72	114.3	5+2

MERCURY

MODEL	START Y.	END Y.
MILAN Saloon	2005/09	2011/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
402066SA0B / 402066SA0A

10-51665




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51665

MATERIAL
TYPE-1

WEIGHT
11,57 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	43.9	30	27.4	68	114.3	5

NISSAN


MODEL	START Y.	END Y.
PATHFINDER V (R53)	2021/06	



BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51663

MATERIAL
TYPE-1

WEIGHT
8.2 KG

BALANCING
100 %



OE:
13595818

10-51663

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	45	23	21	67.45	120	5+1

OPEL

MODEL	START Y.	END Y.
INSIGNIA B Country Tourer (Z18)	2017/06	
INSIGNIA B Grand Sport (Z18)	2017/03	
INSIGNIA B Sports Tourer (Z18)	2017/03	
INSIGNIA B Sports Tourer Combi Van (Z18)	2017/03	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68368450AA / 68237063AB /
68237063AA

10-51634



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
378	67.5	30	28.4	78.5	139.7	6+6

RAM

MODEL	START Y.	END Y.
1500 Crew Cab Pickup (DT)	2018/12	
1500 Extended Cab Pickup (DT)	2018/12	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68437279AA

10-51664



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51664

MATERIAL
TYPE-1

WEIGHT
11,21 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
375	53.1	22	20.4	78.5	139.7	6+4

RAM

MODEL	START Y.	END Y.
1500 Crew Cab Pickup (DT)	2018/12	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
68507287AA

10-51687




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51687

MATERIAL
TYPE-1

WEIGHT
7,47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	79.9	22	19.9	79.05	130	5+5

RAM

MODEL	START Y.	END Y.
ProMaster 1500	2022	
ProMaster 2500	2023	
ProMaster 3500	2023	
ProMaster City	2022	
ProMaster Rapid	2023	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
26300SJ000

10-51673



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
293.5	48.2	24	22	58	114.3	5+2

SUBARU

MODEL	START Y.	END Y.
FORESTER (SK_)	2018/04	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
4243106220 / 4243133160

10-51643



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51643

MATERIAL
TYPE-1

WEIGHT
4,34 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	53.1	10	8.5	62	114.3	5+3

TOYOTA

MODEL	START Y.	END Y.
CAMRY (_V7_. _VA7_. _VH7_)	2017/06	
CAMRY (_VA8_. _VH8_. _V8_)	2024/01	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4243102310 / 4243112270

10-51678



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
265	38	10	8.5	55	100	5+2

TOYOTA

MODEL	START Y.	END Y.
COROLLA Estate (_E21_)	2019/02	
COROLLA Hatchback (_E21_, _EA1_, _EH1_)	2018/10	
COROLLA QUEST Saloon (_E18_)	2020/02	
COROLLA Saloon (_E21_)	2019/01	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13595818

10-51663



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51663

MATERIAL
TYPE-1

WEIGHT
8.2 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	45	23	21	67.45	120	5+1

VAUXHALL

MODEL	START Y.	END Y.
INSIGNIA Mk II (B) Country Tourer (Z18)	2017/03	
INSIGNIA Mk II (B) Hatchback (Z18)	2017/03	
INSIGNIA Mk II (B) Sports Tourer (Z18)	2017/03	

