



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

AUGUST 2025



www.aydtr.com

INDEX BRAKE DISC

CADILLAC		3-4
CHEVROLET		5-6
DODGE		7
FORD		8-15
FREIGHTLINER		16
HYUNDAI		17-20
JAGUAR		21
JEEP		22-23
KIA		24-26
LAND ROVER		27
LEXUS		28
LINCOLN		29-30
MERCEDES BENZ		31
MG		32-34
PONTIAC		35-36
SUBARU		37
TESLA		38
TOGG		39
TOYOTA		40-42

BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13585030 / 13592365 / 23118091

10-51699




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51699

MATERIAL
TYPE-1

WEIGHT
14,6 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	61	30	27	70.8	115	5+1

CADILLAC


MODEL	START Y.	END Y.
ATS	2013/02	



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51700

MATERIAL
TYPE-1

WEIGHT
12.05 KG

BALANCING
100 %



OE:
13578082 / 13547575

10-51700

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	61	30	27	67.5	120	5+5

CADILLAC

MODEL	START Y.	END Y.
CTS	2013/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13511494 / 13526439 / 13547575

10-51700




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51700

MATERIAL
TYPE-1

WEIGHT
12.05 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	61	30	27	67.5	120	5+5

CHEVROLET

MODEL	START Y.	END Y.
CAMARO	2015/09	
CAMARO Convertible	2015/09	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
18060239 / 18023536 / 19211901

10-51713



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305.3	61.5	26	24.6	70.8	118	5

CHEVROLET

MODEL	START Y.	END Y.
CAMARO	1992/12	2002/12
CAMARO Convertible	1992/10	2002/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5181513AD

10-51721



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
380	54.5	34	32	72	127	5

DODGE

MODEL	START Y.	END Y.
DURANGO (WD)	2010/12	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
DG9Z1125B / DG9Z1125H

10-51692



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51692

MATERIAL
TYPE-1

WEIGHT
10,26 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
316	50.9	28.2	26.5	63.5	107.95	5

FORD

MODEL	START Y.	END Y.
FOCUS	2014	2018
FUSION	2013	2020




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
DC3Z2C026B

10-51696



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51696

MATERIAL
TYPE-1

WEIGHT
17,75 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
363	126.6	38	36.4	128	156	8

FORD

MODEL	START Y.	END Y.
F-350 SUPER DUTY	2013	2022
F-450 SUPER DUTY	2013	2022



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
ML1Z1125D / ML3Z1125B

10-51705



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	49.5	34	32.5	90.1	135	6

FORD

MODEL	START Y.	END Y.
F-150	2021	2022
Bronco	2022	2023
Expedition	2022	2023
Lobo	2021	2022




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
F75Z1125AC / XL3Z1102BA /
XL3Z1102CA

10-51714




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51714

MATERIAL
TYPE-1

WEIGHT
7,51 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	46.9	30	27.7	92.5	150	7

FORD

MODEL	START Y.	END Y.
F-150	1999	2002
F-250	1997	1999



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
DR3Z1125B / CR3Z1125B /
CR3Z1125C

10-51717



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
336	47.9	30	28.4	71	114.3	5

FORD

MODEL	START Y.	END Y.
MUSTANG	2010	2014



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4U2Z1V125P / 4C2Z2C026AA /
4U2Z1V125S

10-51718



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51718

MATERIAL
TYPE-1

WEIGHT
9,47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
331	75.1	22	20.4	87.5	139.7	5

FORD

MODEL	START Y.	END Y.
E-150	2003	2006
ECONOLINE	2006	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
CL3Z1125C / AL3Z1125A /
CL3Z1125A




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51719

MATERIAL
TYPE-1

WEIGHT
13,61 KG

BALANCING
100 %



10-51719

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	49.5	34	32	90.1	150	7

FORD

MODEL	START Y.	END Y.
F-150	2010	2014



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
GU2Z1V125E

10-51695



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51695

MATERIAL
TYPE-1

WEIGHT
18,26 KG

BALANCING
100 %

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
363	100	38	36.4	129.25	170	8

FORD

MODEL	START Y.	END Y.
F-250 SUPER DUTY Crew Cab Pickup (W2A. W2B)	2010/09	
F-250 SUPER DUTY Standard Cab Pickup(F2A.F2B)	2010/09	
F-350 SUPER DUTY Crew Cab Pickup	2010/09	
F-350 SUPER DUTY Extended Cab Pickup	2010/09	
F-550 SUPER DUTY Cab & Chassis	2010/09	



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
9104230200

10-51710



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	71	18	16	85.1	130	6+1

FREIGHTLINER

MODEL	START Y.	END Y.
SPRINTER 2500	2019	2020
SPRINTER 3500	2019	2020



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
58411R5000

10-51691



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51691

MATERIAL
TYPE-1

WEIGHT
4,94 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	35	11	9	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
SANTA FE IV (TM. TMA)	2018/02	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
51712C5700

10-51702



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51702

MATERIAL
TYPE-1

WEIGHT
12,31 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	50.1	30	28	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
SANTA FE IV (TM. TMA)	2018/02	
SANTA FE IV SUV Van (TM)	2018/02	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
51712B1600 / 51712B1100 /
517123M700




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51716

MATERIAL
TYPE-1

WEIGHT
11,14 KG

BALANCING
100 %



10-51716

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	56.6	30	28.4	69	114.3	5+3

HYUNDAI

MODEL	START Y.	END Y.
GENESIS (BH)	2008/01	2015/12



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
58411R0000

10-51727



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51727

MATERIAL
TYPE-1

WEIGHT
5,78 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	35	12	10	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
Santa Cruz	2022	2024




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
T4A2061

10-51703



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51703

MATERIAL
TYPE-1

WEIGHT
7.44 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	42	20	18	63.5	107.95	5+1

JAGUAR

MODEL	START Y.	END Y.
F-Pace	2017	2020
I-Pace	2019	2020



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
68273464AA / 68273464AB

10-51690



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
328	76.4	12	10.4	72	127	5+5

JEEP

MODEL	START Y.	END Y.
WRANGLER IV (JL)	2017/11	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5181513AB / 5181513AC / 5181513AD

10-51721



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
380	54.5	34	32	72	127	5

JEEP

MODEL	START Y.	END Y.
GRAND CHEROKEE IV (WK. WK2)	2010/06	
GRAND CHEROKEE VAN (WK2)	2010/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
51712C5700

10-51702



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51702

MATERIAL
TYPE-1

WEIGHT
12,31 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	50.1	30	28	69	114.3	5+2

KIA

MODEL	START Y.	END Y.
SORENTO III (UM)	2015/01	2023/02




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
584113E500

10-51712




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51712

MATERIAL
TYPE-1

WEIGHT
8,17 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	79	20.3	18.4	96.35	139.7	5+5

KIA

MODEL	START Y.	END Y.
Sorento	2007	2009



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
58411R0000

10-51727



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51727

MATERIAL
TYPE-1

WEIGHT
5,78 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	35	12	10	69	114.3	5+2

KIA

MODEL	START Y.	END Y.
CARNIVAL IV (KA4)	2020/09	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
LR090699

10-51703



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51703

MATERIAL
TYPE-1

WEIGHT
7.44 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	42	20	18	63.5	107.95	5+1

LAND ROVER

MODEL	START Y.	END Y.
Discovery Sport	2018	2019




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4243150090

10-51697



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51697

MATERIAL
TYPE-1

WEIGHT
6,62 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	66.05	20	18	62	120	5+7

LEXUS

MODEL	START Y.	END Y.
LS460	2007	2017




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
KS7Z1125C

10-51692



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51692

MATERIAL
TYPE-1

WEIGHT
10,26 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
316	50.9	28.2	26.5	63.5	107.95	5

LINCOLN

MODEL	START Y.	END Y.
MKZ	2012/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
ML1Z1125D

10-51705




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51705

MATERIAL
TYPE-1

WEIGHT
12,54 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	49.5	34	32.5	90.1	135	6

LINCOLN

MODEL	START Y.	END Y.
NAVIGATOR	2022	2023



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
9104230200 / 910423020007 /
9104230300

10-51710




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51710

MATERIAL
TYPE-1

WEIGHT
7,80 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	71	18	16	85.1	130	6+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
SPRINTER 2500	2019	2023
SPRINTER 3500	2019	2023



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
11193996 / 10282168

10-51704



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51704

MATERIAL
TYPE-1

WEIGHT
7,84 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	46.7	25	23	65	112	9+1

MG

MODEL	START Y.	END Y.
MG 4 (EH32)	2022/07	
MG ZS SUV (AZS1)	2017/10	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
11720895 / 10190740

10-51708



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	38.6	10	8	65	112	5+1

MG

MODEL	START Y.	END Y.
MG ZS SUV (AZS1)	2017/10	



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
11225183 / 10491104

10-51709



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51709

MATERIAL
TYPE-1

WEIGHT
5,27 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
304	36.4	12	10	65	112	9+1

MG

MODEL	START Y.	END Y.
MG HS (AS23)	2018/09	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
18023536

10-51713



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51713

MATERIAL
TYPE-1

WEIGHT
7,07 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305.3	61.5	26	24.6	70.8	118	5

PONTIAC

MODEL	START Y.	END Y.
Firebird	1998	2002



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
19184276

10-51723



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51723

MATERIAL
TYPE-1

WEIGHT
4,38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	55.1	10	8.5	62	114.3	5+3

PONTIAC

MODEL	START Y.	END Y.
VIBE Estate	2008/09	2010/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
26700SG000

10-51694



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51694

MATERIAL
TYPE-1

WEIGHT
5,68 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	63.4	18	16	58.1	100	5+3

SUBARU

MODEL	START Y.	END Y.
FORESTER (SJ_)	2012/11	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
102509900B / 600642000A

10-51698




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51698

MATERIAL
TYPE-1

WEIGHT
13,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
355	70.8	32	30	70.2	120	5+1

TESLA

MODEL	START Y.	END Y.
MODEL S (5YJS)	2012/09	
MODEL X (5YJX)	2013/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
B0604101015AC

10-51728




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51728

MATERIAL
TYPE-1

WEIGHT
13,24 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	51.5	32	30	65	112	5+1

TOGG

MODEL	START Y.	END Y.
T10X	2023/07	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351212720

10-51693



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51693

MATERIAL
TYPE-1

WEIGHT
6,1 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283	46.3	22	19	55	100	5+2

TOYOTA

MODEL	START Y.	END Y.
COROLLA Estate (_E21_)	2019/02	
COROLLA Saloon (_E21_)	2019/01	
PRIUS PHV (_W52_)	2016/01	2022/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
435120R010

10-51706




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51706

MATERIAL
TYPE-1

WEIGHT
6,43 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275	46.1	25	22	62	114.3	5+2

TOYOTA

MODEL	START Y.	END Y.
RAV 4 III (_A3_)	2005/06	2014/08



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
4243102220

10-51723



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51723

MATERIAL
TYPE-1

WEIGHT
4,38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	55.1	10	8.5	62	114.3	5+3

TOYOTA

MODEL	START Y.	END Y.
MATRIX (_E14_)	2008/01	2015/12

