



# BRAKE WITH THE DIFFERENCE

**SAFETY**

**PERFORMANCE**

**OEM Standards**

**AYD QUALITY**

**OCTOBER 2025**



[www.aydtr.com](http://www.aydtr.com)

## INDEX

**CADILLAC** ..... **3**

**CHEVROLET** ..... **4**

**FORD** ..... **5-12**

**GMC** ..... **13**

**LINCOLN** ..... **14**

**MAZDA** ..... **15**

**RAM** ..... **16**


## BRAKE PAD

11-60768



• Rear Axle

OE:  
23112025



• Safety  
• Performance  
• OEM Standarts  
• AYD Quality

WVA :D1194

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60768A | 4    | 2              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60768B | 4    | 2              | —              | —             | —                  | —     | —     | —    | —            | 1   |

## CADILLAC

| MODEL    | START D. | END Y.  |
|----------|----------|---------|
| ESCALADE | 2014/09  |         |
| ESCALADE | 2006/10  | 2014/12 |



### BRAKE PAD

11-60762




• Rear Axle

OE:  
84217719



**AYD**  
AUTOMOTIVE INDUSTRY

60762


113,3 x 48,4 x 15,5



60762A



60762B



X 2

X 2

X 2

X 2

X 2

X 2

• Safety  
• Performance  
• OEM Standards  
• AYD Quality

WVA :D1806

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60762A | 4    | 2              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60762B | 4    | 2              | —              | —             | —                  | —     | —     | —    | —            | 1   |


## CHEVROLET

| MODEL    | START D. | END Y. |
|----------|----------|--------|
| Colorado | 2015 -   | 2021   |



## BRAKE PAD

11-60751





**AYD**  
AUTOMOTIVE INDUSTRY

60751


201,8 x 66,4 x 17




201,8 x 66,4 x 15,3



60751A



60751B



• Rear Axle

OE:  
8C2Z2200A

· Safety  
· Performance  
· OEM Standards  
· AYD Quality

**WVA :D1329**

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60751A | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60751B | 4    | 4              | —              | —             | —                  | —     | —     | —    | —            | 1   |

## FORD

| MODEL | START D.    | END Y. |
|-------|-------------|--------|
| E-150 | 2008 - 2012 |        |
| E-250 | 2008 - 2012 |        |




## BRAKE PAD

11-60754



• Rear Axle

OE:  
8C3Z2200B



· Safety  
· Performance  
· OEM Standards  
· AYD Quality

**WVA :D1334**

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60754A | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60754B | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | 1   |

## FORD

| MODEL            | START D. | END Y. |
|------------------|----------|--------|
| F-250            | 2008 -   | 2013   |
| F-250 Super Duty | 2008 -   | 2013   |
| F-350 Super Duty | 2008 -   | 2013   |
| F-450 Super Duty | 2008 -   | 2013   |




### BRAKE PAD

11-60757



• Rear Axle

OE:  
DG1Z2200C



• Safety  
• Performance  
• OEM Standards  
• AYD Quality

WVA :D1612

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60757A | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60757B | 4    | 2              | —              | —             | —                  | —     | —     | —    | —            | 1   |

## FORD

| MODEL                        | START D. | END Y. |
|------------------------------|----------|--------|
| Explorer                     | 2010 -   | 2019   |
| Taurus                       | 2010 -   | 2019   |
| Edge                         | 2010 -   | 2019   |
| Flex                         | 2010 -   | 2019   |
| Police Interceptor Sedan     | 2010 -   | 2019   |
| Police Interceptor Utility   | 2010 -   | 2019   |
| Special Service Police Sedan | 2010 -   | 2019   |




### BRAKE PAD

11-60766



• Rear Axle

OE:  
3C3J2200AA



· Safety  
· Performance  
· OEM Standards  
· AYD Quality

WVA :D757

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60766A | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60766B | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | 1   |


## FORD



| MODEL            | START D. | END Y. |
|------------------|----------|--------|
| Excursion        | 2000     | 2005   |
| F-250            | 2000     | 2005   |
| F-250 Super Duty | 2000     | 2005   |
| F-350 Super Duty | 2000     | 2005   |
| F-550 Super Duty | 2000     | 2005   |

## BRAKE PAD

11-60752





• Front Axle

OE:  
1C3Z2001AA


**AYD**  
AUTOMOTIVE INDUSTRY

60752


192,8 x 63,5 x 17,5



60752A



60752B



· Safety  
· Performance  
· OEM Standarts  
· AYD Quality

**WVA :D824**

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60752A | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60752B | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | 1   |

## FORD

| MODEL                                | START D. | END Y.  |
|--------------------------------------|----------|---------|
| EXCURSION                            | 1999/08  | 2005/12 |
| F-250 SUPER DUTY Standard Cab Pickup | 1998/09  | 2007/12 |
| F-350                                | 1996/10  | 2003/11 |




## BRAKE PAD

11-60754



• Rear Axle

OE:  
8C3Z2200B



· Safety  
· Performance  
· OEM Standards  
· AYD Quality

**WVA :D1334**

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60754A | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60754B | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | 1   |


## FORD

| MODEL            | START D. | END Y. |
|------------------|----------|--------|
| F-250 SUPER DUTY | 2007/10  |        |



## BRAKE PAD

11-60757



• Rear Axle

OE:  
DG1Z2200C

· Safety  
· Performance  
· OEM Standarts  
· AYD Quality

**WVA :D1612**

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60757A | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60757B | 4    | 2              | —              | —             | —                  | —     | —     | —    | —            | 1   |

## FORD

| MODEL          | START D. | END Y. |
|----------------|----------|--------|
| EXPLORER (U5_) | 2010/10  |        |



BRAKE PAD

11-60766



Rear Axle

OE:  
3C3J2200AA

AYD  
AUTOMOTIVE INDUSTRY

60766

158,7 x 52,3 x 17,4

4 x D757

x 4

60766A

60766B

4 x D757

4 x D757

x 4

Safety

Performance

OEM Standarts

AYD Quality

WVA :D757

Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60766A | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60766B | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | 1   |

| FORD      |  |          |         |
|-----------|--|----------|---------|
| MODEL     |  | START D. | END Y.  |
| EXCURSION |  | 1999/08  | 2005/12 |



## BRAKE PAD

11-60762





• Rear Axle

OE:  
84217719

**AYD**  
AUTOMOTIVE INDUSTRY

60762

113,3 x 48,4 x 15,5




X 2

X 2



X 2

60762A



X 2

60762B



X 2

X 2

X 2

· Safety  
· Performance  
· OEM Standards  
· AYD Quality

WVA :D1806

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60762A | 4    | 2              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60762B | 4    | 2              | —              | —             | —                  | —     | —     | —    | —            | 1   |

**GMC**

| MODEL  | START D. | END Y. |
|--------|----------|--------|
| Canyon | 2015     | 2020   |




## BRAKE PAD

11-60757



• Rear Axle

OE:  
DG1Z2200C



· Safety  
· Performance  
· OEM Standards  
· AYD Quality

**WVA :D1612**

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60757A | 4    | —              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60757B | 4    | 2              | —              | —             | —                  | —     | —     | —    | —            | 1   |

## LINCOLN

| MODEL | START D.    | END Y. |
|-------|-------------|--------|
| MKX   | 2009 - 2016 |        |
| MKS   | 2009 - 2016 |        |
| MKT   | 2009 - 2016 |        |




## BRAKE PAD

11-60813



• Rear Axle

OE:  
GM Y02643Z



· Safety  
· Performance  
· OEM Standards  
· AYD Quality

**WVA :22349-22350-22351**

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60813A | 4    | 2              | —              | —             | 8                  | —     | —     | —    | —            | —   |


## MAZDA

| MODEL             | START D. | END Y. |
|-------------------|----------|--------|
| 6 Estate (GJ. GL) | 2012/08  |        |
| 6 Saloon (GJ. GL) | 2012/12  |        |



## BRAKE PAD

11-60791





• Front Axle

OE:  
68412557AA


**AYD**  
AUTOMOTIVE INDUSTRY

60791


202 x 69,5 x 19,5



60791A



60791B



· Safety  
· Performance  
· OEM Standards  
· AYD Quality

**WVA :D2179**

### Technical Specifications:

| Code   | Shim | Wear Indicator | Indicator Type | Piston Spring | Compression Spring | Rivet | Clips | Bolt | Plastic Plug | Kit |
|--------|------|----------------|----------------|---------------|--------------------|-------|-------|------|--------------|-----|
| 60791A | 4    | 4              | —              | —             | —                  | —     | —     | —    | —            | —   |
| 60791B | 4    | 4              | —              | —             | —                  | —     | —     | —    | —            | 1   |

## RAM

| MODEL                         | START D. | END Y. |
|-------------------------------|----------|--------|
| 1500 Crew Cab Pickup (DT)     | 2018/12  |        |
| 1500 Extended Cab Pickup (DT) | 2018/12  |        |

