


new to range

THANKS TO AYD POWER AND ALL UNDER ONE ROOF STRATEGY

AYD[®]
AUTOMOTIVE INDUSTRY

BRAKING NEW GROUND

OEM Standards
AYD Quality
Safety
Performance



INDEX

ALFA ROMEO	3-5
AUDI	6-9
CHRYSLER	10
CITROEN	11-15
DACIA	16-18
FIAT	19-26
FORD	27-33
HONDA	34
HYUNDAI	35-36
IVECO	37
KIA	38-39
LANCIA	40-42
MERCEDES BENZ	43-44
NISSAN	45
OPEL	46-50
PEUGEOT	51-55
RENAULT	56-59
SAAB	60
SEAT	61-65
SKODA	66-71
SMART	72
VAUXHALL	73-75
VOLKSWAGEN	76-81

BRAKE DISC

- Front Axle
- Rear Axle
- Solid


- OEM Standards
- AYD Quality
- Safety
- Performance

OE:

7566931

7663465

7163465



AYD
AUTOMOTIVE INDUSTRY

AYD NO

10-50161

MATERIAL

TYPE-1

WEIGHT

3,54 KG

BALANCING

100 %



10-50161

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	40	11	9.2	59	98	4+2

ALFA ROMEO

MODEL	START Y.	END Y.
145 (930_)	1994/07	2001/01
146 (930_)	1994/12	2001/10
155 (167_)	1992/01	1997/12
33 (907_)	1990/01	1994/09
33 Sportwagon (907_)	1990/01	1994/09




BRAKE DISC

- Front Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
92498609
7663466
7645556



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-50260

MATERIAL
TYPE-1

WEIGHT
4,30 KG

BALANCING
100 %



10-50260

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257	40.5	12	10.2	59	98	4+2

ALFA ROMEO

MODEL	START Y.	END Y.
145 (930_)	1994/07	2001/01
146 (930_)	1994/12	2001/10




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
46403088
82450657
46403959

10-50285



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50285

MATERIAL
TYPE-1

WEIGHT
6,23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283.5	43.5	22	20.2	59	98	4+2

ALFA ROMEO

MODEL	START Y.	END Y.
155 (167_)	1992/01	1997/12



BRAKE DISC

- Front Axle
- Vented


- OEM Standards
- AYD Quality
- Safety
- Performance

OE:

5C0615301A

5C0615301D

1K0615301T



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50154

MATERIAL
TYPE-1

WEIGHT
7,44 KG

BALANCING
100 %



10-50154

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287.8	49.8	25	22	65	112	9+1

AUDI

MODEL	START Y.	END Y.
A1 (8X1, 8XK)	2010/05	2018/10
A3 (8P1)	2003/05	2013/12
A3 (8V1, 8VK)	2012/04	
A3 Cabrio (8P7)	2008/04	2013/05
A3 Cabrio (8V7, 8VE)	2013/10	
A3 Limousine (8VS, 8VM)	2013/05	
A3 Sportback (8PA)	2004/09	2015/12
A3 Sportback (8VA, 8VF)	2012/09	



BRAKE DISC

- Rear Axle
- Solid


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

5C0615601

5Q0615601F

1K0615601AB




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50158

MATERIAL
TYPE-1

WEIGHT
3,56 KG

BALANCING
100 %



10-50158

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255	51.25	9.7	7	65	112	9+1

AUDI

MODEL	START Y.	END Y.
A3 (8P1)	2003/05	2013/12
A3 Cabrio (8P7)	2008/04	2013/05
A3 Sportback (8PA)	2004/09	2015/12



BRAKE DISC

- Front Axle
- Vented

- OEM Standards
- AYD Quality
- Safety
- Performance


OE:

5Q0615301F

5C0615301B

JZW615301H

10-50168



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50168

MATERIAL
TYPE-1

WEIGHT
8,48 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
312	49.75	25.15	22	65	112	9+1

AUDI

MODEL	START Y.	END Y.
A1 (8X1, 8XK)	2010/05	2018/10
A1 Sportback (8XA, 8XF)	2011/09	2018/10
A3 (8P1)	2003/05	2013/12
A3 (8V1, 8VK)	2012/04	
A3 Cabrio (8P7)	2008/04	2013/05
A3 Cabrio (8V7, 8VE)	2013/10	
A3 Limousine (8VS, 8VM)	2013/05	
A3 Sportback (8PA)	2004/09	2015/12
A3 Sportback (8VA, 8VF)	2012/09	
Q2 (GAB, GAG)	2016/06	
Q3 (8UB, 8UG)	2011/06	2018/12




BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
4A0615301A
4A0615601A

10-50174



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50174

MATERIAL
TYPE-1

WEIGHT
3,69 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
245	64	10	8	68	112	5

AUDI

MODEL	START Y.	END Y.
100 C4 Avant (4A5)	1990/12	1994/11
100 C4 Sedan (4A2)	1990/12	1994/07
A6 C4 (4A2)	1994/06	1997/10
A6 C4 Avant (4A5)	1994/06	1997/12
A6 C5 (4B2)	1997/01	2005/12
A6 C5 Avant (4B5)	1997/11	2005/01




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
5898066AA
5098066AA
5098065AA

10-50346



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50346

MATERIAL
TYPE-1

WEIGHT
3,80 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	55.6	9	7.3	67	112	5+2

CHRYSLER

MODEL	START Y.	END Y.
CROSSFIRE	2003/07	2008/12
CROSSFIRE Roadster	2004/05	2008/12



BRAKE DISC

- Rear Axle
- Solid


- OEM Standards
- AYD Quality
- Safety
- Performance

OE:

4246X8

4246XB

424952



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50211

MATERIAL
TYPE-1

WEIGHT
3,06 KG

BALANCING
100 %



10-50211

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
248	35	9	8	71.1	108	4+2

CITROËN

MODEL	START Y.	END Y.
BERLINGO / BERLINGO FIRST (M_)	1996/07	2011/12
BERLINGO / BERLINGO FIRST MPV (MF_, GJK_,	1996/07	2011/12
BERLINGO MULTISPACE (B9)	2008/04	
C2 (JM_)	2003/07	2017/09
C2 ENTERPRISE (JG_)	2003/11	2009/12
C3 I (FC_, FN_)	2002/02	
C3 Pluriel (HB_)	2003/05	
C4 Coupe (LA_)	2004/11	2013/12
XSARA PICASSO (N68)	1999/09	2012/06




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
95517695
424996
95661747

10-50220



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50220

MATERIAL
TYPE-1

WEIGHT
3,96 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
247.5	34.3	20.35	18.5	66	108	4+2

CITROËN

MODEL	START Y.	END Y.
AX (ZA-)	1986/07	1998/12
SAXO (S0, S1)	1996/02	2004/04
XSARA (N3-)	1998/05	2005/03
XSARA (N1)	1997/04	2005/12
XSARA Break (N2)	1997/10	2010/03
XSARA Coupe (N0)	1998/01	2005/04
XSARA Combi van	1998/05	2005/08
ZX (N2)	1991/03	1999/07
ZX Break (N2)	1993/10	1999/07




BRAKE DISC

- Front Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
E169014
4246R8
4246R9



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50241

MATERIAL
TYPE-1

WEIGHT
3,83 KG

BALANCING
100 %



10-50241

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
247	34.2	13	11	66	108	4+2

CITROËN

MODEL	START Y.	END Y.
XSARA (N3_)	1998/05	2005/03
XSARA (N1)	1997/04	2005/12
XSARA Coupe (N0)	1998/01	2005/04




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
424939
4249A2
4249K8

10-50336



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-50336

MATERIAL
TYPE-1

WEIGHT
7,07 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	80	16	14.2	79	130	5+5

CITROËN

MODEL	START Y.	END Y.
JUMPER Minibus/Bus	2006/04	
JUMPER Panelvan/Van	2006/04	
JUMPER Platform	2006/04	




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4246K2

10-50368



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50368

MATERIAL
TYPE-1

WEIGHT
8,12 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	65.5	24	21.9	80	130	5+2

CITROËN

MODEL	START Y.	END Y.
JUMPER Minibus/Bus	2006/04	
JUMPER Minibus/Bus (230P)	1994/02	2002/04
JUMPER Minibus/Bus (244, Z_)	2002/04	
JUMPER Panelvan/Van	2006/04	
JUMPER Panelvan/Van (230L)	1994/02	2002/08
JUMPER Panelvan/Van (244)	2002/04	
JUMPER Platform	2006/04	
JUMPER Platform (230)	1994/03	2002/04
JUMPER Platform (244)	2002/02	




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
7701207829

10-50178



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50178

MATERIAL
TYPE-1

WEIGHT
6,43 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44	24	21.8	61	100	4+2

DACIA

MODEL	START Y.	END Y.
DOKKER Express	2012/11	
DOKKER MPV (KE_)	2012/11	
DOKKER Pick-up	2018/07	
LODGY (JS_)	2012/03	




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
402063149R
402062212R
40 20 670 25R

10-50181



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-50181

MATERIAL
TYPE-1

WEIGHT
4,60 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257.7	44	22	19.8	61	100	4+2

DACIA

MODEL	START Y.	END Y.
LOGAN II	2012/10	
LOGAN MCV II	2013/02	
SANDERO II	2012/10	




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
402060540R

10-50509



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50509

MATERIAL
TYPE-1

WEIGHT
6,58 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279.7	44	24	21.8	61	100	4+2

DACIA

MODEL	START Y.	END Y.
DOKKER Express	2012/11	
DOKKER MPV (KE_)	2012/11	
DOKKER Pick-up	2018/07	
LODGY (JS_)	2012/03	




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
55700921
55700920

10-50160



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50160

MATERIAL
TYPE-1

WEIGHT
5,02 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257.4	40.4	22	20	60	100	6+2

FIAT

MODEL	START Y.	END Y.
GRANDE PUNTO (199_)	2005/06	
GRANDE PUNTO Van (199_)	2005/10	2013/06
PUNTO (199_)	2008/04	
PUNTO (199_)	2012/01	
PUNTO EVO (199_)	2009/03	2012/02
PUNTO EVO (199_)	2008/07	



BRAKE DISC

- Front Axle
- Rear Axle
- Solid



- OEM Standarts
- AYD Quality
- Safety
- Performance


OE:

51859078

60576335

60805117

10-50161



AYD
AUTOMOTIVE INDUSTRY

AYD NO

10-50161

MATERIAL

TYPE-1

WEIGHT

3,54 KG

BALANCING

100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	40	11	9.2	59	98	4+2

FIAT

MODEL	START Y.	END Y.
500 (312_)	2007/07	
500 C (312_)	2009/09	
BARCETTA (183_)	1995/03	2005/05
BRAVO I (182_)	1995/10	2001/10
CINQUECENTO (170_)	1991/07	1999/07
CINQUECENTO VAN (170_)	1991/07	1998/02
COUPE (175_)	1993/11	2000/08
IDEA (350_)	2003/12	
MAREA (185_)	1996/05	2007/12
MAREA Weekend (185_)	1996/09	2007/12
PANDA (169_)	2004/03	




BRAKE DISC

- Front Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
46820655

10-50260



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50260

MATERIAL
TYPE-1

WEIGHT
4,30 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257	40.5	12	10.2	59	98	4+2

FIAT

MODEL	START Y.	END Y.
500 (312_)	2007/07	
500 C (312_)	2009/09	
BRAVA (182_)	1995/10	2003/06
BRAVO I (182_)	1995/10	2001/10
MAREA (185_)	1996/05	2007/12
MAREA Weekend (185_)	1996/09	2007/12
PANDA (312_, 319_)	2012/02	
PANDA VAN (312_, 519_)	2012/02	
PUNTO (188_)	2000/02	2010/12
PUNTO (176_)	1993/09	1999/09
PUNTO (188_)	1999/09	2012/07



BRAKE DISC

- Front Axle
- Vented


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

46445004

46448168

46455892



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50285

MATERIAL
TYPE-1

WEIGHT
6,23 KG

BALANCING
100 %



10-50285

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283.5	43.5	22	20.2	59	98	4+2

FIAT


MODEL	START Y.	END Y.
BRAVO I (182_)	1995/10	2001/10
BRAVO II (198_)	2006/11	
CROMA (154_)	1985/12	1996/12
DOBLO (223_)	2000/11	
DOBLO MPV (119_, 223_)	2001/03	
IDEA (350_)	2003/12	
LINEA (323_, 110_)	2006/10	
MAREA (185_)	1996/05	2007/12
MAREA Weekend (185_)	1996/09	2007/12
STILO (192_)	2001/10	2010/11
STILO Multi Wagon (192_)	2003/01	2008/08



BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50336

MATERIAL
TYPE-1

WEIGHT
7,07 KG

BALANCING
100 %



OE:
51749275

10-50336

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	80	16	14.2	79	130	5+5

FIAT

MODEL	START Y.	END Y.
DUCATO Minibus/Bus (250_, 290_)	2006/07	
DUCATO Panelvan/Van (250_, 290_)	2006/07	
DUCATO Platform (250_, 290_)	2006/07	




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
51897455
51854567
51914663

10-50347




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50347

MATERIAL
TYPE-1

WEIGHT
7,69 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	46	28	26	59	98	5+5

FIAT

MODEL	START Y.	END Y.
500L (351_, 352_)	2012/09	
DOBLO Cargo (263_)	2010/02	
DOBLO Minibus/Bus (263_)	2009/11	
DOBLO Platform (263_)	2010/02	




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
46806234

10-50368



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50368

MATERIAL
TYPE-1

WEIGHT
8,12 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	65.5	24	21.9	80	130	5+2

FIAT

MODEL	START Y.	END Y.
DUCATO Minibus/Bus (230_)	1994/03	2005/05
DUCATO Minibus/Bus (244_)	2002/04	
DUCATO Minibus/Bus (250_, 290_)	2006/07	
DUCATO Panelvan/Van (230_)	1994/03	2005/05
DUCATO Panelvan/Van (244_)	2002/04	
DUCATO Panelvan/Van (250_, 290_)	2006/07	
DUCATO Platform (230_)	1994/03	2002/04
DUCATO Platform (244_)	2002/04	
DUCATO Platform (250_, 290_)	2006/07	




BRAKE DISC

- Front Axle
- Vented

•OEM Standarts
•AYD Quality
•Safety
•Performance

OE:
46419204

10-50500



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50500

MATERIAL
TYPE-1

WEIGHT
4,14 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	46.6	20	18.2	59.1	98	4+2

FIAT

MODEL	START Y.	END Y.
PALIO (178_)	1996/04	
PALIO Weekend (178_, 173_, 373_, 374_, 171_)	1996/04	
SIENA (178_, 172_)	1996/04	2016/12




BRAKE DISC

- Front Axle
- Rear Axle
- Solid

•OEM Standarts
•AYD Quality
•Safety
•Performance

OE:
9S511125CA
BS51 1125-AA
1541802

10-50161



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50161

MATERIAL
TYPE-1

WEIGHT
3,54 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	40	11	9.2	59	98	4+2

FORD

MODEL	START Y.	END Y.
KA (RU8)	2008/10	2016/05



BRAKE DISC

- Front Axle
- Vented


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

8V511125AB

8V511125AD

8V511125AC



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50171

MATERIAL
TYPE-1

WEIGHT
5,70 KG

BALANCING
100 %



10-50171

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	44	23	21	63.6	108	4+1

FORD

MODEL	START Y.	END Y.
FIESTA Sedan	2010/04	
FIESTA VI (CB1, CCN)	2008/06	
FIESTA VI Van	2008/08	
KA+ III (UK, FK)	2014/08	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1469081
3M512A315DB
3M512A315ED




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50190

MATERIAL
TYPE-1

WEIGHT
4,40 KG

BALANCING
100 %



10-50190

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	41	11	9	63.6	108	5

FORD

MODEL	START Y.	END Y.
C-MAX (DM2)	2007/02	2010/09
FOCUS C-MAX (DM2)	2003/10	2007/03
FOCUS II (DA_, HCP, DP)	2004/07	2013/09
FOCUS II Cabrio	2006/10	2010/09
FOCUS II Combi van	2004/07	2011/07
FOCUS II Sedan (DB_, FCH, DH)	2005/04	
FOCUS II Turnier (DA_, FFS, DS)	2004/07	2012/09



BRAKE DISC

- Rear Axle
- Solid


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

1223540

1468946

1377360



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50207

MATERIAL
TYPE-1

WEIGHT
4,15 KG

BALANCING
100 %



10-50207

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264.7	40.8	11	9	63.5	108	5

FORD

MODEL	START Y.	END Y.
C-MAX (DM2)	2007/02	2010/09
FOCUS C-MAX (DM2)	2003/10	2007/03
FOCUS II (DA_, HCP, DP)	2004/07	2013/09
FOCUS II Combi van	2004/07	2011/07
FOCUS II Sedan (DB_, FCH, DH)	2005/04	
FOCUS II Turnier (DA_, FFS, DS)	2004/07	2012/09



BRAKE DISC

- Front Axle
- Vented


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

1361298

4367104

4367106




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50275

MATERIAL
TYPE-1

WEIGHT
7,29 KG

BALANCING
100 %



10-50275

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	44.5	24	22	63.6	108	5

FORD

MODEL	START Y.	END Y.
TOURNEO CONNECT	2002/06	2013/12
TRANSIT CONNECT (P65_, P70_, P80_)	2002/06	




BRAKE DISC

- Front Axle
- Vented

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
1568640
4041428
2256041

10-50291



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50291

MATERIAL
TYPE-1

WEIGHT
7,20 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	43	24.5	22.1	82	100	5

FORD

MODEL	START Y.	END Y.
TRANSIT Minibus/Bus (FD_-, FB_-, FS_-, FZ_-,	2000/01	2006/05
TRANSIT Panelvan/Van (FA_-)	2000/01	2006/05
TRANSIT Platform (FM_-, FN_-)	2000/01	2006/05




BRAKE DISC

- Front Axle
- Vented

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
1751584
EY161125AA

10-50304



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50304

MATERIAL
TYPE-1

WEIGHT
6,76 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	44	23	21	63.5	108	4

FORD

MODEL	START Y.	END Y.
B-MAX (JK)	2012/10	
B-MAX Van (JK)	2012/08	
FIESTA Sedan	2010/04	
FIESTA VI (CB1, CCN)	2008/06	
FIESTA VI Van	2008/08	
TRANSIT COURIER B460	2014/02	
TRANSIT COURIER B460 MPV	2014/02	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
42510SMGE20
42510SNAA01
42510SNEA00

10-50218



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50218

MATERIAL
TYPE-1

WEIGHT
3,36 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
259.85	42	9	8	64.2	114	5+4

HONDA

MODEL	START Y.	END Y.
CIVIC Coupe	2005/09	2011/12
CIVIC IX Sedan (FB)	2011/09	
CIVIC VIII Hatchback (FN, FK)	2005/09	
CIVIC VIII Sedan (FD, FA)	2005/09	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
584111H300
584111H100

10-50173



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50173

MATERIAL
TYPE-1

WEIGHT
3,85 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	61	10	8.4	76	114.5	5+3

HYUNDAI

MODEL	START Y.	END Y.
i30 (FD)	2007/10	2012/05
i30 (GD)	2011/06	
i30 Station wagon (FD)	2007/10	2012/06
ix35 (LM, EL, ELH)	2009/08	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
584110U300

10-50334



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50334

MATERIAL
TYPE-1

WEIGHT
3,69 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	44	10	8.4	62.5	100	4+1

HYUNDAI

MODEL	START Y.	END Y.
ACCENT IV (RB)	2010/11	
i20 II (GB, IB)	2014/11	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
7180256
1908773
42471111

10-50502



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50502

MATERIAL
TYPE-1

WEIGHT
9,20 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
289	84.5	22	20	84	108	8

IVECO


MODEL	START Y.	END Y.
DAILY CITYS Minibus/Bus	2014/06	2016/10
DAILY II	1989/01	1999/05
DAILY II Minibus/Bus	1989/01	1999/05
DAILY II Panelvan/Van	1989/01	2009/08
DAILY II Platform	1989/01	1999/05
DAILY III Minibus/Bus	1999/05	2006/05
DAILY III Panelvan/Van	1997/11	2009/10
DAILY III Platform	1998/03	2009/10
DAILY IV	2006/05	2011/08
DAILY IV Panelvan/Van	2006/05	2012/03
DAILY IV Platform	2006/05	2012/03



BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance



OE:
584111H100

10-50173

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	61	10	8.4	76	114.5	5+3

KIA

MODEL	START Y.	END Y.
CEE'D (JD)	2012/05	
CEE'D Hatchback (ED)	2006/12	2012/12
CEE'D SW (ED)	2007/07	2012/12
PRO CEE'D (ED)	2008/02	2013/02
SPORTAGE III (SL)	2009/09	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
584110U300

10-50334



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50334

MATERIAL
TYPE-1

WEIGHT
3,69 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	44	10	8.4	62.5	100	4+1

KIA

MODEL	START Y.	END Y.
RIO III (UB)	2011/09	
RIO III Hatchback Van (UB)	2011/09	
RIO III Sedan (UB)	2010/09	
RIO IV (YB, SC, FB)	2017/01	
RIO IV Sedan (SC, FB)	2017/07	
STONIC (YB)	2017/07	




BRAKE DISC

- Front Axle
- Rear Axle
- Solid

•OEM Standarts
•AYD Quality
•Safety
•Performance

OE:
60805117
7645054

10-50161



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50161

MATERIAL
TYPE-1

WEIGHT
3,54 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	40	11	9.2	59	98	4+2

LANCIA

MODEL	START Y.	END Y.
DEDRA (835_)	1989/01	1999/07
DEDRA SW (835_)	1994/07	1999/07
DELTA II (836_)	1993/06	1999/09
MUSA (350_)	2004/10	2012/09
Y (840_)	1995/11	2003/09
YPSILON (843_)	2003/10	2011/12




BRAKE DISC

- Front Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
92498609

10-50260



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50260

MATERIAL
TYPE-1

WEIGHT
4,30 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257	40.5	12	10.2	59	98	4+2

LANCIA

MODEL	START Y.	END Y.
DEDRA (835_)	1989/01	1999/07
DEDRA SW (835_)	1994/07	1999/07
DELTA II (836_)	1993/06	1999/09
Y (840_)	1995/11	2003/09
YPSILON (312_)	2011/05	
YPSILON (843_)	2003/10	2011/12



BRAKE DISC

- Front Axle
- Vented


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

46455892

46758714

60806135



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50285

MATERIAL
TYPE-1

WEIGHT
6,23 KG

BALANCING
100 %



10-50285

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283.5	43.5	22	20.2	59	98	4+2

LANCIA

MODEL	START Y.	END Y.
DELTA I (831_)	1979/09	1994/01
DELTA II (836_)	1993/06	1999/09
DELTA III (844_)	2008/08	2014/08
LYBRA (839_)	1999/07	2005/10
LYBRA SW (839_)	1999/07	2005/10
MUSA (350_)	2004/10	2012/09
THEMA (834_)	1984/11	1994/07
THEMA SW (834_)	1987/03	1994/07




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
A1244230512
2034230112
A2014230512

10-50346



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50346

MATERIAL
TYPE-1

WEIGHT
3,80 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	55.6	9	7.3	67	112	5+2

MERCEDES-BENZ

MODEL	START Y.	END Y.
124 Sedan (W124)	1984/12	1993/08
124 T-Model (S124)	1985/09	1993/12
C-SERIES (W202)	1993/03	2000/05
C-SERIES (W203)	2000/05	2007/12
C-SERIES Coupe (CL203)	2001/03	2011/06
C-SERIES T-Model (S202)	1996/06	2001/03
C-SERIES T-Model (S203)	2001/03	2007/08
E-SERIES (W210)	1995/06	2003/08
E-SERIES T-Model (S124)	1993/06	1996/06
S-SERIES Coupe (C140)	1992/07	1999/12
SLK (R171)	2004/03	2011/12




BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
2014231112
2014230912
A 201 423 09 12



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50512

MATERIAL
TYPE-1

WEIGHT
3,28 KG

BALANCING
100 %



10-50512

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	55.45	9	7.3	67	112	5+2

MERCEDES-BENZ

MODEL	START Y.	END Y.
124 Coupe (C124)	1987/03	1993/07
124 Sedan (W124)	1984/12	1993/08
190 (W201)	1982/10	1993/08
E-SERIES (W124)	1993/02	1996/06
E-SERIES Coupe (C124)	1993/06	1997/06




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4320600QAA

10-50244



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50244

MATERIAL
TYPE-1

WEIGHT
6,38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	66.7	12	10.5	90	130	5+1

NISSAN

MODEL	START Y.	END Y.
INTERSTAR Minibus/Bus (X70)	2002/04	
INTERSTAR Panelvan/Van (X70)	2002/04	
INTERSTAR Platform	2003/08	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
95526658
917772
569109

10-50159



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50159

MATERIAL
TYPE-1

WEIGHT
3,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
263.9	45	10	8	65.5	110	5+1

OPEL

MODEL	START Y.	END Y.
ZAFIRA / ZAFIRA FAMILY B (A05)	2005/07	2019/05




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
93197241
569065
569024

10-50160



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257.4	40.4	22	20	60	100	6+2

OPEL

MODEL	START Y.	END Y.
ADAM (M13)	2012/10	2019/02
CORSA D (S07)	2006/07	2014/08
CORSA D (S07)	2006/07	2014/08
CORSA E (X15)	2014/09	
CORSA E (X15)	2014/09	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4403045
9111045

10-50244



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50244

MATERIAL
TYPE-1

WEIGHT
6,38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	66.7	12	10.5	90	130	5+1

OPEL

MODEL	START Y.	END Y.
MOVANO (X70)	1999/01	
MOVANO Minibus/Bus (X70)	1998/07	
MOVANO Panelvan/Van (X70)	1999/01	
MOVANO Platform (X70)	1998/07	



BRAKE DISC

- Rear Axle
- Solid


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

5391578

90512910

569210



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50332

MATERIAL
TYPE-1

WEIGHT
4,85 KG

BALANCING
100 %



10-50332

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285.65	69	10	8	65.5	110	5+2

OPEL

MODEL	START Y.	END Y.
VECTRA B (J96)	1995/09	2004/07
VECTRA B Hatchback (J96)	1995/09	2003/07
VECTRA B Station wagon (J96)	1996/11	2003/07




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
95511283
95515332
569 096

10-50347




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50347

MATERIAL
TYPE-1

WEIGHT
7,69 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	46	28	26	59	98	5+5

OPEL

MODEL	START Y.	END Y.
COMBO (X12)	2012/02	
COMBO Tour (X12)	2012/02	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4246W9

10-50211



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50211

MATERIAL
TYPE-1

WEIGHT
3,06 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
248	35	9	8	71.1	108	4+2

PEUGEOT

MODEL	START Y.	END Y.
1007 (KM_)	2005/04	
307 (3A/C)	2000/08	2012/12
307 Break (3E)	2002/03	2009/12
307 CC (3B)	2003/03	2009/06
307 SW (3H)	2002/03	2009/12
307 SW Combi van (3E_, 3H_)	2002/04	2009/12
PARTNER (5_, G_)	1996/06	
PARTNER MPV (5_, G_)	1996/05	2015/12




BRAKE DISC

- Front Axle
- Vented

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
00 004 249 96
91 517 695

10-50220



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50220

MATERIAL
TYPE-1

WEIGHT
3,96 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
247.5	34.3	20.35	18.5	66	108	4+2

PEUGEOT

MODEL	START Y.	END Y.
106 I (1A, 1C)	1991/08	1996/04
106 II (1A_, 1C_)	1996/04	2005/05
106 Van I (1S_)	1991/08	1996/03
106 Van II (1S_)	1996/04	2001/03
205 I (741A/C)	1983/02	1987/10
205 I Cabrio (741B, 20D)	1986/03	1995/11
205 II (20A/C)	1987/01	2000/12
206 Hatchback (2A/C)	1998/08	2012/12
206 Sedan	2007/03	
206 SW (2E/K)	2002/07	
206 Van	1999/04	2009/03




BRAKE DISC

- Front Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
4249A5

10-50241



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50241

MATERIAL
TYPE-1

WEIGHT
3,83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
247	34.2	13	11	66	108	4+2

PEUGEOT

MODEL	START Y.	END Y.
206 Hatchback (2A/C)	1998/08	2012/12
206 Sedan	2007/03	
206 SW (2E/K)	2002/07	
206+ (2L_, 2M_)	2009/01	2013/08




BRAKE DISC

- Rear Axle
- Solid

•OEM Standarts
•AYD Quality
•Safety
•Performance

OE:
4249K8

10-50336



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50336

MATERIAL
TYPE-1

WEIGHT
7,07 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	80	16	14.2	79	130	5+5

PEUGEOT

MODEL	START Y.	END Y.
BOXER Minibus/Bus	2005/09	
BOXER Panelvan/Van	2006/04	
BOXER Platform	2006/04	




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4246Y3

10-50368



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50368

MATERIAL
TYPE-1

WEIGHT
8,12 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	65.5	24	21.9	80	130	5+2

PEUGEOT

MODEL	START Y.	END Y.
BOXER Minibus/Bus (230P)	1994/03	2002/04
BOXER Minibus/Bus (244, Z_)	2001/12	
BOXER Panelvan/Van	2006/04	
BOXER Panelvan/Van (230L)	1994/03	2005/08
BOXER Panelvan/Van (244)	2001/12	
BOXER Platform	2006/04	
BOXER Platform (244)	2001/12	
BOXER Platform (ZCT_)	1994/03	2002/04



BRAKE DISC

- Front Axle
- Vented


- OEM Standards
- AYD Quality
- Safety
- Performance

OE:

7701207829

7701206118

7701205842



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50178

MATERIAL
TYPE-1

WEIGHT
6,43 KG

BALANCING
100 %



10-50178

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44	24	21.8	61	100	4+2

RENAULT

MODEL	START Y.	END Y.
CAPTUR I (J5_, H5_)	2013/06	
CLIO II (BB_, CB_)	1998/03	2016/12
CLIO III (BR0/1, CR0/1)	2005/01	2014/12
CLIO V (B7_)	2019/06	
DOKKER	2013/12	
GRAND SCÉNIC II (JM0/1_)	2004/04	2009/06
KANGOO (KC0/1_)	1997/08	
KANGOO Express (FC0/1_)	1997/08	
LAGUNA I (B56_, 556_)	1993/11	2002/08
LAGUNA I Grandtour (K56_)	1995/09	2002/08
MEGANE I (BA0/1_)	1995/08	2004/12



BRAKE DISC

- Front Axle
- Vented


- OEM Standards
- AYD Quality
- Safety
- Performance

OE:

402062212R

402066839R

402063149R



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50181

MATERIAL
TYPE-1

WEIGHT
4,60 KG

BALANCING
100 %



10-50181

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257.7	44	22	19.8	61	100	4+2

RENAULT

MODEL	START Y.	END Y.
CLIO IV (BH_)	2014/01	
CLIO IV (BH_)	2012/11	
CLIO IV Grandtour (KH_)	2013/01	
CLIO V (B7_)	2019/06	
LOGAN II Station wagon (K8_)	2013/11	
LOGAN/STEPWAY II (L8_)	2012/09	
SANDERO/STEPWAY I (BS_)	2007/11	
SANDERO/STEPWAY II (B8_)	2013/11	
THALIA II (LU_)	2008/09	
THALIA III (L8_)	2013/12	
TWINGO III (BCM_)	2014/09	




BRAKE DISC

- Rear Axle
- Solid

•OEM Standarts
•AYD Quality
•Safety
•Performance

OE:
7700314107

10-50244



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50244

MATERIAL
TYPE-1

WEIGHT
6,38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	66.7	12	10.5	90	130	5+1

RENAULT

MODEL	START Y.	END Y.
MASTER II Minibus/Bus (JD)	1998/03	
MASTER II Panelvan/Van (FD)	1998/07	
MASTER II Platform (ED/HD/UD)	1998/07	




BRAKE DISC

- Front Axle
- Vented

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
402060540R

10-50509



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50509

MATERIAL
TYPE-1

WEIGHT
6,58 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279.7	44	24	21.8	61	100	4+2

RENAULT

MODEL	START Y.	END Y.
CAPTUR I (J5_, H5_)	2013/06	
CLIO II (BB_, CB_)	1998/03	2016/12
CLIO III (BR0/1, CR0/1)	2005/01	2014/12
CLIO V (B7_)	2019/06	
DOKKER	2013/12	
GRAND SCÉNIC II (JM0/1_)	2004/04	2009/06
KANGOO (KC0/1_)	1997/08	
KANGOO Express (FC0/1_)	1997/08	
LAGUNA I (B56_, 556_)	1993/11	2002/08
LAGUNA I Grandtour (K56_)	1995/09	2002/08
LODGY (JS_)	2013/07	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
5084751
4839338
4565693



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50332

MATERIAL
TYPE-1

WEIGHT
4,85 KG

BALANCING
100 %



10-50332

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285.65	69	10	8	65.5	110	5+2

SAAB

MODEL	START Y.	END Y.
9-3 (YS3D)	1998/02	2003/08
9-3 Cabriolet (YS3D)	1998/02	2003/08
9-5 (YS3E)	1997/09	2009/12
9-5 Station wagon (YS3E)	1998/10	2009/12
900 II	1993/07	1999/04
900 II Cabrio	1993/09	1999/04
900 II Coupe	1993/12	1999/04



BRAKE DISC


- Front Axle
- Vented

- OEM Standards
- AYD Quality
- Safety
- Performance



OE:
1J0615301K

10-50154




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50154

MATERIAL
TYPE-1

WEIGHT
7,44 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287.8	49.8	25	22	65	112	9+1

SEAT

MODEL	START Y.	END Y.
ALTEA (5P1)	2004/03	
ALTEA XL (5P5, 5P8)	2006/10	
IBIZA IV (6J5, 6P1)	2008/03	2017/12
IBIZA IV SC (6J1, 6P5)	2008/06	2018/12
IBIZA IV ST (6J8, 6P8)	2010/03	2016/07
LEON (5F1)	2012/09	
LEON (1P1)	2005/05	2013/12
LEON (5F1)	2012/09	
LEON SC (5F5)	2013/01	
LEON ST (5F8)	2012/09	
LEON ST Combi van (5F8)	2013/01	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
1K0615601K

10-50158




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50158

MATERIAL
TYPE-1

WEIGHT
3,56 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255	51.25	9.7	7	65	112	9+1

SEAT

MODEL	START Y.	END Y.
ALTEA (5P1)	2004/03	2013/12
ALTEA XL (5P5, 5P8)	2006/10	
LEON (5F1)	2012/09	
LEON (1P1)	2005/05	
LEON (5F1)	2012/09	
LEON SC (5F5)	2013/01	
LEON ST (5F8)	2012/09	
LEON ST Combi van (5F8)	2013/01	
TOLEDO III (5P2)	2004/04	2009/05




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1K0615301AA

10-50168



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50168

MATERIAL
TYPE-1

WEIGHT
8,48 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
312	49.75	25.15	22	65	112	9+1

SEAT

MODEL	START Y.	END Y.
ALTEA (5P1)	2004/03	2013/12
ALTEA XL (5P5, 5P8)	2006/10	
ATECA (KH7, KHP)	2016/04	
LEON (5F1)	2012/09	
LEON (1P1)	2005/05	
LEON (5F1)	2012/09	
LEON SC (5F5)	2013/01	
LEON ST (5F8)	2012/09	
LEON ST Combi van (5F8)	2013/01	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
5Q0615601G

10-50175



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50175

MATERIAL
TYPE-1

WEIGHT
4,63 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	48.3	12	10	65	112	9+1

SEAT

MODEL	START Y.	END Y.
ALHAMBRA (710, 711)	2010/06	
ALTEA (5P1)	2004/03	
ALTEA XL (5P5, 5P8)	2006/10	
LEON (1P1)	2005/05	2013/12
TOLEDO III (5P2)	2004/04	2009/05




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1K0615601AA

10-50177



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50177

MATERIAL
TYPE-1

WEIGHT
3,89 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
271.85	48.25	10	8	65	112	9+1

SEAT

MODEL	START Y.	END Y.
ALTEA (5P1)	2004/03	2013/12
ALTEA XL (5P5, 5P8)	2006/10	
ATECA (KH7, KHP)	2016/04	
LEON (5F1)	2012/09	
LEON (1P1)	2005/05	
LEON (5F1)	2012/09	
LEON (KL1)	2019/11	
LEON SC (5F5)	2013/01	
LEON Sportstourer (KL8)	2020/03	
LEON ST (5F8)	2012/09	
LEON ST Combi van (5F8)	2013/01	



BRAKE DISC


- Front Axle
- Vented

- OEM Standards
- AYD Quality
- Safety
- Performance



OE:
1K0615301T

10-50154




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50154

MATERIAL
TYPE-1

WEIGHT
7,44 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287.8	49.8	25	22	65	112	9+1

SKODA

MODEL	START Y.	END Y.
FABIA II (542)	2006/12	2014/12
FABIA II Combi (545)	2007/10	2014/12
FABIA III (NJ3)	2014/08	
FABIA III Station wagon (NJ5)	2014/08	
OCTAVIA II (1Z3)	2004/02	2013/06
OCTAVIA II Combi (1Z5)	2004/02	2013/06
OCTAVIA III (5E3, NL3, NR3)	2012/11	
OCTAVIA III Combi (5E5, 5E6)	2012/11	
RAPID (NH3)	2012/07	2019/12
RAPID Spaceback (NH1)	2012/07	2019/12
ROOMSTER (5J7)	2006/03	2015/05




BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:

10-50158




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50158

MATERIAL
TYPE-1

WEIGHT
3,56 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255	51.25	9.7	7	65	112	9+1

SKODA

MODEL	START Y.	END Y.
OCTAVIA II (1Z3)	2004/02	2013/06
OCTAVIA II Combi (1Z5)	2004/02	2013/06
OCTAVIA III (5E3, NL3, NR3)	2012/11	
OCTAVIA III Combi (5E5, 5E6)	2012/11	
YETI (5L)	2009/05	2017/12




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1K0615301AA

10-50168



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50168

MATERIAL
TYPE-1

WEIGHT
8,48 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
312	49.75	25.15	22	65	112	9+1

SKODA

MODEL	START Y.	END Y.
KAROQ (NU7)	2017/07	
KODIAQ (NS7, NV7)	2016/10	
OCTAVIA III (5E3, NL3, NR3)	2012/11	
OCTAVIA III Combi (5E5, 5E6)	2012/11	
SUPERB II (3T4)	2008/03	2015/05
SUPERB II Station wagon (3T5)	2009/10	2015/05
SUPERB III (3V3)	2015/03	
SUPERB III Station wagon (3V5)	2015/03	
YETI (5L)	2009/05	2017/12




BRAKE DISC

- Rear Axle
- Solid

•OEM Standarts
•AYD Quality
•Safety
•Performance

OE:
8E0615601

10-50174



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50174

MATERIAL
TYPE-1

WEIGHT
3,69 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
245	64	10	8	68	112	5

SKODA

MODEL	START Y.	END Y.
SUPERB I (3U4)	2001/12	2008/03




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
3CD615601

10-50175



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50175

MATERIAL
TYPE-1

WEIGHT
4,63 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	48.3	12	10	65	112	9+1

SKODA


MODEL	START Y.	END Y.
OCTAVIA II (1Z3)	2004/02	2013/06
OCTAVIA II Combi (1Z5)	2004/02	2013/06
SUPERB II (3T4)	2008/03	2015/05
SUPERB II Station wagon (3T5)	2009/10	2015/05
YETI (5L)	2009/05	2017/12



BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50177

MATERIAL
TYPE-1

WEIGHT
3,89 KG

BALANCING
100 %



OE:
5QD 615 601

10-50177

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
271.85	48.25	10	8	65	112	9+1

SKODA

MODEL	START Y.	END Y.
KAROQ (NU7)	2017/07	
OCTAVIA II (1Z3)	2004/02	2013/06
OCTAVIA II Combi (1Z5)	2004/02	2013/06
OCTAVIA III (5E3, NL3, NR3)	2012/11	
OCTAVIA III Combi (5E5, 5E6)	2012/11	
OCTAVIA IV (NX3)	2020/01	
OCTAVIA IV Combi (NX5)	2019/11	
SUPERB II (3T4)	2008/03	2015/05
SUPERB II Station wagon (3T5)	2009/10	2015/05
YETI (5L)	2009/05	2017/12




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4534200100

10-50181



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50181

MATERIAL
TYPE-1

WEIGHT
4,60 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257.7	44	22	19.8	61	100	4+2

SMART

MODEL	START Y.	END Y.
FORFOUR Hatchback (453)	2014/07	
FORTWO Cabrio (453)	2015/09	
FORTWO Coupe (453)	2014/07	




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
9111045

10-50244



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50244

MATERIAL
TYPE-1

WEIGHT
6,38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	66.7	12	10.5	90	130	5+1

VAUXHALL

MODEL	START Y.	END Y.
MOVANO Mk I (A) Chassis/Cab (X70)	1998/10	2010/12
MOVANO Mk I (A) Combi (X70)	1998/10	2010/05
MOVANO Mk I (A) Van (X70)	1998/10	2010/12




BRAKE DISC

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
05 69 118

10-50332



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50332

MATERIAL
TYPE-1

WEIGHT
4,85 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285.65	69	10	8	65.5	110	5+2

VAUXHALL

MODEL	START Y.	END Y.
VECTRA (B) Hatchback (J96)	1995/08	2003/07
VECTRA (B) Sedan (J96)	1995/08	2002/03
VECTRA (B) Station wagon (J96)	1995/08	2002/03




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
569 096

10-50347



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50347

MATERIAL
TYPE-1

WEIGHT
7,69 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	46	28	26	59	98	5+5

VAUXHALL

MODEL	START Y.	END Y.
COMBO Mk III (D) (X12)	2011/11	



BRAKE DISC


- Front Axle
- Vented

- OEM Standards
- AYD Quality
- Safety
- Performance



OE:
1K0615301T

10-50154



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
287.8	49.8	25	22	65	112	9+1

VW

MODEL	START Y.	END Y.
BEETLE (5C1, 5C2)	2011/04	2019/07
BEETLE Cabrio (5C7, 5C8)	2011/12	2019/07
CADDY ALLTRACK (SAA)	2015/05	
CADDY ALLTRACK MPV (SAB)	2015/05	
CADDY III (2KA, 2KH, 2CA, 2CH)	2004/03	2015/05
CADDY III MPV (2KB, 2KJ, 2CB, 2CJ)	2004/03	2015/05
CADDY IV (SAA, SAH)	2015/05	
CADDY IV MPV (SAB, SAJ)	2015/05	
CADDY V (SBA, SBH)	2020/09	
CADDY V MPV (SBB, SBJ)	2020/09	
EOS (1F7, 1F8)	2006/03	2015/08




BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
5C0615601A

10-50158




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50158

MATERIAL
TYPE-1

WEIGHT
3,56 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255	51.25	9.7	7	65	112	9+1

VW

MODEL	START Y.	END Y.
CADDY III (2KA, 2KH, 2CA, 2CH)	2004/03	2015/05
CADDY III MPV (2KB, 2KJ, 2CB, 2CJ)	2004/03	2015/05
EOS (1F7, 1F8)	2006/03	2015/08
GOLF PLUS V (5M1, 521)	2004/12	2013/12
GOLF PLUS Van (521)	2009/01	2014/08
GOLF V (1K1)	2003/10	2010/07
GOLF V Variant (1K5)	2007/01	2009/07
GOLF VI (5K1)	2008/10	2014/12
GOLF VI Cabrio (517)	2011/03	2016/05
GOLF VI Van (5K1_)	2008/10	2012/11
GOLF VI Variant (AJ5)	2009/07	2014/07




BRAKE DISC

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1K0615301AA

10-50168



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50168

MATERIAL
TYPE-1

WEIGHT
8,48 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
312	49.75	25.15	22	65	112	9+1

VW


MODEL	START Y.	END Y.
ARTEON (3H7, 3H8)	2017/03	
BEETLE (5C1, 5C2)	2011/04	2019/07
BEETLE Cabrio (5C7, 5C8)	2011/12	2019/07
CADDY ALLTRACK (SAA)	2015/05	
CADDY ALLTRACK MPV (SAB)	2015/05	
CADDY III (2KA, 2KH, 2CA, 2CH)	2004/03	2015/05
CADDY III MPV (2KB, 2KJ, 2CB, 2CJ)	2004/03	2015/05
CADDY IV (SAA, SAH)	2015/05	
CADDY IV MPV (SAB, SAJ)	2015/05	
CADDY V (SBA, SBH)	2020/09	
CADDY V MPV (SBB, SBJ)	2020/09	



BRAKE DISC

- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance



OE:
4A0615301A

10-50174

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
245	64	10	8	68	112	5

VW

MODEL	START Y.	END Y.
PASSAT B3/B4 Variant (3A5, 35I)	1988/02	1997/06
PASSAT B5 (3B2)	1996/08	2001/12
PASSAT B5 Variant (3B5)	1997/05	2001/12
PASSAT B5.5 (3B3)	2000/10	2005/12
PASSAT B5.5 Variant (3B6)	2000/09	2005/08



BRAKE DISC


- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance



OE:
3CD 615 601

10-50175



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50175

MATERIAL
TYPE-1

WEIGHT
4,63 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	48.3	12	10	65	112	9+1

VW

MODEL	START Y.	END Y.
CC B7 (358)	2011/11	2016/12
EOS (1F7, 1F8)	2006/03	2015/08
GOLF PLUS V (5M1, 521)	2004/12	2013/12
GOLF PLUS Van (521)	2009/01	2014/08
GOLF V (1K1)	2003/10	2010/07
GOLF V Variant (1K5)	2007/01	2009/07
GOLF VI (5K1)	2008/10	2014/12
GOLF VI Van (5K1_)	2008/10	2012/11
GOLF VI Variant (AJ5)	2009/07	2014/07
JETTA III (1K2)	2004/09	2013/12
JETTA IV (162, 163, AV3, AV2)	2008/01	



BRAKE DISC


- Rear Axle
- Solid

- OEM Standards
- AYD Quality
- Safety
- Performance



OE:
5QD 615 601

10-50177



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50177

MATERIAL
TYPE-1

WEIGHT
3,89 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
271.85	48.25	10	8	65	112	9+1

VW

MODEL	START Y.	END Y.
BEETLE (5C1, 5C2)	2011/04	2019/07
BEETLE Cabrio (5C7, 5C8)	2011/12	2019/07
CADDY ALLTRACK (SAA)	2015/05	
CADDY ALLTRACK MPV (SAB)	2015/05	
CADDY III (2KA, 2KH, 2CA, 2CH)	2004/03	2015/05
CADDY III MPV (2KB, 2KJ, 2CB, 2CJ)	2004/03	2015/05
CADDY IV (SAA, SAH)	2015/05	
CADDY IV MPV (SAB, SAJ)	2015/05	
CADDY V (SBA, SBH)	2020/09	
CADDY V MPV (SBB, SBJ)	2020/09	
DERBY (86C, 80)	1981/08	1984/12

