

new to range

THANKS TO AYD POWER AND ALL UNDER ONE ROOF STRATEGY

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING NEW GROUND

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



MARCH 2022

INDEX

AUDI	3-4
BMW	5-6
CADILLAC	7
CHEVROLET	8-9
CITROEN	10
DAIHATSU	11
FORD	12-14
FORD USA	15
GMC	16
HYUNDAI	17
JAGUAR	18
KIA	19
LAND ROVER	20-21
MAZDA	22-23
MERCEDES-BENZ	24
MITSUBISHI	25
NISSAN	26-27
OPEL	28-31
PEUGEOT	32
SAAB	33-34
SEAT	35
SKODA	36
TOYOTA	37-39
VAUXHALL	40-43
VOLKSWAGEN	44-46

BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
8W0615301G
8K0615301
8W0615301T

10-50226



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	52.25	25	23	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A4 Allroad B8 (8KH)	2009/04	2016/05
A4 Allroad B9 (8WH, 8WJ)	2016/01	
A4 B8 (8K2)	2007/08	2015/12
A4 B8 Avant (8K5)	2007/11	2015/12
A4 B9 (8W2, 8WC)	2015/05	
A4 B9 Avant (8W5, 8WD)	2015/08	
A5 (8T3)	2007/06	2017/01
A5 (F53, F5P)	2016/06	
A5 Cabrio (8F7)	2009/02	2017/01
A5 Cabrio (F57, F5E)	2016/11	
A5 Sportback (8TA)	2007/07	2017/01



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
5Q0615301A
5Q0615301E

10-50399



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50399

MATERIAL
TYPE-1

WEIGHT
6,68 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276	49.5	23.5	21	65	112	9+1

AUDI

MODEL	START Y.	END Y.
A3 Cabrio (8V7, 8VE)	2013/10	
A3 Limousine (8VS, 8VM)	2013/05	
A3 Sportback (8VA, 8VF)	2012/09	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
34116766239
34111165455
34111164921

10-50264



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
286	51.6	22	20.4	79	120	5+1

BMW

MODEL	START Y.	END Y.
3 (E36)	1990/09	1998/11
3 (E46)	1997/12	2005/05
3 Cabrio (E36)	1993/03	1999/11
3 Cabrio (E46)	2000/04	2007/12
3 Compact (E36)	1994/01	2000/08
3 Compact (E46)	2001/03	2005/02
3 Coupe (E36)	1991/10	1999/05
3 Coupe (E46)	1998/12	2006/07
3 Touring (E36)	1994/08	1999/12
3 Touring (E46)	1999/06	2005/07
Z3 Coupe (E36)	1997/04	2003/06



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
34116753211
34116864906
34116767269

10-50367




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50367

MATERIAL
TYPE-1

WEIGHT
11,60 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
324	77.15	30	28.4	79	120	5+1

BMW

MODEL	START Y.	END Y.
5 (E60)	2001/12	2010/03
5 Touring (E61)	2004/03	2010/12
6 (E63)	2003/09	2010/12



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
22950036

10-50545



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	55.5	30	28	78.6	139.7	6+5

CADILLAC

MODEL	START Y.	END Y.
ESCALADE	2006/10	2014/12
ESCALADE Crew Cab Pickup	2006/09	2014/12
XTS (1P5)	2011/09	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
23118055
23118530
13501308

10-50287



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	51	30	27	67.4	120	5+1

CHEVROLET

MODEL	START Y.	END Y.
CAMARO	2009/02	2015/12
CAMARO Cabrio	2011/01	
EQUINOX	2009/09	
MALIBU (V300)	2012/01	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
22950036
23144340
22 950 036

10-50545



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	55.5	30	28	78.6	139.7	6+5

CHEVROLET

MODEL	START Y.	END Y.
AVALANCHE	2005/06	2013/12
AVALANCHE 1500 Crew Cab Pickup	2006/09	2013/12
AVALANCHE 1500 Crew Cab Pickup	2001/09	2006/12
AVALANCHE Crew Cab Pickup	2006/09	2013/12
SILVERADO 1500	2006/09	
SILVERADO 1500 Crew Cab Pickup	2007/09	2013/12
SILVERADO 1500 Extended Cab Pickup	2007/09	2013/12
SILVERADO 1500 Standard Cab Pickup	2007/09	2013/12
SUBURBAN 1500 SUV	2006/09	2014/12
TAHOE (GMT900)	2007/01	2014/07




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4246B1
4246R3
4246R5




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50230

MATERIAL
TYPE-1

WEIGHT
4,79 KG

BALANCING
100 %



10-50230

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
266	27.5	20.5	18.5	66.1	108	4+2

CITROËN

MODEL	START Y.	END Y.
BERLINGO / BERLINGO FIRST (M_)	1996/07	2011/12
BERLINGO / BERLINGO FIRST MPV (MF_, GJK_, GFK_)	1996/07	2011/12
BX (XB_-)	1982/10	1994/12
XANTIA (X1_, X2_)	1993/03	2003/04
XANTIA Break (X1_, X2_)	1995/06	2003/04
XSARA (N1)	1997/04	2005/12
XSARA Break (N2)	1997/10	2010/03
XSARA Coupe (N0)	1998/01	2005/04
XSARA PICASSO (N68)	1999/09	2012/06
ZX (N2)	1991/03	1999/07



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
435120D060

10-50202



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50202

MATERIAL
TYPE-1

WEIGHT
5,04 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	46	22	20	55	100	4+2

DAIHATSU

MODEL	START Y.	END Y.
CHARADE VIII	2011/05	




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
C2S4566
1388257
4097477



10-50199

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	47	24	22	63.5	108	5

FORD

MODEL	START Y.	END Y.
MONDEO III (B5Y)	2000/10	2007/03
MONDEO III Sedan (B4Y)	2000/10	2007/09
MONDEO III Turnier (BWY)	2000/10	2007/03




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1763885
BK211125BB
1842994




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50289

MATERIAL
TYPE-1

WEIGHT
9,74 KG

BALANCING
100 %



10-50289

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	55.5	33	30	93.1	111.5	5

FORD

MODEL	START Y.	END Y.
TOURNEO CUSTOM V362 Minibus/Bus (F3)	2012/04	
TRANSIT CUSTOM V362 Minibus/Bus (F3)	2012/04	
TRANSIT CUSTOM V362 Panelvan/Van (FY, FZ)	2012/04	
TRANSIT V363 Minibus/Bus (FAD, FBD)	2013/08	
TRANSIT V363 Panelvan/Van (FCD, FDD)	2013/08	
TRANSIT V363 Platform (FED, FFD)	2013/08	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
BK312A315AB
1815599

10-50531



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	25.5	16	13	122.5	150	5

FORD

MODEL	START Y.	END Y.
TRANSIT V363 Minibus/Bus (FAD, FBD)	2013/08	
TRANSIT V363 Panelvan/Van (FCD, FDD)	2013/08	
TRANSIT V363 Platform (FED, FFD)	2013/08	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
F32Z1125A

10-50540



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	48.6	24	22	72	114.3	5+1

FORD USA

MODEL	START Y.	END Y.
PROBE II (ECP)	1992/09	1998/03



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
22950036

10-50545



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	55.5	30	28	78.6	139.7	6+5

GMC

MODEL	START Y.	END Y.
SIERRA	1996/05	2007/12
SIERRA 1500 Crew Cab Pickup	2007/01	2013/12
SIERRA 1500 Crew Cab Pickup	1997/09	2007/12
SIERRA 1500 Extended Cab Pickup	2007/01	2013/12
SIERRA 1500 Extended Cab Pickup	1997/09	2007/12
SIERRA 1500 Standard Cab Pickup	2007/01	2013/12
SIERRA 1500 Standard Cab Pickup	1997/09	2007/12
YUKON (GMT900)	2006/09	2014/07
YUKON XL 1500	2006/09	2014/07



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
517123D300
517123D100
517123C000

10-50534




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50534

MATERIAL
TYPE-1

WEIGHT
7,23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	47.5	26	24.4	69	114.3	4+2

HYUNDAI

MODEL	START Y.	END Y.
ELANTRA III (XD)	2000/03	2006/08
ELANTRA III Sedan (XD)	2000/03	2006/09
SONATA IV (EF)	1998/03	2005/12




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
C2S49729
C2S35270
C2S42667



10-50199

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	47	24	22	63.5	108	5

JAGUAR

MODEL	START Y.	END Y.
X-TYPE I (X400)	2001/03	2009/11
X-TYPE I Station wagon (X400)	2003/09	2009/12



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
517123C000
517123C100

10-50534



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50534

MATERIAL
TYPE-1

WEIGHT
7,23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	47.5	26	24.4	69	114.3	4+2

KIA

MODEL	START Y.	END Y.
MAGENTIS (GD, MS)	2001/05	



BRAKE DISC


FREN DISKI

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
SDB000643
SDB500160
SDB000642

10-50323



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50323

MATERIAL
TYPE-1

WEIGHT
9,04 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	60	20	17	79	120	5+2

LAND ROVER

MODEL	START Y.	END Y.
DISCOVERY III (L319)	2004/07	2009/09
DISCOVERY IV (L319)	2009/09	2018/12
RANGE ROVER SPORT I (L320)	2005/02	2013/03



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
SDB000624
SDB000622
SDB000621

10-50342



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50342

MATERIAL
TYPE-1

WEIGHT
12,13 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	62	30	27	79	120	5+1

LAND ROVER

MODEL	START Y.	END Y.
DISCOVERY IV (L319)	2009/09	2018/12
RANGE ROVER SPORT I (L320)	2005/02	2013/03



BRAKE DISC

FREN DISKI

• Front Axle

• Vented

• Safety


• Performance

• OEM Standarts

• AYD Quality

OE:
GA2Y3325X
GA4Y3325X
GA4Y3325XC

10-50540



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	48.6	24	22	72	114.3	5+1

MAZDA

MODEL	START Y.	END Y.
626 IV (GE)	1991/08	1998/08
626 IV Hatchback (GE)	1991/08	1998/08
626 V (GF)	1997/05	2002/12
626 V Hatchback (GF)	1997/05	2002/12
626 V Station Wagon (GW)	1998/01	2002/12
MX-6 (GE)	1991/07	1997/09
PREMACY (CP)	1999/01	2005/03
XEDOS 6 (CA)	1992/01	1999/10



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
NA013325X
NA013325XA
NA013325XC

10-50544



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50544

MATERIAL
TYPE-1

WEIGHT
3,64 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
235	45	18	16.5	55	100	4+3

MAZDA

MODEL	START Y.	END Y.
121 II (DB)	1990/11	1997/05
323 C IV (BG)	1989/06	2000/09
323 C V (BA)	1994/08	2001/01
323 F IV (BG)	1987/04	1994/10
323 P V (BA)	1996/10	1998/09
323 S IV (BG)	1989/06	1996/10
323 S V (BA)	1992/09	2003/12
MX-5 I (NA)	1989/09	1998/04



BRAKE DISC


FREN DISKI

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
A9064230112
9064230112
9074230100

10-50408



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50408

MATERIAL
TYPE-1

WEIGHT
9,83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302.8	93	28	25	120	145	6

MERCEDES-BENZ

MODEL	START Y.	END Y.
SPRINTER 4,6-t Panelvan/Van (B906)	2006/06	
SPRINTER 4,6-t Platform (B906)	2006/06	
SPRINTER 5-t Minibus/Bus (B906)	2006/06	
SPRINTER 5-t Panelvan/Van (B906)	2006/06	
SPRINTER 5-t Platform (B906)	2006/06	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
MB407030

10-50543




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50543

MATERIAL
TYPE-1

WEIGHT
4,86 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	33.3	22	20.4	84	104	5

MITSUBISHI

MODEL	START Y.	END Y.
L 300 / DELICA II Platform (L03_P)	1980/05	
L 300 III Minibus/Bus (P0_W, P1_W, P2_W, P3_W)	1986/08	2013/12
L 300 III Panelvan/Van (P0_V, P1_V, P2_V)	1986/11	2013/12
L200 (K3_T, K2_T, K1_T, K0_T)	1983/01	1996/10




BRAKE DISC

FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
43206JD00A
432069W000
432069Y000



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50203

MATERIAL
TYPE-1

WEIGHT
4,67 KG

BALANCING
100 %



10-50203

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
291.7	62	9	8	68	114.3	5+1

NISSAN

MODEL	START Y.	END Y.
JUKE (F15)	2010/06	
NV200 / EVALIA Minibus/Bus	2010/07	
NV200 Panelvan/Van	2010/02	
PULSAR Hatchback (C13)	2012/08	
QASHQAI / QASHQAI +2 I (J10, NJ10, JJ10E)	2006/12	2014/04
TIIDA Hatchback (C12)	2010/08	



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4020655F01
4020655F03
4020673L01

10-50539



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	49.5	22	20	68	114.3	4+2

NISSAN

MODEL	START Y.	END Y.
200SX (S13)	1988/07	1995/12
ALMERA II (N16)	2000/04	
ALMERA II Hatchback (N16)	2000/01	
PRIMERA (P11)	1996/06	2001/12
PRIMERA Hatchback (P11)	1996/06	2002/07
PRIMERA Traveller (WP11)	1996/06	2002/01




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
59000
569006
95526646



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50208

MATERIAL
TYPE-1

WEIGHT
5,19 KG

BALANCING
100 %



10-50208

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260.5	41	24	21	60	100	6+1

OPEL

MODEL	START Y.	END Y.
COMBO	2001/10	
COMBO Tour	2001/10	2011/12
CORSA C (X01)	2000/09	2012/12
CORSA C (X01)	2000/09	2009/12
MERIVA A MPV (X03)	2003/05	2010/05
TIGRA TwinTop (X04)	2004/06	2010/12



BRAKE DISC


FREN DISKI

- Front Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
569020

10-50278



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50278

MATERIAL
TYPE-1

WEIGHT
3,73 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	41	11	8	60	100	6+1

OPEL

MODEL	START Y.	END Y.
CORSA C (X01)	2000/09	2012/12
CORSA C (X01)	2000/09	2009/12



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
569422
13502214
13579150

10-50287



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	51	30	27	67.4	120	5+1

OPEL

MODEL	START Y.	END Y.
INSIGNIA A (G09)	2008/07	2017/03
INSIGNIA A Sedan (G09)	2008/07	2017/03
INSIGNIA A Sports Tourer (G09)	2008/07	2017/03



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
569001
90295087
569042

10-50357



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50357

MATERIAL
TYPE-1

WEIGHT
4,98 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	41	24	22	60	100	6+1

OPEL

MODEL	START Y.	END Y.
VECTRA B (J96)	1995/09	2004/07
VECTRA B Hatchback (J96)	1995/09	2003/07
VECTRA B Station wagon (J96)	1996/11	2003/07



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4249F0

10-50230



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
266	27.5	20.5	18.5	66.1	108	4+2

PEUGEOT

MODEL	START Y.	END Y.
206 CC (2D)	2000/09	2008/12
206 Hatchback (2A/C)	1998/08	2012/12
305 II (581M)	1982/10	1990/07
305 II Break (581E)	1982/10	1990/07
306	1993/04	2001/08
306 van (N_, 7_)	1993/07	2002/08
306 (7B, N3, N5)	1993/04	2003/10
306 Break (7E, N3, N5)	1994/06	2002/12
306 Cabrio (7D, N3, N5)	1994/01	2002/04
306 Hatchback (7A, 7C, N3, N5)	1993/01	2003/10
405 I (15B)	1987/01	1993/12



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
13502214

10-50287



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	51	30	27	67.4	120	5+1

SAAB

MODEL	START Y.	END Y.
9-5 (YS3G)	2010/01	2012/01



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
569001

10-50357




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50357

MATERIAL
TYPE-1

WEIGHT
4,98 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	41	24	22	60	100	6+1

SAAB

MODEL	START Y.	END Y.
9-3 (YS3D)	1998/02	2003/08
9-3 Cabriolet (YS3D)	1998/02	2003/08
9-5 (YS3E)	1997/09	2009/12
9-5 Station wagon (YS3E)	1998/10	2009/12
900 II	1993/07	1999/04
900 II Cabrio	1993/09	1999/04
900 II Coupe	1993/12	1999/04



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
5Q0615301A

10-50399



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50399

MATERIAL
TYPE-1

WEIGHT
6,68 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276	49.5	23.5	21	65	112	9+1

SEAT

MODEL	START Y.	END Y.
LEON (5F1)	2012/09	
LEON (5F1)	2012/09	
LEON SC (5F5)	2013/01	
LEON ST van (5F8)	2013/01	
LEON ST (5F8)	2012/09	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
5Q0615301A

10-50399



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50399

MATERIAL
TYPE-1

WEIGHT
6,68 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276	49.5	23.5	21	65	112	9+1

SKODA

MODEL	START Y.	END Y.
OCTAVIA III (5E3, NL3, NR3)	2012/11	
OCTAVIA III Combi (5E5, 5E6)	2012/11	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
435120D060
435120D120

10-50202



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50202

MATERIAL
TYPE-1

WEIGHT
5,04 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	46	22	20	55	100	4+2

TOYOTA

MODEL	START Y.	END Y.
YARIS (_P13_)	2012/10	
YARIS (_P13_)	2010/12	
YARIS (_P9_)	2005/01	2014/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4351252050
4351252020
435120D010

10-50228



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50228

MATERIAL
TYPE-1

WEIGHT
3,72 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
235	43	18	16	55	100	4+2

TOYOTA

MODEL	START Y.	END Y.
ECHO Sedan (_P1_)	1999/08	2006/01
YARIS (_P1_)	1999/01	2005/12
YARIS VERSO (_P2_)	1999/08	2005/09



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4351212250
4351212290
4351212300

10-50538




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50538

MATERIAL
TYPE-1

WEIGHT
4,07 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
238	48.2	18	17	54	100	4+2

TOYOTA

MODEL	START Y.	END Y.
COROLLA (_E9_)	1987/05	1994/09
COROLLA Compact (_E9_)	1987/05	1995/10
COROLLA Liftback (_E9_)	1987/05	1997/04
COROLLA Station Wagon (_E9_)	1987/05	1995/10



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
9196050

10-50208



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50208

MATERIAL
TYPE-1

WEIGHT
5,19 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260.5	41	24	21	60	100	6+1

VAUXHALL

MODEL	START Y.	END Y.
COMBO Mk II (C) (F25)	2001/09	2012/02
COMBO TOUR Mk II (C) (F25)	2001/09	2012/02
CORSA Mk II (C) (X01)	2000/08	2007/04
CORSAVAN Mk II (C) (X01)	2000/09	2006/11
MERIVA A (X03)	2003/01	2010/06
TIGRA TwinTop (X04)	2004/06	2009/08



BRAKE DISC


FREN DISKI

- Front Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
9195981

10-50278



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50278

MATERIAL
TYPE-1

WEIGHT
3,73 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	41	11	8	60	100	6+1

VAUXHALL

MODEL	START Y.	END Y.
CORSA Mk II (C) (X01)	2000/08	2007/04
CORSAVAN Mk II (C) (X01)	2000/09	2006/11



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
13501308

10-50287



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	51	30	27	67.4	120	5+1

VAUXHALL

MODEL	START Y.	END Y.
INSIGNIA Mk I (A) Hatchback (G09)	2008/07	2017/05
INSIGNIA Mk I (A) Sedan (G09)	2008/07	2017/05
INSIGNIA Mk I (A) Sports Tourer (G09)	2008/07	2017/05



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
96179110

10-50357



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50357

MATERIAL
TYPE-1

WEIGHT
4,98 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	41	24	22	60	100	6+1

VAUXHALL

MODEL	START Y.	END Y.
VECTRA (B) Hatchback (J96)	1995/08	2003/07
VECTRA (B) Sedan (J96)	1995/08	2002/03
VECTRA (B) Station wagon (J96)	1995/08	2002/03



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
5Q0615301A

10-50399



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50399

MATERIAL
TYPE-1

WEIGHT
6,68 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276	49.5	23.5	21	65	112	9+1

VW

MODEL	START Y.	END Y.
GOLF ALLTRACK VII Variant (BA5, BV5)	2014/12	
GOLF SPORTSVAN VII (AM1, AN1)	2014/02	
GOLF VII (5G1, BQ1, BE1, BE2)	2012/08	
GOLF VII Variant (BA5, BV5)	2013/04	



BRAKE DISC


FREN DISKI

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
2E0615601

10-50408




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50408

MATERIAL
TYPE-1

WEIGHT
9,83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302.8	93	28	25	120	145	6

VW

MODEL	START Y.	END Y.
CRAFTER 30-50 Panelvan/Van (2E_)	2006/04	2016/12
CRAFTER 30-50 Platform (2F_)	2006/04	2016/12



BRAKE DISC

FREN DISKI

• Front Axle

• Vented


• Safety

• Performance

• OEM Standarts

• AYD Quality

OE:
7D0615301C
701615301
7D0615301A



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50436

MATERIAL
TYPE-1

WEIGHT
6,66 KG

BALANCING
100 %



10-50436

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	55	24	20	68.15	112	5+1

VW

MODEL	START Y.	END Y.
TRANSPORTER IV Minibus/Bus (70B, 70C, 7DB, 7DK, 70J, 70K,	1990/09	2004/08
TRANSPORTER IV Panelvan/Van (70A, 70H, 7DA, 7DH)	1990/07	2003/04
TRANSPORTER IV Platform (70E, 70L, 70M, 7DE, 7DL, 7DM)	1990/07	2003/04

