

new to range

THANKS TO AYD POWER AND ALL UNDER ONE ROOF STRATEGY

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING NEW GROUND

OEM Standards

AYD QUALITY

SAFETY

PERFORMANCE

www.aydtr.com



JANUARY 2022

INDEX

AUDI	3
BMW	4
BUICK	5
CHEVROLET	6
CITROEN	7-11
DS	12-15
FIAT	16-17
FORD	18-19
HONDA	20
HYUNDAI	21-23
IVECO	24
KIA	25-27
MERCEDES BENZ	28-30
NISSAN	31-33
OPEL	35-41
PEUGEOT	42-48
RENAULT	49-58
SAAB	59
SEAT	60-61
SKODA	62
TOYOTA	63
VAUXHALL	64-69
VOLKSWAGEN	70-71

BRAKE DISC

FREN DISKI


- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

1J0615301E
1J0615301E
1J0615301P

10-50172



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	36.5	22	19	65	100	5+2

AUDI

MODEL	START Y.	END Y.
A1 (8X1, 8XK)	2010/05	2018/10
A3 (8L1)	1996/09	2006/09



BRAKE DISC

FREN DISKI


- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

34116854996
34116792215
34116764629

10-50280



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50280

MATERIAL
TYPE-1

WEIGHT
6.15 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283.9	73	22	20.4	79	120	5+1

BMW

MODEL	START Y.	END Y.
1 (E81)	2006/09	2012/09
1 (E87)	2003/02	2013/01
1 Coupe (E82)	2006/10	2013/10



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
13501296
13501319

10-50212



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	51	30	27	67.4	120	5+1

BUICK

MODEL	START Y.	END Y.
LA CROSSE Sedan	2009/06	
REGAL Sedan	2010/09	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
23118529

10-50212



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	51	30	27	67.4	120	5+1

CHEVROLET

MODEL	START Y.	END Y.
MALIBU (V300)	2012/01	




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
424984
E169142
4246W8



10-50157

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282.7	34.4	26	24	66	108	4+2

CITROËN

MODEL	START Y.	END Y.
BERLINGO (B9)	2008/04	
BERLINGO MULTISPACE (B9)	2008/04	
BERLINGO Platform (B9)	2008/04	
C3 AIRCROSS II (2R_, 2C_)	2017/06	
C3 AIRCROSS II Van (2C_, 2R_)	2017/06	
C3 I (FC_, FN_)	2002/02	
C3 II (SC_)	2010/06	
C3 II (SC_)	2009/09	
C3 III (SX)	2016/07	
C3 III Van (SX_, SY_)	2016/07	
C3 PICASSO (SH_)	2009/02	




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
424998
4249K2
424928



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50321

MATERIAL
TYPE-1

WEIGHT
7,33 KG

BALANCING
100 %



10-50321

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	69.7	28	25.9	73	118	5+5

CITROËN

MODEL	START Y.	END Y.
JUMPER Minibus/Bus	2006/04	
JUMPER Panelvan/Van	2006/04	
JUMPER Platform	2006/04	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1611840880
424945
424946

10-50386



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50386

MATERIAL
TYPE-1

WEIGHT
5.90 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
268	73.3	12	10	62	108	4

CITROËN

MODEL	START Y.	END Y.
BERLINGO (B9)	2008/04	
BERLINGO MULTISPACE (B9)	2008/04	
BERLINGO Platform (B9)	2008/04	
C4 GRAND PICASSO I (UA_)	2006/10	2013/12
C4 II (B7)	2009/02	
C4 PICASSO I MPV (UD_)	2006/10	2015/12
DS4 (NX_)	2011/03	2015/07
DS5	2011/09	2015/07



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
424946-B

10-50386B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50386B

MATERIAL
TYPE-1

WEIGHT
6.70 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
268	73.3	12	10	30	108	4

CITROËN

MODEL	START Y.	END Y.
BERLINGO (B9)	2008/04	
BERLINGO MULTISPACE (B9)	2008/04	
BERLINGO Platform (B9)	2008/04	
C4 GRAND PICASSO I (UA_)	2006/10	2013/12
C4 II (B7)	2009/02	
C4 PICASSO I MPV (UD_)	2006/10	2015/12
DS4 (NX_)	2011/03	2015/07
DS5	2011/09	2015/07



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
424932
424919

10-50474



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	69.3	9	7	62	108	4

CITROËN

MODEL	START Y.	END Y.
C3 AIRCROSS II (2R_, 2C_)	2017/06	
C3 II (SC_)	2009/09	
C3 III (SX)	2016/07	
C3 PICASSO (SH_)	2009/02	
C4 CACTUS	2014/09	
C4 Coupe (LA_)	2004/11	2013/12
C4 I (LC_)	2004/11	2014/11
C4 I Sedan	2006/07	
DS3	2009/11	2016/12
DS3 Cabrio	2013/01	2015/07



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
424984

10-50157



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50157

MATERIAL
TYPE-1

WEIGHT
6.64 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282.7	34.4	26	24	66	108	4+2

DS

MODEL	START Y.	END Y.
DS 3 (SA_)	2015/04	2019/07
DS 3 Cabrio (SB_)	2015/07	2019/07
DS 3 CROSSBACK (UR_, UC_, UJ_)	2018/10	
DS 4 / DS 4 CROSSBACK (NX_)	2015/07	2018/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1611840880

10-50386



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
268	73.3	12	10	62	108	4

DS

MODEL	START Y.	END Y.
DS 4 / DS 4 CROSSBACK (NX_)	2015/07	2018/12
DS 5 (KF_)	2015/04	2018/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1611840880-B

10-50386B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50386B

MATERIAL
TYPE-1

WEIGHT
6.70 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
268	73.3	12	10	30	108	4

DS

MODEL	START Y.	END Y.
DS 4 / DS 4 CROSSBACK (NX_)	2015/07	2018/12
DS 5 (KF_)	2015/04	2018/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
3648487

10-50474



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	69.3	9	7	62	108	4

DS

MODEL	START Y.	END Y.
DS 3 (SA_)	2015/04	2019/07
DS 3 Cabrio (SB_)	2015/07	2019/07



BRAKE DISC

FREN DISKI

- Front Axle
- Vented


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

51705449

51705749

51740246



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50321

MATERIAL
TYPE-1

WEIGHT
7.33 KG

BALANCING
100 %



10-50321

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	69.7	28	25.9	73	118	5+5

FIAT

MODEL	START Y.	END Y.
DUCATO Minibus/Bus (250_, 290_)	2006/07	
DUCATO Panelvan/Van (250_, 290_)	2006/07	
DUCATO Platform (250_, 290_)	2006/07	



BRAKE DISC

FREN DISKI

- Front Axle
- Vented


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

55700922

55702646

55700923



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50330

MATERIAL
TYPE-1

WEIGHT
5.93 KG

BALANCING
100 %



10-50330

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283.75	43.3	22	20	60	100	6+2

FIAT

MODEL	START Y.	END Y.
GRANDE PUNTO (199_)	2005/06	
PUNTO (199_)	2008/04	
PUNTO (199_)	2012/01	
PUNTO EVO (199_)	2009/03	2012/02
PUNTO EVO (199_)	2008/07	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
6C111125AA
1371393
1503287

10-50250



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	54.5	28	25	93.1	111.5	5

FORD

MODEL	START Y.	END Y.
TRANSIT Minibus/Bus (FD_-, FB_-, FS_-, FZ_-,	2006/04	2014/12
TRANSIT Panelvan/Van (FA_-)	2006/04	2014/12
TRANSIT Platform (FM_-, FN_-, FF_-)	2006/04	2014/12



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
6C161125AA
1385387

10-50504



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	54.5	28	26	93	112	5

FORD

MODEL	START Y.	END Y.
TRANSIT Minibus/Bus (FD_-, FB_-, FS_-, FZ_-,	2006/04	2014/12
TRANSIT Panelvan/Van (FA_-)	2006/04	2014/12
TRANSIT Platform (FM_-, FN_-, FF_-)	2006/04	2014/12
TRANSIT V363 Platform (FED, FFD)	2013/08	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
45251SAAG50

10-50297



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	39	21	19	64.2	100	4+4

HONDA

MODEL	START Y.	END Y.
JAZZ II (GD_, GE3, GE2)	2001/06	2008/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
584111C800

10-50225



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50225

MATERIAL
TYPE-1

WEIGHT
4.42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	63.75	10	8.4	62.5	100	4+3

HYUNDAI

MODEL	START Y.	END Y.
ACCENT III (MC)	2005/11	2010/12
ACCENT III Sedan (MC)	2005/11	2012/12
GETZ (TB)	2001/06	2011/01
i20 I (PB, PBT)	2008/08	



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
517122V000

10-50475



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50475

MATERIAL
TYPE-1

WEIGHT
6.24 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44.5	23	21.4	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
ELANTRA V Sedan (MD, UD)	2010/09	
ELANTRA VI Sedan (AD, ADA)	2015/09	
i30 (GD)	2011/06	
i30 (PDE, PD, PDEN)	2016/11	
i30 Coupe	2013/05	
i30 Station wagon (GD)	2012/06	
i30 Station wagon (PDE)	2017/03	
KONA (OS, OSE, OSI)	2017/06	
VELOSTER (FS)	2011/03	2017/12



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
517121W000
51712C8500

10-50529



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279.8	43.9	22	19.4	62.2	100	4+2

HYUNDAI

MODEL	START Y.	END Y.
i20 ACTIVE (IB, GB)	2015/09	
i20 II (GB, IB)	2014/11	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
2996121
504121612

10-50442



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
289.8	46	28	25	64	95	9

IVECO

MODEL	START Y.	END Y.
DAILY III Panelvan/Van	1997/11	2009/10
DAILY IV	2006/05	2011/08
DAILY IV Panelvan/Van	2006/05	2012/03
DAILY IV Platform	2006/05	2012/03
DAILY V	2011/09	2014/02
DAILY V Panelvan/Van	2011/09	2014/02
DAILY V Platform	2011/09	2014/02
DAILY VI Panelvan/Van	2014/03	
DAILY VI Platform	2014/03	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
584111G300

10-50225



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	63.75	10	8.4	62.5	100	4+3

KIA

MODEL	START Y.	END Y.
RIO II (JB)	2005/03	
RIO II Sedan (JB)	2005/03	



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
51712A6000
517123Y000

10-50475



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50475

MATERIAL
TYPE-1

WEIGHT
6.24 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44.5	23	21.4	69	114.3	5+2

KIA

MODEL	START Y.	END Y.
CEE'D (JD)	2012/05	
CEE'D Sportswagon (JD)	2012/09	
PRO CEE'D (JD)	2013/03	
SELTOS (SP2, SP2I)	2019/08	



BRAKE DISC

FREN DISKI

- Front Axle
- Vented


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

517121W000

517121W050

S517121W050



10-50529

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279.8	43.9	22	19.4	62.2	100	4+2

KIA

MODEL	START Y.	END Y.
RIO III (UB)	2011/09	
RIO III Sedan (UB)	2010/09	
RIO IV (YB, SC, FB)	2017/01	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
6394210212
A6394210212
A6394210012

10-50242



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50242

MATERIAL
TYPE-1

WEIGHT
8.20 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
299.85	58.4	28	25	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
V-SERISI (W447)	2014/03	
VIANO (W639)	2003/09	
VITO / MIXTO Panelvan/Van (W639)	2003/08	
VITO Minibus/Bus (W639)	2003/09	
VITO Mixto (Double Cabin) (W447)	2014/10	
VITO Tourer (W447)	2014/10	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
6394230112
A6394230112

10-50255



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	57.75	10	8	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
VIANO (W639)	2003/09	
VITO / MIXTO Panelvan/Van (W639)	2003/08	
VITO Minibus/Bus (W639)	2003/09	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4154204300
4154200302

10-50501



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50501

MATERIAL
TYPE-1

WEIGHT
6.70 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
274	88.5	11	9.5	62	108	5

MERCEDES-BENZ

MODEL	START Y.	END Y.
CITAN (W415)	2012/11	
CITAN Mixto (Double Cabin) (W415)	2012/11	
CITAN MPV (415)	2012/11	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4320600QAD
4320600QAC
4320600QAB

10-50200



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50200

MATERIAL
TYPE-1

WEIGHT
8.20 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	102.5	12	10	68	118	5

NISSAN

MODEL	START Y.	END Y.
PRIMASTAR Minibus/Bus (X83)	2001/03	
PRIMASTAR Panelvan/Van (X83)	2002/09	
PRIMASTAR Platform (X83)	2002/07	



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4020600QAD

10-50358



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50358

MATERIAL
TYPE-1

WEIGHT
9.83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	78	28	25	90	130	5+1

NISSAN

MODEL	START Y.	END Y.
INTERSTAR Minibus/Bus (X70)	2002/04	
INTERSTAR Panelvan/Van (X70)	2002/04	
INTERSTAR Platform	2003/08	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
8200038305

10-50370



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50370

MATERIAL
TYPE-1

WEIGHT
4.36 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	80.5	8	7	55	100	4

NISSAN

MODEL	START Y.	END Y.
NOTE (E11, NE11)	2005/01	2013/08
TIIDA Hatchback (C11)	2004/05	2013/12
TIIDA Sedan (SC11)	2004/05	2013/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
8200038305-B

10-50370B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50370B

MATERIAL
TYPE-1

WEIGHT
4.90 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	80.5	8	7	25	100	4

NISSAN

MODEL	START Y.	END Y.
NOTE (E11, NE11)	2005/01	2013/08
TIIDA Hatchback (C11)	2004/05	2013/12
TIIDA Sedan (SC11)	2004/05	2013/12



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1618862780

10-50157



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50157

MATERIAL
TYPE-1

WEIGHT
6.64 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282.7	34.4	26	24	66	108	4+2

OPEL

MODEL	START Y.	END Y.
CROSSLAND X / CROSSLAND (P17, P2QO)	2017/03	



BRAKE DISC

FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance


OE:

93161254

4414633

91159916

10-50200



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50200

MATERIAL
TYPE-1

WEIGHT
8.20 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	102.5	12	10	68	118	5

OPEL

MODEL	START Y.	END Y.
VIVARO A Minibus/Bus (X83)	2001/08	
VIVARO A Panelvan/Van (X83)	2001/08	
VIVARO A Platform (X83)	2001/08	




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
569063
569421
1301307



10-50212

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	51	30	27	67.4	120	5+1

OPEL

MODEL	START Y.	END Y.
INSIGNIA A (G09)	2008/07	2017/03
INSIGNIA A Country Tourer (G09)	2008/07	2017/03
INSIGNIA A Sedan (G09)	2008/07	2017/03
INSIGNIA A Sports Tourer (G09)	2008/07	2017/03



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
569116
93176548

10-50261



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264	42.15	10	8	57	100	4+1

OPEL

MODEL	START Y.	END Y.
ASTRA H TwinTop (A04)	2005/09	2010/10
COMBO	2001/10	
COMBO Tour	2001/10	2011/12
MERIVA A MPV (X03)	2003/05	2010/05



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
5569025

10-50330



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50330

MATERIAL
TYPE-1

WEIGHT
5.93 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283.75	43.3	22	20	60	100	6+2

OPEL

MODEL	START Y.	END Y.
ADAM (M13)	2012/10	2019/02
CORSA D (S07)	2006/07	2014/08
CORSA D (S07)	2006/07	2014/08
CORSA E (X15)	2014/09	
CORSA E (X15)	2014/09	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4403038
9111038

10-50358



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50358

MATERIAL
TYPE-1

WEIGHT
9.83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	78	28	25	90	130	5+1

OPEL

MODEL	START Y.	END Y.
MOVANO (X70)	1999/01	
MOVANO Minibus/Bus (X70)	1998/07	
MOVANO Panelvan/Van (X70)	1999/01	
MOVANO Platform (X70)	1998/07	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
3648487

10-50474



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	69.3	9	7	62	108	4

OPEL

MODEL	START Y.	END Y.
CROSSLAND X / CROSSLAND (P17, P2QO)	2017/03	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1606401480

10-50157



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50157

MATERIAL
TYPE-1

WEIGHT
6.64 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282.7	34.4	26	24	66	108	4+2

PEUGEOT

MODEL	START Y.	END Y.
2008 I (CU_)	2013/03	
207 (WA_, WC_)	2006/04	
207 (WA_, WC_)	2006/02	2015/12
207 CC (WD_)	2007/02	2015/01
207 SW van (WK_)	2007/08	2012/12
207 SW (WK_)	2007/02	2013/12
3008 MPV (OU_)	2009/05	2017/12
307 (3A/C)	2000/08	2012/12
307 Break (3E)	2002/03	2009/12
307 CC (3B)	2003/03	2009/06
307 SW van (3E_, 3H_)	2002/04	2009/12



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standards
- AYD Quality
- Safety
- Performance

OE:
4249L3
4246P7

10-50282



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283	48	26	24	71.1	108	5+2

PEUGEOT

MODEL	START Y.	END Y.
407 (6D_)	2004/02	2011/12
407 SW (6E_)	2004/05	2011/12
508 I (8D_)	2010/11	2018/12
508 SW I (8E_)	2010/11	2018/12
605 (6B)	1989/06	1999/09
607 (9D, 9U)	2000/01	
PARTNER (K9)	2018/09	
RIFTER	2018/09	




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance



OE:
1618865280

10-50321

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	69.7	28	25.9	73	118	5+5

PEUGEOT

MODEL	START Y.	END Y.
BOXER Minibus/Bus	2005/09	
BOXER Panelvan/Van	2006/04	
BOXER Platform	2006/04	



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4403038

10-50358



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	78	28	25	90	130	5+1

PEUGEOT

MODEL	START Y.	END Y.
207 (WA_, WC_)	2006/02	2015/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1619238880

10-50386



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50386

MATERIAL
TYPE-1

WEIGHT
5.90 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
268	73.3	12	10	62	108	4

PEUGEOT

MODEL	START Y.	END Y.
3008 MPV (0U_)	2009/05	2017/12
308 I (4A_, 4C_)	2007/09	2016/12
308 SW I (4E_, 4H_)	2007/09	2014/10
5008 (0U_, 0E_)	2009/06	2017/03
PARTNER	2008/04	
PARTNER Platform	2009/01	
PARTNER TEPEE	2008/04	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
424945-B

10-50386B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
268	73.3	12	10	30	108	4

PEUGEOT

MODEL	START Y.	END Y.
3008 MPV (0U_)	2009/05	2017/12
308 I (4A_, 4C_)	2007/09	2016/12
308 SW I (4E_, 4H_)	2007/09	2014/10
5008 (0U_, 0E_)	2009/06	2017/03
PARTNER	2008/04	
PARTNER Platform	2009/01	
PARTNER TEPEE	2008/04	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1613500780

10-50474



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50474

MATERIAL
TYPE-1

WEIGHT
4.35 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	69.3	9	7	62	108	4

PEUGEOT

MODEL	START Y.	END Y.
2008 I (CU_)	2013/03	
207 (WA_, WC_)	2006/04	
207 (WA_, WC_)	2006/02	2015/12
207 CC (WD_)	2007/02	2015/01
207 SW (WK_)	2007/02	2013/12
208 (CR_)	2012/10	
208 I (CA_, CC_)	2012/03	
307 (3A/C)	2000/08	2012/12
307 Break (3E)	2002/03	2009/12
307 CC (3B)	2003/03	2009/06
307 SW (3H)	2002/03	2009/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
7701206846
7702206846
7711130076

10-50200



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50200

MATERIAL
TYPE-1

WEIGHT
8.20 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	102.5	12	10	68	118	5

RENAULT

MODEL	START Y.	END Y.
TRAFIC II Minibus/Bus (JL)	2001/03	
TRAFIC II Panelvan/Van (FL)	2001/03	
TRAFIC II Platform (EL)	2001/03	



BRAKE DISC

FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance


OE:

432001539R

432007595R

432001868R

10-50300



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50300

MATERIAL
TYPE-1

WEIGHT
5.78 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	86.15	8	7	55	114	5

RENAULT

MODEL	START Y.	END Y.
CLIO IV (BH_)	2012/11	
FLUENCE (L3_)	2010/02	
MEGANE III Coupe (DZ0/1_)	2008/11	
MEGANE III Grandtour (KZ0/1)	2008/11	
MEGANE III Hatchback (BZ0/1_, B3_)	2008/11	
MEGANE III Hatchback Van (BZ_)	2008/11	2015/08



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
432001539R-B

10-50300B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50300B

MATERIAL
TYPE-1

WEIGHT
6.40 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	86.15	8	7	25	114	5

RENAULT

MODEL	START Y.	END Y.
CLIO IV (BH_)	2012/11	
FLUENCE (L3_)	2010/02	
GRAND SCÉNIC III (JZ0/1_)	2009/02	
MEGANE CC (EZ0/1_)	2010/06	
MEGANE III Coupe (DZ0/1_)	2008/11	
MEGANE III Grandtour (KZ0/1)	2008/11	
MEGANE III Hatchback (BZ0/1_, B3_)	2008/11	
MEGANE III Hatchback Van (BZ_)	2008/11	2015/08



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
7700314064

10-50358



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	78	28	25	90	130	5+1

RENAULT

MODEL	START Y.	END Y.
MASTER II Minibus/Bus (JD)	1998/03	
MASTER II Panelvan/Van (FD)	1998/07	
MASTER II Platform (ED/HD/UD)	1998/07	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
8200038305
7701207823

10-50370



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50370

MATERIAL
TYPE-1

WEIGHT
4.36 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	80.5	8	7	55	100	4

RENAULT

MODEL	START Y.	END Y.
CLIO III (SB_, SR_)	2005/06	
CLIO III (BR0/1, CR0/1)	2005/01	2014/12
CLIO III Grandtour (KR0/1_)	2007/11	
MEGANE I Coach (DA0/1_)	1996/03	2003/08
MEGANE II (BM0/1_, CM0/1_)	2001/07	2012/10
MEGANE II Coupé-Cabriolet (EM0/1_)	2003/09	2010/03
MEGANE II Hatchback Van (KM0/2_)	2003/08	2009/07
MEGANE II Sedan (LM0/1_)	2003/08	
MODUS / GRAND MODUS (F/JP0_)	2004/09	
TWINGO II (CN0_)	2007/03	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
8200038305-B
7701207823-B

10-50370B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50370B

MATERIAL
TYPE-1

WEIGHT
4.90 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	80.5	8	7	25	100	4

RENAULT

MODEL	START Y.	END Y.
CLIO II (BB_, CB_)	1998/03	2016/12
CLIO III (SB_, SR_)	2005/06	
CLIO III (BR0/1, CR0/1)	2005/01	2014/12
CLIO III Grandtour (KR0/1_)	2007/11	
MEGANE CC (EZ0/1_)	2010/06	
MEGANE I Classic (LA0/1_)	1996/09	2008/08
MEGANE I Coach (DA0/1_)	1996/03	2003/08
MEGANE II (BM0/1_, CM0/1_)	2001/07	2012/10
MEGANE II Coupé-Cabriolet (EM0/1_)	2003/09	2010/03
MEGANE II Hatchback Van (KM0/2_)	2003/08	2009/07
MEGANE II Sedan (LM0/1_)	2003/08	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
7701472838
7701713008
8200367094

10-50420



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
274	82	11	9.5	62	108	5

RENAULT

MODEL	START Y.	END Y.
GRAND SCÉNIC II (JM0/1_)	2004/04	2009/06
LAGUNA II (BG0/1_)	2001/03	2007/12
LAGUNA II Grandtour (KG0/1_)	2001/03	2007/12




BRAKE DISC

FREN DISKI

- Rear Axle
- Solid
- With Bearing

- OEM Standarts
- AYD Quality
- Safety
- Performance



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50420B

MATERIAL
TYPE-1

WEIGHT
7.10 KG

BALANCING
100 %



OE:
7701472838-B

10-50420B

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
274	82	11	9.5	30	108	5

RENAULT

MODEL	START Y.	END Y.
GRAND SCÉNIC II (JM0/1_)	2004/04	2009/06
LAGUNA II (BG0/1_)	2001/03	2007/12
LAGUNA II Grandtour (KG0/1_)	2001/03	2007/12



BRAKE DISC

FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance


OE:

8200381148

432023939R

432004327R

10-50501



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
274	88.5	11	9.5	62	108	5

RENAULT

MODEL	START Y.	END Y.
KANGOO / GRAND KANGOO (KW0/1_)	2008/02	
KANGOO BE BOP (KW0/1_)	2009/02	
KANGOO Express (FW0/1_)	2008/02	



BRAKE DISC

FREN DISKI

- Rear Axle
- Solid


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

402022291R

402020003R

432000015R



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50610

MATERIAL
TYPE-1

WEIGHT
7.4 KG

BALANCING
100 %



10-50610

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	81.5	11	9.5	62	114.3	5

RENAULT

MODEL	START Y.	END Y.
LAGUNA III (BT0/1)	2007/10	2015/12
LAGUNA III Grandtour (KT0/1)	2007/10	2015/12
LATITUDE (L70_)	2010/07	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
13579147

10-50212



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	51	30	27	67.4	120	5+1

SAAB

MODEL	START Y.	END Y.
9-5 (YS3G)	2010/01	2012/01



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1J0615301P

10-50172



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	36.5	22	19	65	100	5+2

SEAT

MODEL	START Y.	END Y.
IBIZA IV (6J5, 6P1)	2008/03	2017/12
IBIZA IV SC (6J1, 6P5)	2008/06	2018/12
IBIZA IV ST (6J8, 6P8)	2010/03	2016/07
LEON (1M1)	1999/11	2006/06
TOLEDO I (1L2)	1991/01	1999/10
TOLEDO II (1M2)	1998/10	2006/05
TOLEDO IV (KG3)	2012/07	2019/04



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
6N0615301D
321615301D

10-50265



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50265

MATERIAL
TYPE-1

WEIGHT
4.09 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255.6	38.85	20	18	65	100	4+1

SEAT

MODEL	START Y.	END Y.
AROSA (6H1)	1997/05	2004/06
CORDOBA (6K1, 6K2)	1993/02	2002/12
CORDOBA Vario (6K5)	1996/07	2002/12
IBIZA II (6K1)	1993/03	2002/05
INCA (6K9)	1995/11	2003/11
TOLEDO I (1L2)	1991/01	1999/10



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1J0615301E

10-50172



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50172

MATERIAL
TYPE-1

WEIGHT
6.0 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	36.5	22	19	65	100	5+2

SKODA

MODEL	START Y.	END Y.
FABIA III (NJ3)	2014/08	
FABIA III Station wagon (NJ5)	2014/08	
OCTAVIA I van (1U5)	2000/08	2010/03
OCTAVIA I (1U2)	1996/09	2010/12
OCTAVIA I Combi (1U5)	1998/07	2010/12
RAPID (NH3)	2012/07	2019/12
RAPID Spaceback (NH1)	2012/07	2019/12
ROOMSTER (5J7)	2006/03	2015/05
ROOMSTER Praktik (5J)	2007/03	2015/05



BRAKE DISC

FREN DISKI

- Front Axle
- Vented


- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:

4351202180

4351212690

4351202200



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50293

MATERIAL
TYPE-1

WEIGHT
6.14 KG

BALANCING
100 %



10-50293

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
273	49.4	26	24	62	114.3	5+2

TOYOTA

MODEL	START Y.	END Y.
AURIS (_E15_)	2006/10	2012/09
COROLLA Sedan (_E15_)	2006/10	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1618862780

10-50157



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50157

MATERIAL
TYPE-1

WEIGHT
6.64 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282.7	34.4	26	24	66	108	4+2

VAUXHALL

MODEL	START Y.	END Y.
CROSSLAND X (P17)	2017/03	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
4411910

10-50200



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50200

MATERIAL
TYPE-1

WEIGHT
8.20 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	102.5	12	10	68	118	5

VAUXHALL

MODEL	START Y.	END Y.
VIVARO A Minibus/Bus (X83)	2001/08	2014/07
VIVARO A Panelvan/Van (X83)	2001/08	2014/07
VIVARO A Platform (X83)	2003/04	2014/07



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
569421

10-50212



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	51	30	27	67.4	120	5+1

VAUXHALL

MODEL	START Y.	END Y.
INSIGNIA Mk I (A) Country Tourer (G09)	2008/07	2017/05
INSIGNIA Mk I (A) Hatchback (G09)	2008/07	2017/05
INSIGNIA Mk I (A) Sedan (G09)	2008/07	2017/05
INSIGNIA Mk I (A) Sports Tourer (G09)	2008/07	2017/05



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
93188918

10-50330



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283.75	43.3	22	20	60	100	6+2

VAUXHALL

MODEL	START Y.	END Y.
ADAM (M13)	2012/10	2019/04
CORSA Mk III (D) (S07)	2006/07	2014/08
CORSA Mk IV (E) (X15)	2014/08	
CORSAVAN Mk III (D) (S07)	2006/07	
CORSAVAN Mk IV (E) (X15)	2014/10	



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
9111038

10-50358



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50358

MATERIAL
TYPE-1

WEIGHT
9.83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	78	28	25	90	130	5+1

VAUXHALL

MODEL	START Y.	END Y.
MOVANO Mk I (A) Chassis/Cab (X70)	1998/10	2010/12
MOVANO Mk I (A) Combi (X70)	1998/10	2010/05
MOVANO Mk I (A) Van (X70)	1998/10	2010/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
3648487

10-50474



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	69.3	9	7	62	108	4

VAUXHALL

MODEL	START Y.	END Y.
CROSSLAND X (P17)	2017/03	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
1J0615301M
JZW615301

10-50172



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50172

MATERIAL
TYPE-1

WEIGHT
6.0 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	36.5	22	19	65	100	5+2

VW

MODEL	START Y.	END Y.
BORA I (1J2)	1998/10	2013/12
BORA Variant (1J6)	1999/05	2005/05
GOLF IV (1J1)	1997/08	2007/12
GOLF IV Cabriolet (1E7)	1998/06	2002/12
GOLF IV Van (1J1)	1997/10	2004/05
GOLF IV Variant (1J5)	1999/05	2006/06
GOLF VAN IV Variant (1J5)	1999/05	2006/06
NEW BEETLE (9C1, 1C1)	1998/01	2010/11
NEW BEETLE Cabrio (1Y7)	2002/09	2011/12
POLO V Sedan (602, 604, 612, 614)	2009/05	
POLO Van (6R)	2009/03	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- OEM Standarts
- AYD Quality
- Safety
- Performance

OE:
3256152893
357615301D

10-50265



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50265

MATERIAL
TYPE-1

WEIGHT
4.09 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255.6	38.85	20	18	65	100	4+1

VW

MODEL	START Y.	END Y.
CADDY II (9K9A)	1995/11	2004/01
CADDY II MPV (9K9B)	1995/11	2004/12
CADDY II Pick-up (9U7)	1996/06	2000/12
CORRADO (53I)	1987/08	1995/12
GOLF II (19E, 1G1)	1983/08	1992/12
GOLF III (1H1)	1989/10	1998/07
GOLF III Cabriolet (1E7)	1993/07	1998/05
GOLF III Variant (1H5)	1993/07	1999/04
GOLF IV Cabriolet (1E7)	1998/06	2002/12
LUPO I (6X1, 6E1)	1998/09	2005/07
PASSAT B2 Variant (33B)	1980/08	1989/06

