

new to range

THANKS TO AYD POWER AND ALL UNDER ONE ROOF STRATEGY

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING NEW GROUND

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



FEBRUARY 2022

INDEX

CITROEN	3-7
DS	8-10
FIAT	11-13
FORD	14
HONDA	15
HYUNDAI	16
KIA	17
LAND ROVER	18
MERCEDES BENZ	19-22
NISSAN	23-27
OPEL	28-33
PEUGEOT	34-38
RENAULT	39-48
SAAB	49
VAUXHALL	50-55
VOLVO	56

BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
424966
424965

10-50306



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50306

MATERIAL
TYPE-1

WEIGHT
4.81 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	73.2	9	8	62	108	4

CITROËN

MODEL	START Y.	END Y.
C4 II (NC_)	2009/11	
C4 II (B7)	2009/02	
DS4 (NX_)	2011/03	2015/07



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
424965-B

10-50306B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50306B

MATERIAL
TYPE-1

WEIGHT
5,6 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	73.2	9	8	30	108	4

CITROËN

MODEL	START Y.	END Y.
C4 II (NC_)	2009/11	
C4 II (B7)	2009/02	
C4 II Sedan (NC_)	2013/01	
DS4 (NX_)	2011/03	2015/07



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4246Z9
424934

10-50382



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	67.3	9	8	60	108	4

CITROËN

MODEL	START Y.	END Y.
C4 Coupe (LA_)	2004/11	2013/12
C4 I (LC_)	2004/11	2014/11
C4 I Sedan	2006/07	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4246Z9-B

10-50382B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50382B

MATERIAL
TYPE-1

WEIGHT
5.1 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	67.3	9	8	25	108	4

CITROËN

MODEL	START Y.	END Y.
C4 Coupe (LA_)	2004/11	2013/12
C4 I (LC_)	2004/11	2014/11
C4 I Sedan	2006/07	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
424932-B
424919-B

10-50474B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	69.3	9	7	30	108	4

CITROËN

MODEL	START Y.	END Y.
C3 AIRCROSS II (2R_, 2C_)	2017/06	
C3 II (SC_)	2009/09	
C3 III (SX)	2016/07	
C3 PICASSO (SH_)	2009/02	
C4 CACTUS	2014/09	
C4 Coupe (LA_)	2004/11	2013/12
C4 I (LC_)	2004/11	2014/11
C4 I Sedan	2006/07	
DS3	2009/11	2016/12
DS3 Cabrio	2013/01	2015/07



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
1609249980

10-50306



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50306

MATERIAL
TYPE-1

WEIGHT
4.81 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	73.2	9	8	62	108	4

DS

MODEL	START Y.	END Y.
DS 4 / DS 4 CROSSBACK (NX_)	2015/07	2018/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
1609249980-B

10-50306B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50306B

MATERIAL
TYPE-1

WEIGHT
5,6 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	73.2	9	8	30	108	4

DS

MODEL	START Y.	END Y.
DS 4 / DS 4 CROSSBACK (NX_)	2015/07	2018/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
3648487-B

10-50474B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	69.3	9	7	30	108	4

DS

MODEL	START Y.	END Y.
DS 3 (SA_)	2015/04	2019/07
DS 3 Cabrio (SB_)	2015/07	2019/07



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
51819733
46836491
93171497

10-50214



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50214

MATERIAL
TYPE-1

WEIGHT
6.88 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285	42.1	25	22	70	110	7+1

FIAT

MODEL	START Y.	END Y.
CROMA van (194_)	2006/04	2011/12
CROMA (194_)	2005/06	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
6000620071

10-50310



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	104.35	12	10	68	114.3	5

FIAT

MODEL	START Y.	END Y.
TALENTO Minibus/Bus (296_)	2016/06	
TALENTO Panelvan/Van (296_)	2016/06	
TALENTO Platform (296_)	2016/06	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
6000620071-B

10-50310B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	104.35	12	10	35	114.3	5

FIAT

MODEL	START Y.	END Y.
TALENTO Minibus/Bus (296_)	2016/06	
TALENTO Panelvan/Van (296_)	2016/06	
TALENTO Platform (296_)	2016/06	



BRAKE DISC

FREN DISKI

- Front Axle
- Vented



- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:

1420600

1420601

1469085



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50179

MATERIAL
TYPE-1

WEIGHT
8.57 KG

BALANCING
100 %



10-50179

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	52.25	28	26	63.6	108	5+1

FORD

MODEL	START Y.	END Y.
GALAXY II (WA6)	2006/05	2015/06
MONDEO IV (BA7)	2007/03	2015/01
MONDEO IV Sedan (BA7)	2007/03	2015/01
MONDEO IV Turnier (BA7)	2007/03	2015/01
S-MAX (WA6)	2006/05	2014/12



BRAKE DISC

FREN DISKI

- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:

45251SAAG11

45251S50G00

45251SAAG00



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50532

MATERIAL
TYPE-1

WEIGHT
4.19 KG

BALANCING
100 %



10-50532

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
240	39.25	21	19	61	100	4+4

HONDA

MODEL	START Y.	END Y.
JAZZ II (GD_, GE3, GE2)	2001/06	2008/12
LOGO (GA)	1999/03	2002/03



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
517121G000

10-50219



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50219

MATERIAL
TYPE-1

WEIGHT
5.31 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	46.7	22	20	62.25	100	4+2

HYUNDAI

MODEL	START Y.	END Y.
ACCENT III (MC)	2005/11	2010/12
ACCENT III Sedan (MC)	2005/11	2012/12
i20 I (PB, PBT)	2008/08	



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
517121G000

10-50219



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	46.7	22	20	62.25	100	4+2

KIA

MODEL	START Y.	END Y.
PRIDE (DA)	1990/01	2011/12
RIO II (JB)	2005/03	
RIO II Sedan (JB)	2005/03	



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
LR000571
LR007055

10-50179



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	52.25	28	26	63.6	108	5+1

LAND ROVER

MODEL	START Y.	END Y.
DISCOVERY SPORT (L550)	2014/09	
FREELANDER 2 (L359)	2006/10	2015/12
RANGE ROVER EVOQUE (L538)	2011/06	2019/12
RANGE ROVER EVOQUE Cabrio (L538)	2015/11	2019/12



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
A2044210912
2044210912
2044212812

10-50299



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50299

MATERIAL
TYPE-1

WEIGHT
8.55 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	64.5	28	25.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-SERISI (W204)	2007/01	2015/01
C-SERISI Coupe (C204)	2011/01	
C-SERISI T-Model (S204)	2007/08	2014/08



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
2114230712
A21142330712
A2114230712

10-50356



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50356

MATERIAL
TYPE-1

WEIGHT
5.24 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
299.7	68.45	10	8.3	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
CLS (C218)	2011/01	2017/12
CLS Shooting Brake (X218)	2012/10	2017/12
E-SERISI (W211)	2002/03	2009/03
E-SERISI (W212)	2009/01	2016/12
E-SERISI Platform (VF211)	2003/03	2009/07
E-SERISI T-Model (S211)	2003/02	2009/07
E-SERISI T-Model (S212)	2009/08	2016/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4154204300-B
4154200302-B

10-50501B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50501B

MATERIAL
TYPE-1

WEIGHT
7.4 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
274	88.5	11	9.5	30	108	5

MERCEDES-BENZ

MODEL	START Y.	END Y.
CITAN (W415)	2012/11	
CITAN Mixto (Double Cabin) (W415)	2012/11	
CITAN MPV (415)	2012/11	




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
9024210912
9024210712
A9024210712



10-50525

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275.75	77	22	19	85	130	5+2

MERCEDES-BENZ

MODEL	START Y.	END Y.
SPRINTER 2-t Minibus/Bus (B901, B902)	1995/01	2006/05
SPRINTER 2-t Panelvan/Van (B901, B902)	1995/01	2006/05
SPRINTER 2-t Platform (B901, B902)	1995/01	2006/05
SPRINTER 3-t Minibus/Bus (B903)	1995/01	2012/05
SPRINTER 3-t Panelvan/Van (B903)	1995/01	2012/05
SPRINTER 3-t Platform (B903)	1995/01	2012/05
SPRINTER 4-t Minibus/Bus (B904)	1996/02	2006/05
SPRINTER 4-t Panelvan/Van (B904)	1995/02	2012/05
SPRINTER 4-t Platform (B904)	1995/02	2012/05
SPRINTER CLASSIC 3,5-t Panelvan/Van (B909)	2013/09	
SPRINTER CLASSIC 4,6-t Minibus/Bus (B909)	2013/09	



BRAKE DISC

FREN DISKI

- Front Axle
- Vented


- Safety
- Performance
- OEM Standards
- AYD Quality

OE:

40206JD00A

40206JG00A

402061KC1B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50198

MATERIAL
TYPE-1

WEIGHT
7.89 KG

BALANCING
100 %



10-50198

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	44	26	24	68	114	5

NISSAN

MODEL	START Y.	END Y.
JUKE (F15)	2010/06	
X-TRAIL (T31)	2007/03	2018/12



BRAKE DISC

FREN DISKI

- Rear Axle
- Solid
- With Bearing


- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:

4320600QAD-B

4320600QAC-B

4320600QAB-B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50200B

MATERIAL
TYPE-1

WEIGHT
8,98 KG

BALANCING
100 %



10-50200B

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	102.5	12	10	35	118	5

NISSAN

MODEL	START Y.	END Y.
PRIMASTAR Minibus/Bus (X83)	2001/03	
PRIMASTAR Panelvan/Van (X83)	2002/09	
PRIMASTAR Platform (X83)	2002/07	



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4020600QAJ

10-50229



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50229

MATERIAL
TYPE-1

WEIGHT
3.96 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
237.8	41.2	20.2	17.7	61	100	4+2

NISSAN

MODEL	START Y.	END Y.
KUBISTAR Panelvan/Van (X76)	2003/08	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4320600Q0H

10-50310



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	104.35	12	10	68	114.3	5

NISSAN

MODEL	START Y.	END Y.
NV300 (X82)	2016/09	
NV300 Panelvan/Van (X82)	2016/09	
NV300 Platform (X82)	2016/09	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4320600Q0H-B

10-50310B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	104.35	12	10	35	114.3	5

NISSAN

MODEL	START Y.	END Y.
NV300 (X82)	2016/09	
NV300 Panelvan/Van (X82)	2016/09	
NV300 Platform (X82)	2016/09	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
93161254-B
4414633-B

10-50200B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	102.5	12	10	35	118	5

OPEL

MODEL	START Y.	END Y.
VIVARO A Minibus/Bus (X83)	2001/08	
VIVARO A Panelvan/Van (X83)	2001/08	
VIVARO A Platform (X83)	2001/08	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
569003
9156807

10-50214



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285	42.1	25	22	70	110	7+1

OPEL

MODEL	START Y.	END Y.
SIGNUM Hatchback (Z03)	2003/05	2008/12
VECTRA C (Z02)	2002/04	2009/01
VECTRA C GTS (Z02)	2002/08	2009/01
VECTRA C Station wagon (Z02)	2003/10	2009/01



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
95523187
95516956
4422288

10-50310



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	104.35	12	10	68	114.3	5

OPEL

MODEL	START Y.	END Y.
VIVARO B Minibus/Bus (X82)	2014/06	
VIVARO B Panelvan/Van (X82)	2014/06	
VIVARO B Platform (X82)	2014/06	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
95523187-B
95516956-B

10-50310B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	104.35	12	10	35	114.3	5

OPEL

MODEL	START Y.	END Y.
VIVARO B Minibus/Bus (X82)	2014/06	
VIVARO B Panelvan/Van (X82)	2014/06	
VIVARO B Platform (X82)	2014/06	




BRAKE DISC

FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4801850
4808848
20955857



10-50380

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	51.5	29	27.4	70.7	115	5+1

OPEL

MODEL	START Y.	END Y.
ANTARA A (L07)	2006/05	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
3648487-B

10-50474B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	69.3	9	7	30	108	4

OPEL

MODEL	START Y.	END Y.
CROSSLAND X / CROSSLAND (P17, P2QO)	2017/03	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
1609249980

10-50306



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	73.2	9	8	62	108	4

PEUGEOT

MODEL	START Y.	END Y.
308 CC (4B_)	2009/02	2015/12
308 I (4A_, 4C_)	2007/09	2016/12
308 SW I van (4E_)	2008/01	2012/12
308 SW I (4E_, 4H_)	2007/09	2014/10



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
424966-B
1609249980-B

10-50306B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50306B

MATERIAL
TYPE-1

WEIGHT
5,6 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	73.2	9	8	30	108	4

PEUGEOT

MODEL	START Y.	END Y.
308 CC (4B_)	2009/02	2015/12
308 I (4A_, 4C_)	2007/09	2016/12
308 SW I van (4E_)	2008/01	2012/12
308 SW I (4E_, 4H_)	2007/09	2014/10



BRAKE DISC

FREN DISKI

• Rear Axle

• Solid

• Safety


• Performance

• OEM Standarts

• AYD Quality

OE:
424934

10-50382



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50382

MATERIAL
TYPE-1

WEIGHT
4,55 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	67.3	9	8	60	108	4

PEUGEOT

MODEL	START Y.	END Y.
307 (3A/C)	2000/08	2012/12
307 Break (3E)	2002/03	2009/12
307 CC (3B)	2003/03	2009/06
307 Sedan	2001/01	2012/12
307 SW (3H)	2002/03	2009/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
1619237880-B

10-50382B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50382B

MATERIAL
TYPE-1

WEIGHT
5.1 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	67.3	9	8	25	108	4

PEUGEOT

MODEL	START Y.	END Y.
307 (3A/C)	2000/08	2012/12
307 Break (3E)	2002/03	2009/12
307 CC (3B)	2003/03	2009/06
307 Sedan	2001/01	2012/12
307 SW (3H)	2002/03	2009/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1613500780-B

10-50474B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50474B

MATERIAL
TYPE-1

WEIGHT
5.20 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	69.3	9	7	30	108	4

PEUGEOT

MODEL	START Y.	END Y.
2008 I (CU_)	2013/03	
207 (WA_, WC_)	2006/04	
207 (WA_, WC_)	2006/02	2015/12
207 CC (WD_)	2007/02	2015/01
207 SW (WK_)	2007/02	2013/12
208 (CR_)	2012/10	
208 I (CA_, CC_)	2012/03	
307 (3A/C)	2000/08	2012/12
307 Break (3E)	2002/03	2009/12
307 CC (3B)	2003/03	2009/06
307 SW (3H)	2002/03	2009/12



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
7701206846-B
7711130076-B

10-50200B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	102.5	12	10	35	118	5

RENAULT

MODEL	START Y.	END Y.
TRAFIC II Minibus/Bus (JL)	2001/03	
TRAFIC II Panelvan/Van (FL)	2001/03	
TRAFIC II Platform (EL)	2001/03	



BRAKE DISC



FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
7701204286
7700756572

10-50229



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50229

MATERIAL
TYPE-1

WEIGHT
3.96 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
237.8	41.2	20.2	17.7	61	100	4+2

RENAULT

MODEL	START Y.	END Y.
11 (B/C37_)	1983/03	1995/09
19 I (B/C53_)	1988/01	1994/09
19 I Cabriolet (D53_)	1991/07	1992/04
19 I Chamade (L53_)	1988/01	1992/12
19 II (S53_)	1992/03	1995/12
19 II (B/C53_)	1991/01	2001/06
19 II Cabriolet (D53_, 853_)	1992/04	2001/06
19 II Chamade (L53_)	1992/04	2003/08
21 Sedan (L48_)	1986/03	1997/07
21 Station wagon (K48_)	1986/03	1997/07
9 (L42_)	1981/09	1997/02



BRAKE DISC

FREN DISKI

- Rear Axle
- Solid


- Safety
- Performance
- OEM Standards
- AYD Quality

OE:

432007343R

432022742R

8660003914



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50310

MATERIAL
TYPE-1

WEIGHT
8.74 KG

BALANCING
100 %



10-50310

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	104.35	12	10	68	114.3	5

RENAULT

MODEL	START Y.	END Y.
TRAFIC III Minibus/Bus (JG_)	2014/05	
TRAFIC III Panelvan/Van (FG_)	2014/05	
TRAFIC III Platform (EG_)	2014/05	




BRAKE DISC

FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
432007343R-B
432022742R-B
8660003914-B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50310B

MATERIAL
TYPE-1

WEIGHT
9.6 KG

BALANCING
100 %



10-50310B

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	104.35	12	10	35	114.3	5

RENAULT

MODEL	START Y.	END Y.
TRAFIC III Minibus/Bus (JG_)	2014/05	
TRAFIC III Panelvan/Van (FG_)	2014/05	
TRAFIC III Platform (EG_)	2014/05	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
8200381148-B
432023939R-B
432004327R-B

10-50501B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
274	88.5	11	9.5	30	108	5

RENAULT

MODEL	START Y.	END Y.
KANGOO / GRAND KANGOO (KW0/1_)	2008/02	
KANGOO BE BOP (KW0/1_)	2009/02	
KANGOO Express (FW0/1_)	2008/02	



BRAKE DISC



FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
7701207898
8660001812

10-50520



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50520

MATERIAL
TYPE-1

WEIGHT
6.05 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
270	80.7	10	9	55	100	4

RENAULT

MODEL	START Y.	END Y.
GRAND SCÉNIC II (JM0/1_)	2004/04	2009/06
MEGANE II Station wagon (KM0/1_)	2003/08	2012/08
SCÉNIC II (JM0/1_)	2003/06	2010/07



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
7701207898-B
8660001812-B

10-50520B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
270	80.7	10	9	25	100	4

RENAULT

MODEL	START Y.	END Y.
GRAND SCÉNIC II (JM0/1_)	2004/04	2009/06
MEGANE II Station wagon (KM0/1_)	2003/08	2012/08
SCÉNIC II (JM0/1_)	2003/06	2010/07




BRAKE DISC

FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
402022291R-B
402020003R-B
432000015R-B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50610B

MATERIAL
TYPE-1

WEIGHT
8.10 KG

BALANCING
100 %



10-50610B

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	81.5	11	9.5	30	114.3	5

RENAULT

MODEL	START Y.	END Y.
LAGUNA III (BT0/1)	2007/10	2015/12
LAGUNA III Grandtour (KT0/1)	2007/10	2015/12
LATITUDE (L70_)	2010/07	



BRAKE DISC

FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality


OE:

432000185R

432006609R

432027412R

10-50611



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50611

MATERIAL
TYPE-1

WEIGHT
6.60 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	86.3	8	7	62	114.3	5

RENAULT

MODEL	START Y.	END Y.
MEGANE IV Grandtour (K9A/M/N_)	2016/04	
MEGANE IV Hatchback (B9A/M/N_)	2015/11	
MEGANE IV Sedan	2016/10	



BRAKE DISC

FREN DISKI

- Rear Axle
- Solid
- With Bearing


- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:

432000185R-B

432006609R-B

432027412R-B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50611B

MATERIAL
TYPE-1

WEIGHT
7.26 KG

BALANCING
100 %



10-50611B

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	86.3	8	7	30	114.3	5

RENAULT

MODEL	START Y.	END Y.
MEGANE IV Grandtour (K9A/M/N_)	2016/04	
MEGANE IV Hatchback (B9A/M/N_)	2015/11	
MEGANE IV Sedan	2016/10	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
9156807

10-50214



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285	42.1	25	22	70	110	7+1

SAAB

MODEL	START Y.	END Y.
9-3 (YS3F, E79, D79, D75)	2002/09	2015/02
9-3 Cabrio (YS3F)	2003/08	2015/02
9-3 Station wagon (E50)	2005/03	2015/02
9-3X (YS3)	2009/02	2015/02



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4411910-B

10-50200B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	102.5	12	10	35	118	5

VAUXHALL

MODEL	START Y.	END Y.
VIVARO A Minibus/Bus (X83)	2001/08	2014/07
VIVARO A Panelvan/Van (X83)	2001/08	2014/07
VIVARO A Platform (X83)	2003/04	2014/07



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
95526645

10-50214



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50214

MATERIAL
TYPE-1

WEIGHT
6.88 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285	42.1	25	22	70	110	7+1

VAUXHALL

MODEL	START Y.	END Y.
SIGNUM (Z03)	2003/03	2008/10
VECTRA Mk II (C) (Z02)	2000/01	2008/10
VECTRA Mk II (C) GTS (Z02)	2002/08	2009/05
VECTRA Mk II (C) Station wagon (Z02)	2003/10	2009/05



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
95516956

10-50310



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	104.35	12	10	68	114.3	5

VAUXHALL

MODEL	START Y.	END Y.
VIVARO B Minibus/Bus (X82)	2014/05	
VIVARO B Panelvan/Van (X82)	2014/05	
VIVARO B Platform (X82)	2014/05	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
95516956-B

10-50310B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	104.35	12	10	35	114.3	5

VAUXHALL

MODEL	START Y.	END Y.
VIVARO B Minibus/Bus (X82)	2014/05	
VIVARO B Panelvan/Van (X82)	2014/05	
VIVARO B Platform (X82)	2014/05	



BRAKE DISC


FREN DISKI

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
96625948

10-50380



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	51.5	29	27.4	70.7	115	5+1

VAUXHALL

MODEL	START Y.	END Y.
ANTARA A (L07)	2006/08	



BRAKE DISC


FREN DISKI

- Rear Axle
- Solid
- With Bearing

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
3648487-B

10-50474B



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	69.3	9	7	30	108	4

VAUXHALL

MODEL	START Y.	END Y.
CROSSLAND X (P17)	2017/03	



BRAKE DISC

FREN DISKI

- Front Axle
- Vented



- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:

31202331

31341382

30736311



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50179

MATERIAL
TYPE-1

WEIGHT
8.57 KG

BALANCING
100 %



10-50179

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	52.25	28	26	63.6	108	5+1

VOLVO

MODEL	START Y.	END Y.
S60 II (134)	2010/04	2018/12
S80 II (124)	2006/03	2016/12
V60 I (155, 157)	2010/07	2018/12
V60 II (225, 227)	2018/02	
V70 III (135)	2007/04	2016/04
XC70 CROSS COUNTRY I (295)	1997/10	2007/10
XC70 II (136)	2007/04	2016/12

