

new to range

SPEED TO MARKET SECOND TO NONE

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



APRIL 2023

INDEX

ABARTH	3
ALFA ROMEO	4
AUDI	5
BMW	6
CITROEN	7
EUNOS	8
FIAT	9-12
FORD	13-19
HAIMA (FAW)	20
HONDA	21-23
HYUNDAI	24
INFINITI	25-26
KIA	27-28
LANCIA	29
LAND ROVER	30-32
MAZDA	33
MERCEDES-BENZ	34-40
MERCURY	41
MINI	42
MITSUBISHI	43-45
NISSAN	46-47
OPEL	48-49
PEUGEOT	50
SAAB	51
SUZUKI	52-53
VAUXHALL	54-55
VOLKSWAGEN	56

BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
55700592
55700593

10-50771



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264	40.5	10	8	60	100	6+2

ABARTH

MODEL	START Y.	END Y.
GRANDE PUNTO	2007/07	2010/06
PUNTO	2012/03	
PUNTO EVO	2008/07	2012/02




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
71773403
6001073184
68099061AA

10-50895



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50895

MATERIAL
TYPE-1

WEIGHT
6,97 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	43.4	26	24.2	59	98	4+4

ALFA ROMEO


MODEL	START Y.	END Y.
MITO (955_)	2008/08	2018/10



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4F0615301D

10-50863



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	59.45	25	23	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A6 C6 (4F2)	2004/04	2011/08
A6 C6 Avant (4F5)	2004/11	2011/08




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34116864047
34116855156
34116769305

10-50898



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50898

MATERIAL
TYPE-1

WEIGHT
9,08 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	52.7	25	23.4	79	120	5+1

BMW

MODEL	START Y.	END Y.
3 (E46)	1997/12	2005/05
3 Convertible (E46)	2000/04	2007/12
3 Coupe (E46)	1998/12	2006/07
3 Touring (E46)	1999/06	2005/07
Z4 Coupe (E86)	2006/03	2009/01
Z4 Roadster (E85)	2002/09	2009/12



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1609901080

10-50879



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	36.1	10	8.4	69	114.3	5+2

CITROËN

MODEL	START Y.	END Y.
C4 AIRCROSS	2010/08	



BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
GA3Y26251

10-50876




Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
261	40	10	8	72	114.3	5+1

EUNOS

MODEL	START Y.	END Y.
500 Coupe	1992/01	1999/10
500 Saloon (CA)	1992/01	1999/10




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
46836490
93171778
71772548

10-50440



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292	41.4	20	18	65.5	110	7+1

FIAT

MODEL	START Y.	END Y.
CROMA (194_)	2005/06	2011/12



BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
55700592
55700593
50902167

10-50771



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264	40.5	10	8	60	100	6+2

FIAT

MODEL	START Y.	END Y.
GRANDE PUNTO (199_)	2005/06	
GRANDE PUNTO Van (199_)	2005/10	2013/06
PUNTO (188_)	1999/09	2012/07
PUNTO (199_)	2012/01	
PUNTO EVO (199_)	2008/07	
PUNTO EVO Hatchback Van (199_)	2009/03	2012/02
PUNTO Hatchback Van (199_)	2008/04	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
51937217
51937218
51884303



10-50861

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	43.5	22	20	59	98	5+1

FIAT

MODEL	START Y.	END Y.
500L (351_, 352_)	2012/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
46535086
46765546

10-50895



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50895

MATERIAL
TYPE-1

WEIGHT
6,97 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	43.4	26	24.2	59	98	4+4

FIAT

MODEL	START Y.	END Y.
BRAVO II (198_)	2006/11	2016/12
STILO (192_)	2001/10	2010/11
STILO Multi Wagon (192_)	2003/01	2008/08




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
DG9C2A315BE
5202204
2016293



10-50782

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	50.8	11	9.5	63.5	108	5

FORD

MODEL	START Y.	END Y.
MONDEO V Hatchback (CE)	2014/09	
MONDEO V Saloon (CD)	2012/09	
MONDEO V Turnier (CF)	2014/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
93BX1124AC
93BX1125AC
93BB1125D3C



10-50862

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	47	24	22	63.6	108	4

FORD

MODEL	START Y.	END Y.
COUGAR (EC_)	1998/08	2001/12
MONDEO I (GBP)	1993/02	1996/08
MONDEO I Saloon (GBP)	1993/01	1996/08
MONDEO I Turnier (BNP)	1993/01	1996/08
MONDEO II (BAP)	1996/08	2000/09
MONDEO II Saloon (BFP)	1996/08	2000/09
MONDEO II Turnier (BNP)	1996/08	2000/09
SCORPIO II (GFR, GGR)	1994/10	1998/08
SCORPIO II Turnier (GNR, GGR)	1994/10	1998/08




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2016293

10-50782



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	50.8	11	9.5	63.5	108	5

FORD (CHANGAN)

MODEL	START Y.	END Y.
MONDEO	2013/08	



BRAKE DISC

- Rear Axle
- Solid




- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
3415598

10-50876



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
261	40	10	8	72	114.3	5+1

FORD ASIA & OCEANIA

MODEL	START Y.	END Y.
LASER Hatchback (BA_3, BF_3, BF_4, BG_3, BJ_4)	1986/05	2003/11
TELSTAR Saloon	1991/02	2000/10



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2016293

10-50782



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	50.8	11	9.5	63.5	108	5

FORD AUSTRALIA

MODEL	START Y.	END Y.
MONDEO Estate (MD)	2014/09	
MONDEO Hatchback (MD)	2014/09	



BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
3415598

10-50876



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
261	40	10	8	72	114.3	5+1

FORD AUSTRALIA

MODEL	START Y.	END Y.
LASER Hatchback (KQ, KN III)	2001/03	2002/09
PROBE (ST, SU, SV)	1994/07	1998/01
TELSTAR Hatchback (AX)	1992/01	1994/08
TELSTAR Hatchback (AY)	1994/10	1996/11
TELSTAR Saloon (AX)	1992/01	1996/08
TELSTAR Saloon (AY)	1994/05	1997/06



BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
F32Z2C026A

10-50876



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
261	40	10	8	72	114.3	5+1

FORD USA

MODEL	START Y.	END Y.
PROBE II (ECP)	1992/09	1998/03



BRAKE DISC

- Rear Axle
- Solid




- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
GA3Y26251

10-50876



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
261	40	10	8	72	114.3	5+1

HAIMA (FAW)

MODEL	START Y.	END Y.
FREEMA	2009/10	
PREMACY	2001/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
45251SZ3E00
45251SP0E01
45251SP0000



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50481

MATERIAL
TYPE-1

WEIGHT
5,97 KG

BALANCING
100 %



10-50481

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	47.3	23	21	70.15	114.3	5+4

HONDA

MODEL	START Y.	END Y.
CR-V I (RD)	1995/10	2002/07
HR-V (GH)	1999/03	
LEGEND III (KA)	1996/02	
SHUTTLE (RA)	1994/06	2004/06



BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
42510SCAE00
42510SMCN00
42510SMCN01

10-50773



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	58.5	9	7.5	64.1	114.3	5+5

HONDA

MODEL	START Y.	END Y.
CR-V II (RD_)	2001/09	2007/07
JADE (FR_)	2015/02	
STREAM (RN)	2005/10	



BRAKE DISC

- Rear Axle
- Solid




- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
42510SMCN02

10-50773



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	58.5	9	7.5	64.1	114.3	5+5

HONDA (DONGFENG)

MODEL	START Y.	END Y.
JADE MPV (FR_)	2013/09	



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
584111P300

10-50780



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258.3	40.35	10	8.4	76	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
ix20 (JC)	2010/11	2019/07



BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
432065DA0A
43206HG00B

10-50772



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	44	10	8.3	67	112	5+1

INFINITI

MODEL	START Y.	END Y.
Q30	2015/11	
QX30	2016/04	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
43206CA000

10-50859



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307.7	62	16	14	68	114.3	5+1

INFINITI

MODEL	START Y.	END Y.
EX	2007/09	2008/12
FX	2008/07	
FX	2002/09	
G Convertible	2010/09	
G Coupe	2007/09	
G Saloon	2007/01	
M (Y51)	2010/03	
M35	2005/01	
M37	2010/01	
M45	2005/01	
Q50	2013/04	



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
584111P300

10-50780



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258.3	40.35	10	8.4	76	114.3	5+2

KIA

MODEL	START Y.	END Y.
VENGA (YN)	2010/02	
VENGA Hatchback Van (YN)	2010/02	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
517123E500
517123E300
517123E000

10-50858



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	54	28	26.4	96.3	139.7	5+2

KIA

MODEL	START Y.	END Y.
SORENTO I (JC)	2002/08	2011/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
71773403

10-50895



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50895

MATERIAL
TYPE-1

WEIGHT
6,97 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	43.4	26	24.2	59	98	4+4

LANCIA

MODEL	START Y.	END Y.
DELTA III (844_)	2008/08	2014/08



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
LR001018

10-50390



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301.85	65.85	12	10	63.6	108	5+2

LAND ROVER

MODEL	START Y.	END Y.
FREELANDER 2 (L359)	2006/10	2015/12
FREELANDER 2 VAN (L359)	2006/10	2014/10




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
FRC9831
FTC461
SDB000330

10-50775



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	59.2	14.1	13	101.7	127	5+5

LAND ROVER

MODEL	START Y.	END Y.
DEFENDER Cabrio (L316)	1990/08	2016/02
DEFENDER Pick Up (L316)	1995/10	2016/05
DEFENDER Platform/Chassis (L316)	1990/09	2016/02
DEFENDER Station Wagon (L316)	1990/05	2016/02
DISCOVERY I (LJ)	1989/06	1998/12
RANGE ROVER I	1969/10	1996/04




BRAKE DISC

- Front Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
FRC7329
571762
LR017951

10-50777



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50777

MATERIAL
TYPE-1

WEIGHT
7,36 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	70.1	14	13	101.6	127	5

LAND ROVER

MODEL	START Y.	END Y.
110/127 (LDH)	1983/09	1990/12
90 I (LDV)	1984/01	1990/08
DEFENDER Cabrio (L316)	1990/08	2016/02
DEFENDER Pick Up (L316)	1995/10	2016/05
DEFENDER Platform/Chassis (L316)	1990/09	2016/02
DEFENDER Station Wagon (L316)	1990/05	2016/02
DISCOVERY I (LJ)	1989/06	1998/12
RANGE ROVER I	1969/10	1996/04



BRAKE DISC


- Rear Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
GA3Y26251
GA5Y26251
GA8Y26251

10-50876



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50876

MATERIAL
TYPE-1

WEIGHT
3,62 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
261	40	10	8	72	114.3	5+1

MAZDA

MODEL	START Y.	END Y.
626 III (GD)	1987/06	1992/05
626 IV (GE)	1991/08	1998/08
626 IV Hatchback (GE)	1991/08	1998/08
626 V (GF)	1997/05	2002/12
626 V Hatchback (GF)	1997/05	2002/12
626 V Station Wagon (GW)	1998/01	2002/12
MX-6 (GD)	1987/10	1997/01
MX-6 (GE)	1991/07	1997/09
PREMACY (CP)	1999/01	2005/03
XEDOS 6 (CA)	1992/01	1999/10




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2034211312
A2034211312

10-50489



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	46.5	28	26	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-CLASS (W203)	2000/05	2007/12
C-CLASS T-Model (S203)	2001/03	2007/08
CLK (C209)	2002/05	2010/03
CLK Convertible (A209)	2002/06	2010/03
SLK (R171)	2004/03	2011/12



BRAKE DISC

- Rear Axle
- Solid




- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2464230112

10-50772



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	44	10	8.3	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W176)	2012/06	2018/05
B-CLASS Sports Tourer (W246, W242)	2011/10	2018/12
CLA Coupe (C117)	2013/01	2019/03
CLA Shooting Brake (X117)	2015/01	2019/03
GLA-CLASS (X156)	2013/12	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
1644230512
1644231212

10-50778



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	62.7	14	11.4	67	112	5+3

MERCEDES-BENZ

MODEL	START Y.	END Y.
M-CLASS (W164)	2005/02	2012/12
R-CLASS (W251, V251)	2005/08	2017/10




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2114210912
211421091264

10-50857



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
312	64.5	28	25.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
CLS (C219)	2004/10	2011/02
E-CLASS (W211)	2002/03	2009/03
E-CLASS T-Model (S211)	2003/02	2009/07



BRAKE DISC


- Front Axle
- Solid



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2014210812
2014211212

10-50877



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50877

MATERIAL
TYPE-1

WEIGHT
4,02 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	45.4	11	9	67	112	5+3

MERCEDES-BENZ

MODEL	START Y.	END Y.
170 (W136)	1946/06	1958/02
190 (W201)	1982/10	1993/08




BRAKE DISC

- Front Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1684210112
168421011264

10-50878



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260.2	40.5	12	10	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W168)	1997/07	2005/08



BRAKE DISC

- Rear Axle
- Solid




- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2464230112

10-50772



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	44	10	8.3	67	112	5+1

MERCEDES-BENZ (BBDC)

MODEL	START Y.	END Y.
GLA (X156)	2015/04	2019/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
F5RZ1125AB

10-50862



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50862

MATERIAL
TYPE-1

WEIGHT
5,36 KG

BALANCING
100 %




Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	47	24	22	63.6	108	4

MERCURY

MODEL	START Y.	END Y.
COUGAR Coupe	1998/09	2002/12
MYSTIQUE	1994/02	2001/08




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34119811537
34119804828

10-50860



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	45	22	20.4	79	120	5+1

MINI

MODEL	START Y.	END Y.
MINI COUNTRYMAN (R60)	2010/08	2016/10
MINI PACEMAN (R61)	2012/03	2016/10
MINI Roadster (R59)	2011/01	2015/04



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
MB618797

10-50776



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315.4	84.25	18	16.4	108	139.7	6+2

MITSUBISHI

MODEL	START Y.	END Y.
L400 Bus (PD_W, PC_W, PA_V, PB_V, PA_W)	1994/06	2007/04
L400 Van (PD_W, PC_W, PB_V, PA_W, PA_V)	1994/12	2007/04
PAJERO CLASSIC (V2_W, V6_W, V7_W)	2001/07	
PAJERO II (V3_W, V2_W, V4_W)	1990/12	2001/05
PAJERO II Canvas Top (V2_W, V4_W)	1990/12	2000/04
PAJERO SPORT I (K7_, K9_)	1996/07	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4615A125
4615A168

10-50879



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	36.1	10	8.4	69	114.3	5+2

MITSUBISHI

MODEL	START Y.	END Y.
ASX (GA_W_)	2009/11	
ECLIPSE CROSS (GK_)	2017/10	
OUTLANDER III (GG_W, GF_W, ZJ, ZL, ZK)	2010/11	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
MB699761
MB950849
MB950874

10-50896



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255.8	45	24	22.4	69	114.3	5+4

MITSUBISHI

MODEL	START Y.	END Y.
ECLIPSE I (D2_A)	1989/12	1995/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402064A00G

10-50351



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
231	51.5	20	18	60	100	4+2

NISSAN

MODEL	START Y.	END Y.
PIXO (UA0)	2009/03	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
432063JA0A
43206WL000
43206EG000

10-50859



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307.7	62	16	14	68	114.3	5+1

NISSAN

MODEL	START Y.	END Y.
MURANO I (Z50)	2002/04	2009/12
MURANO II (Z51)	2007/10	2014/09




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
569114
95526644

10-50440



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292	41.4	20	18	65.5	110	7+1

OPEL

MODEL	START Y.	END Y.
SIGNUM Hatchback (Z03)	2003/05	2008/12
VECTRA C (Z02)	2002/04	2009/01
VECTRA C Estate (Z02)	2003/10	2009/01
VECTRA C GTS (Z02)	2002/08	2009/01



BRAKE DISC

- Rear Axle
- Solid




- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
93167282
569097

10-50771



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264	40.5	10	8	60	100	6+2

OPEL

MODEL	START Y.	END Y.
ADAM (M13)	2012/10	2019/02
CORSA E (X15)	2014/09	
CORSA E Hatchback Van (X15)	2014/09	



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1609901080

10-50879



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	36.1	10	8.4	69	114.3	5+2

PEUGEOT

MODEL	START Y.	END Y.
4008	2012/05	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
9191336
12762291
93188378

10-50440



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292	41.4	20	18	65.5	110	7+1

SAAB

MODEL	START Y.	END Y.
9-3 (YS3F, E79, D79, D75)	2002/09	2015/02
9-3 Convertible (YS3F)	2003/08	2015/02
9-3 Estate (E50)	2005/03	2015/02
9-3X (YS3)	2009/02	2015/02




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402064A00G
55311M68K00
55311M68K10

10-50351



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
231	51.5	20	18	60	100	4+2

SUZUKI

MODEL	START Y.	END Y.
ALTO VII (GF)	2009/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5531168L00
5531168L00000

10-50856



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255.85	40	22	20	60	100	4+4

SUZUKI

MODEL	START Y.	END Y.
SWIFT IV (FZ, NZ)	2010/10	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
93171778

10-50440



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292	41.4	20	18	65.5	110	7+1

VAUXHALL

MODEL	START Y.	END Y.
SIGNUM (Z03)	2003/03	2008/10
VECTRA Mk II (C) (Z02)	2000/01	2008/10
VECTRA Mk II (C) Estate (Z02)	2003/10	2009/05
VECTRA Mk II (C) GTS (Z02)	2002/08	2009/05



BRAKE DISC

- Rear Axle
- Solid




- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
93167282

10-50771



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264	40.5	10	8	60	100	6+2

VAUXHALL

MODEL	START Y.	END Y.
ADAM (M13)	2012/10	2019/04
CORSA Mk IV (E) (X15)	2014/08	
CORSAVAN Mk IV (E) Hatchback Van (X15)	2014/10	



BRAKE DISC


- Front Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
701615301G

10-50624



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281.7	55.5	18	15	68.15	112	5+1

VW

MODEL	START Y.	END Y.
TRANSPORTER IV Bus (70B, 70C, 7DB, 7DK, 70J, 70K, 7DC, 7DJ)	1990/09	2004/08
TRANSPORTER IV Platform/Chassis (70E, 70L, 70M, 7DE, 7DL, 7D)	1990/07	2003/04
TRANSPORTER IV Van (70A, 70H, 7DA, 7DH)	1990/07	2003/04

