

new to range

SPEED TO MARKET SECOND TO NONE

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



JULY 2023

INDEX

BRAKE DISC

ACURA	3
ALFA ROMEO	4
BUICK	5-6
CADILLAC	7
CHEVROLET	8
DODGE	9-10
FIAT	11
FORD	12-14
GMC	15
HONDA	16-17
HYUNDAI	18-21
KIA	22-23
LEXUS	24-26
MAZDA	27-29
NISSAN	30-32
PONTIAC	33
SCION	34
SUBARU	35-38
TOYOTA	39-42

BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
42510S84A50

10-50982



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50982

MATERIAL
TYPE-1

WEIGHT
3,56 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	48,3	9	8	64,2	114,3	4+4

ACURA

MODEL	START Y.	END Y.
CL Coupe	1996/10	2003/09




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
51806283
51815313

10-50956



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50956

MATERIAL
TYPE-1

WEIGHT
3,56 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264	40,4	10	8	70	110	5+5

ALFA ROMEO

MODEL	START Y.	END Y.
GIULIETTA (940_)	2010/04	2020/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13583716
13583718

10-50522



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50522

MATERIAL
TYPE-1

WEIGHT
9,48 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	45,6	28	25,4	70,7	115	5+5

BUICK

MODEL	START Y.	END Y.
ENVISION (X_26)	2016/03	
REGAL Sportback (Z_68)	2017/11	



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
21993756

10-50955



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292	49,15	12	10,5	70,7	115	5+1

BUICK

MODEL	START Y.	END Y.
LUCERNE Saloon	2005/09	2011/12



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
19303813

10-50955



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50955

MATERIAL
TYPE-1

WEIGHT
6,03 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292	49,15	12	10,5	70,7	115	5+1

CADILLAC

MODEL	START Y.	END Y.
DTS	2005/06	2011/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13518653
13583718
13517847



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50522

MATERIAL
TYPE-1

WEIGHT
9,48 KG

BALANCING
100 %



10-50522

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	45,6	28	25,4	70,7	115	5+5

CHEVROLET

MODEL	START Y.	END Y.
EQUINOX	2017/03	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
68082121AB
68082121AA

10-50956



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50956

MATERIAL
TYPE-1

WEIGHT
3,56 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264	40,4	10	8	70	110	5+5

DODGE

MODEL	START Y.	END Y.
DART	2012/04	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52008219

10-50965



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50965

MATERIAL
TYPE-1

WEIGHT
8,32 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	65,65	32,8	30,86	78,5	139,7	5

DODGE

MODEL	START Y.	END Y.
RAM 2500 Crew Cab Pickup	1993/09	2001/12
RAM 3500 VAN Extended Cargo Van	1993/09	2003/12
RAM 3500 VAN Extended Passenger Van	1993/09	2003/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
52159155

10-51034



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51034

MATERIAL
TYPE-1

WEIGHT
7,50 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	43,5	26	24	59,1	98	5+5

FIAT

MODEL	START Y.	END Y.
TIPO Hatchback (356_, 357_)	2016/03	
TIPO Saloon (356_, 357_)	2015/10	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
FL3Z2C026D

10-50952



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50952

MATERIAL
TYPE-1

WEIGHT
9,13 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
336	44,95	22	20	90,1	135	6

FORD USA

MODEL	START Y.	END Y.
F-150 Crew Cab Pickup	2014/09	
F-150 Extended Cab Pickup	2014/09	
F-150 Standard Cab Pickup	2014/09	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
PC3Z2C026A

10-50954



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50954

MATERIAL
TYPE-1

WEIGHT
17,35 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
363	126,1	38	36,5	127	170	8

FORD USA

MODEL	START Y.	END Y.
F-250 SUPER DUTY Crew Cab Pickup (W2A, W2B)	2017/07	
F-250 SUPER DUTY Crew Cab Pickup (W2A, W2B)	2010/09	
F-250 SUPER DUTY Extended Cab Pickup (X2A, X2B)	2017/07	
F-250 SUPER DUTY Extended Cab Pickup (X2A, X2B)	2010/09	
F-250 SUPER DUTY Standard Cab Pickup (F2A, F2B)	2017/07	
F-250 SUPER DUTY Standard Cab Pickup (F2A, F2B)	2010/09	
F-350 SUPER DUTY Crew Cab Pick Up	2017/07	
F-350 SUPER DUTY Crew Cab Pickup	2010/09	
F-350 SUPER DUTY Extended Cab Pickup	2017/07	
F-350 SUPER DUTY Extended Cab Pickup	2010/09	
F-350 SUPER DUTY Standard Cab Pickup	2017/07	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
9L3Z1V125E

10-50963



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50963

MATERIAL
TYPE-1

WEIGHT
11,29 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	52,45	30	28,5	90,2	135	6

FORD USA

MODEL	START Y.	END Y.
F-150	2007/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13517847

10-50522



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50522

MATERIAL
TYPE-1

WEIGHT
9,48 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	45,6	28	25,4	70,7	115	5+5

GMC

MODEL	START Y.	END Y.
TERRAIN	2017/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
45251T2FA50
45251T2FA51

10-50960




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50960

MATERIAL
TYPE-1

WEIGHT
6,85 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292,7	47,2	25	23	64,15	114,3	5+4

HONDA

MODEL	START Y.	END Y.
ACCORD IX Coupe	2012/09	
ACCORD IX Saloon (CR)	2012/09	
ACCORD X Saloon (CV)	2017/10	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
42510S84A50
42510S0A000

10-50982



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50982

MATERIAL
TYPE-1

WEIGHT
3,56 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	48,3	9	8	64,2	114,3	4+4

HONDA

MODEL	START Y.	END Y.
ACCORD VI Coupe (CG)	1997/12	2003/06




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
517122T100
517122T000
517124C000



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50912

MATERIAL
TYPE-1

WEIGHT
9,5 KG

BALANCING
100 %



10-50912

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	47,1	28	26,4	69	114,3	5+2

HYUNDAI


MODEL	START Y.	END Y.
GRANDEUR (HG)	2011/01	
GRANDEUR (IG)	2016/11	
GRANDEUR (TG)	2003/06	2012/06
i20 III (BC3, BI3)	2020/08	
i40 I (VF)	2012/03	2019/05
i40 I CW (VF)	2011/07	2019/05
i40 I Kombi Van (VF)	2011/07	2019/05
ix35 (LM, EL, ELH)	2009/08	
KONA (OS, OSE, OSI)	2017/06	
KONA SUV Van (OS, OSE, OSI)	2017/06	
NEXO	2018/03	



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50951

MATERIAL
TYPE-1

WEIGHT
6,64 KG

BALANCING
100 %



OE:
517122H000

10-50951

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275	47,3	26	24	69	114,3	5+2

HYUNDAI

MODEL	START Y.	END Y.
ACCENT IV (RB)	2010/11	
ELANTRA IV Saloon (HD)	2005/11	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
517124D500

10-50959




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50959

MATERIAL
TYPE-1

WEIGHT
8,32 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	54	28	26	96,35	139,7	6+2

HYUNDAI

MODEL	START Y.	END Y.
ENTOURAGE Mini Passenger Van	2006/09	2008/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
517122B000

10-50967



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50967

MATERIAL
TYPE-1

WEIGHT
8,49 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	49,1	28	26,4	69	114,3	5+2

HYUNDAI

MODEL	START Y.	END Y.
SANTA FÉ I (SM)	2000/11	2006/03
SANTA FÉ II (CM)	2005/01	2015/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
517122T100
517122T000
S517122T100



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50912

MATERIAL
TYPE-1

WEIGHT
9,5 KG

BALANCING
100 %



10-50912

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	47,1	28	26,4	69	114,3	5+2

KIA

MODEL	START Y.	END Y.
CADENZA I (VG)	2010/01	
CADENZA II (YG)	2016/01	
CEE'D (JD)	2012/05	2018/07
CEE'D Combi Van (JD)	2012/07	2018/07
CEE'D Sportswagon (JD)	2012/09	2018/07
CEED (CD)	2018/03	
CEED Combi Van (CD)	2018/03	
CEED Hatchback Van (CD)	2018/03	
CEED Sportswagon (CD)	2018/03	
OPTIMA (FSGDS6B)	2010/01	
OPTIMA (JF)	2015/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
517124D500

10-50959




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50959

MATERIAL
TYPE-1

WEIGHT
8,32 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	54	28	26	96,35	139,7	6+2

KIA

MODEL	START Y.	END Y.
CARNIVAL / GRAND CARNIVAL III (VQ)	2005/09	
CARNIVAL II (GQ)	1999/01	2007/09



BRAKE DISC


• Rear Axle

• Solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
4243133040
4243133050

10-50930



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50930

MATERIAL
TYPE-1

WEIGHT
4,44 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
269	64,75	10	8,5	62	114,3	5+3

LEXUS

MODEL	START Y.	END Y.
ES (MCV_, VZV_)	1996/08	2008/06
ES (VCV10_, VZV21_)	1989/09	1997/12




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4243130280
4243130300
424310P010



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50957

MATERIAL
TYPE-1

WEIGHT
4,91 KG

BALANCING
100 %



10-50957

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
291	61,3	10	8,5	62	114,3	5+3

LEXUS

MODEL	START Y.	END Y.
IS II (_E2_)	2005/08	2013/04




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4243130290
4243130310

10-50976



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50976

MATERIAL
TYPE-1

WEIGHT
6,37 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
310	67,3	18	16,5	62	114,3	5+3

LEXUS

MODEL	START Y.	END Y.
GS (_L1_)	2011/08	
GS (_S19_)	2005/01	2012/12
IS C (GSE2_)	2009/04	
IS II (_E2_)	2005/08	2013/04
IS III (_E3_)	2013/04	
RC (_C1_)	2014/08	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
TD133325X
L2323325XB
EH143325XA




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50938

MATERIAL
TYPE-1

WEIGHT
10,08 KG

BALANCING
100 %



10-50938

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
319,8	48,45	28	26	72	114,3	5+1

MAZDA

MODEL	START Y.	END Y.
CX-7 (ER)	2006/06	2014/12
CX-9 (TB)	2006/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
B45A33251A

10-50941



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50941

MATERIAL
TYPE-1

WEIGHT
6,41 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279,7	51,6	25	23	68	114,3	5+1

MAZDA

MODEL	START Y.	END Y.
3 (BM, BN)	2013/07	



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
GHT226251

10-50942



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
277,7	39,55	10	8	68	114,3	5+1

MAZDA

MODEL	START Y.	END Y.
6 Estate (GJ, GL)	2012/08	
6 Saloon (GJ, GL)	2012/12	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
40206CK000
40206ZM00A

10-50962




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50962

MATERIAL
TYPE-1

WEIGHT
7,64 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
289,8	49,2	28	26	68	114,3	5

NISSAN

MODEL	START Y.	END Y.
QUEST (V42)	2003/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
40206VE400
402060W001
402067Z000

10-50964




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50964

MATERIAL
TYPE-1

WEIGHT
6,80 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282,85	38	28	26	100	124	6

NISSAN

MODEL	START Y.	END Y.
XTERRA (WD22_)	1999/01	2008/08




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
43206EA000
432069CE0A

10-50966



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50966

MATERIAL
TYPE-1

WEIGHT
6,41 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	62,7	18	16	68	114,3	6+1

NISSAN

MODEL	START Y.	END Y.
PATHFINDER III (R51)	2005/01	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19184535

10-50968



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50968

MATERIAL
TYPE-1

WEIGHT
4,08 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278,9	31	10	8,5	62,2	114,3	5+2

PONTIAC

MODEL	START Y.	END Y.
VIBE Estate	2008/09	2010/12



BRAKE DISC


- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4243112290

10-50968



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50968

MATERIAL
TYPE-1

WEIGHT
4,08 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278,9	31	10	8,5	62,2	114,3	5+2

SCION

MODEL	START Y.	END Y.
xB MPV	2006/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
26300AL010

10-50933



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50933

MATERIAL
TYPE-1

WEIGHT
9,73 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315,55	56,9	30	28	58	114,3	5+2

SUBARU

MODEL	START Y.	END Y.
LEGACY VI (BN, BS)	2015/01	
LEVORG	2015/03	
OUTBACK BS	2014/10	
WRX Saloon (GJ)	2011/07	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
26700AL010
36700AL03A

10-50934



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50934

MATERIAL
TYPE-1

WEIGHT
6,19 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	46,4	17	15	58	114,3	5+2

SUBARU

MODEL	START Y.	END Y.
LEVORG	2015/03	
OUTBACK BS	2014/10	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
26700AG001
26700AG01A
26700AG000

10-50935



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50935

MATERIAL
TYPE-1

WEIGHT
4,74 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
273,7	67,4	10	8,5	58	100	5+2

SUBARU

MODEL	START Y.	END Y.
LEGACY IV (BL)	2003/09	2015/12
LEGACY IV Estate (BP)	2003/09	2009/12
OUTBACK (BL, BP)	2003/09	2010/06




BRAKE DISC

• Rear Axle

• Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
26700FE080
26700FE030
26310AA050



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50937

MATERIAL
TYPE-1

WEIGHT
4,36 KG

BALANCING
100 %



10-50937

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
265,7	67,55	10	8,5	58	100	5+2

SUBARU

MODEL	START Y.	END Y.
FORESTER (SF_)	1997/03	2002/09
FORESTER (SG_)	2002/02	2012/12
IMPREZA Coupe (GFC)	1993/01	2000/12
IMPREZA Estate (GF)	1992/08	2000/12
IMPREZA Estate (GG)	2000/10	2008/12
IMPREZA Saloon (GC)	1992/08	2001/09
IMPREZA Saloon (GD)	1999/09	2009/06
LEGACY I (BC)	1989/01	1995/12
LEGACY I Estate (BC, BF, BJ)	1989/01	1994/08
LEGACY II (BD)	1994/01	1999/10
LEGACY II Estate (BG)	1994/02	1999/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351204010
4351235290
4351235300



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50516

MATERIAL
TYPE-1

WEIGHT
4,26 KG

BALANCING
100 %



10-50516

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
254	41,2	22	20	86	110	5

TOYOTA

MODEL	START Y.	END Y.
TACOMA Pickup (_N1_)	1994/09	2004/08



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
435120T010

10-50523



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
324	49,2	28	26	62	114,3	5+2

TOYOTA

MODEL	START Y.	END Y.
VENZA (_V1_)	2008/11	2016/11




BRAKE DISC

• Rear Axle

• Solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
4243133060
4243133050
4243133090



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50930

MATERIAL
TYPE-1

WEIGHT
4,44 KG

BALANCING
100 %



10-50930

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
269	64,75	10	8,5	62	114,3	5+3

TOYOTA

MODEL	START Y.	END Y.
CAMRY (_V1_)	1990/07	1998/06
CAMRY (_V2_)	1996/08	2002/09
CAMRY Estate (_V1_)	1991/06	1997/08
SOLARA Coupe (_V2_)	1998/06	2003/12
WINDOM (_V2_)	1996/10	2001/07




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4243102210

10-50968



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50968

MATERIAL
TYPE-1

WEIGHT
4,08 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278,9	31	10	8,5	62,2	114,3	5+2

TOYOTA

MODEL	START Y.	END Y.
MATRIX (_E14_)	2008/01	2015/12

