


new to range

SPEED TO MARKET SECOND TO NONE

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



JANUARY 2024

INDEX
BRAKE DISC

AUDI 3

BUICK 4-5

CADILLAC 6

CHEVROLET 7-9

CITROEN 10-12

DS 13-14

FIAT 15

FORD USA 16-20

GMC 21

HONDA 22-23

HUMMER 24

HYUNDAI 25

IVECO 26-27

JAGUAR 28

KIA 29

LEXUS 30

LINCOLN 31-33

MERCEDES BENZ 34

NISSAN 35-37

OLDSMOBILE 38

OPEL 39-41

PEUGEOT 42-44

PONTIAC 45

PORSCHE 46

SUZUKI 47-49

TOYOTA 50-53

VAUXHALL 54-56


VOLKSWAGEN 57

BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4H0615601Q
8K0615601C
4H0615601D



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51188

MATERIAL
TYPE-1

WEIGHT
7,78 KG

BALANCING
100 %



10-51188

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	36,3	22	20	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A4 Allroad B8 (8KH)	2009/04	2016/05
A4 Allroad B9 (8WH. 8WJ)	2016/01	
A4 B8 (8K2)	2007/08	2016/09
A4 B8 Avant (8K5)	2007/11	2015/12
A4 B9 (8W2. 8WC)	2015/05	
A4 B9 Avant (8W5. 8WD)	2015/08	
A5 (8T3)	2007/06	2017/01
A5 (F53. F5P)	2016/06	
A5 Convertible (8F7)	2009/02	2017/01
A5 Convertible (F57. F5E)	2016/11	
A5 Sportback (8TA)	2007/07	2017/01



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
10434246

10-51191



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	51,95	30	27	71	115	5

BUICK

MODEL	START Y.	END Y.
RENDEZVOUZ	2000/04	2007/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
92245928

10-51197



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51197
MATERIAL TYPE-1
WEIGHT 11,62 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
355	49,7	32	30	67,4	120	5+1

BUICK

MODEL	START Y.	END Y.
REGAL Saloon	2010/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19303812
18060682

10-51192



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51192

MATERIAL
TYPE-1

WEIGHT
8,62 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303	51,85	32	30,7	70,7	115	5+3

CADILLAC

MODEL	START Y.	END Y.
CTS	2002/03	2007/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
25832146

10-51185



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51185

MATERIAL
TYPE-1

WEIGHT
7,96 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	40,2	29	27,5	92,4	112	6

CHEVROLET

MODEL	START Y.	END Y.
COLORADO Cab & Chassis	2003/09	2012/12
COLORADO Crew Cab Pickup	2003/09	2012/12
COLORADO Extended Cab Pickup	2003/09	2012/12
COLORADO Standard Cab Pickup	2003/09	2012/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
89047768

10-51191



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51191
MATERIAL TYPE-1
WEIGHT 8,71 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	51,95	30	27	71	115	5

CHEVROLET

MODEL	START Y.	END Y.
VENTURE	1996/09	2005/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
92245928
92213817
22798838



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51197

MATERIAL
TYPE-1

WEIGHT
11,62 KG

BALANCING
100 %



10-51197

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
355	49,7	32	30	67,4	120	5+1

CHEVROLET

MODEL	START Y.	END Y.
CAMARO	2009/02	2015/12
CAMARO Convertible	2011/01	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1643574180

10-50917



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50917

MATERIAL
TYPE-1

WEIGHT
2,95 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	34,85	10	8	71,1	108	4+2

CITROËN

MODEL	START Y.	END Y.
C4 III (BA_, BB_, BC_)	2020/10	
C4 X (BD_, BE_, BF_)	2022/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
9804605780

10-50923



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50923

MATERIAL
TYPE-1

WEIGHT
9,83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	48	30	28	71	108	5+3

CITROËN

MODEL	START Y.	END Y.
C5 AIRCROSS (A_)	2018/11	
C5 X (ND_, NC_)	2021/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1647883380
9805260180

10-51168



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51168

MATERIAL
TYPE-1

WEIGHT
9,39 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303,7	54,05	28	26	71	108	5+3

CITROËN

MODEL	START Y.	END Y.
C4 SPACETOURER (3D_)	2018/04	
JUMPY III Bus (V_)	2016/04	
JUMPY III Platform/Chassis (V_)	2016/09	
JUMPY III Van (V_)	2016/04	
SPACETOURER Bus (V_)	2016/04	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1643574180

10-50917




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50917

MATERIAL
TYPE-1

WEIGHT
2,95 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	34,85	10	8	71,1	108	4+2

DS

MODEL	START Y.	END Y.
DS 3 / DS 3 CROSSBACK (UR_ . UC_ . UJ_)	2018/10	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1642761480

10-50923



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	48	30	28	71	108	5+3

DS

MODEL	START Y.	END Y.
DS 4 II (F_, FB_, F3_)	2021/10	
DS 7 (J4_, JC_)	2022/09	
DS 7 Crossback (J4_, JR_, JC_)	2017/09	
DS 9 (X2_)	2020/09	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
71750932
71768089

10-51179



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51179

MATERIAL
TYPE-1

WEIGHT
4,31 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	43,6	9	8	62	114,3	5+2

FIAT

MODEL	START Y.	END Y.
SEDICI (189_)	2006/06	2014/10



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5C3Z1125CA

10-51137



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51137

MATERIAL
TYPE-1

WEIGHT
17,26 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
369	98.5	39	37.4	129.1	170	10

FORD USA

MODEL	START Y.	END Y.
F-250 SUPER DUTY Crew Cab Pickup (W2A. W2B)	2010/09	
F-250 SUPER DUTY Extended Cab Pickup (X2A.X2B)	2010/09	
F-250 SUPER DUTY Standard Cab Pickup (F2A. F2B)	2010/09	
F-350 SUPER DUTY Crew Cab Pickup	2010/09	
F-350 SUPER DUTY Extended Cab Pickup	2010/09	
F-350 SUPER DUTY Standard Cab Pickup	2010/09	
F-450 SUPER DUTY	2007/06	
F-450 SUPER DUTY Extended Cab Pickup	2010/09	
F-550 SUPER DUTY Cab & Chassis	2010/09	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2U2Z1V125AB

10-51177



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	57,1	14	12	87,5	135	5

FORD USA

MODEL	START Y.	END Y.
EXPEDITION	1996/08	2002/09
F-150 Crew Cab Pickup	1996/09	2003/12
F-150 Standard Cab Pickup	1996/09	2003/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
2U2Z1V125HB
2U2Z1V125HA
XW4Z1125AA



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO 10-51189
MATERIAL TYPE-1
WEIGHT 8,06 KG
BALANCING 100 %



10-51189

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	43,15	30	28	71	108	5

FORD USA

MODEL	START Y.	END Y.
THUNDERBIRD Convertible	2000/02	2005/09



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
XF2Z1125AA

10-51233



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51233

MATERIAL
TYPE-1

WEIGHT
6,73 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281,5	46,55	26	24,75	71	107,95	5+5

FORD USA

MODEL	START Y.	END Y.
WINDSTAR	1999/01	2003/12
WINDSTAR (A3)	1995/01	2004/08




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
3F2Z2C026AA

10-51234



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51234

MATERIAL
TYPE-1

WEIGHT
6,87 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
316	39	20	18,4	64,5	114,3	5

FORD USA

MODEL	START Y.	END Y.
FREESTAR	2003/10	2007/09




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
25832146

10-51185



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51185

MATERIAL
TYPE-1

WEIGHT
7,96 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	40,2	29	27,5	92,4	112	6

GMC

MODEL	START Y.	END Y.
CANYON Crew Cab Pickup	2003/09	2012/12
CANYON Extended Cab Pickup	2003/09	2012/12
CANYON Standard Cab Pickup	2003/09	2012/12




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
42510TP6A01
42510TP6A00
42510T2MT01

10-51155



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51155

MATERIAL
TYPE-1

WEIGHT
4,95 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	60,4	9	8	64,1	114,3	5+5

HONDA

MODEL	START Y.	END Y.
ACCORD IX Saloon (CR)	2012/09	
CROSSTOUR I	2009/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
45251T5RA02

10-51199



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51199

MATERIAL
TYPE-1

WEIGHT
5,13 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
261,85	44,55	21	19	61	100	4+4

HONDA

MODEL	START Y.	END Y.
Fit	2014	2020



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
15111376

10-51180



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51180

MATERIAL
TYPE-1

WEIGHT
6,23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
312	67,8	12	10,5	101	139,7	6+2

HUMMER

MODEL	START Y.	END Y.
HUMMER H3	2005/04	
HUMMER H3T	2008/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
517124H000
517124H500

10-51169



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51169

MATERIAL
TYPE-1

WEIGHT
10,03 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	52,6	30	28,4	96,35	139,7	6+2

HYUNDAI

MODEL	START Y.	END Y.
H-1 Cargo (TQ)	2007/09	
H-1 Travel (TQ)	2007/09	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
46393182
7186485
2996043




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51150

MATERIAL
TYPE-1

WEIGHT
8,52 KG

BALANCING
100 %



10-51150

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	87,6	24	21	84	108	8

IVECO

MODEL	START Y.	END Y.
DAILY IV Bus	2006/05	2011/08
DAILY IV Platform/Chassis	2006/05	2012/03
DAILY IV Van	2006/05	2012/03
DAILY V Platform/Chassis	2011/09	2014/02
DAILY V Van	2011/09	2014/02
DAILY VI Bus	2014/03	
DAILY VI Platform/Chassis	2014/03	
DAILY VI Van	2014/03	





BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
46393184
7186848
2996049



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51203

MATERIAL
TYPE-1

WEIGHT
13,41 KG

BALANCING
100 %



10-51203

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
306	132	28	25	178,2	215	6

IVECO

MODEL	START Y.	END Y.
DAILY IV Platform/Chassis	2006/05	2012/03
DAILY IV Van	2006/05	2012/03
DAILY V Platform/Chassis	2011/09	2014/02
DAILY V Van	2011/09	2014/02
DAILY VI Bus	2014/03	
DAILY VI Platform/Chassis	2014/03	
DAILY VI Van	2014/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
JLM20801
XR858130



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51189

MATERIAL
TYPE-1

WEIGHT
8,06 KG

BALANCING
100 %



10-51189

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	43,15	30	28	71	108	5

JAGUAR

MODEL	START Y.	END Y.
S-TYPE II (X200)	1998/10	2008/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712A9000

10-51195



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51195

MATERIAL
TYPE-1

WEIGHT
11,16 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	49	29	27	69	114,3	5+2

KIA

MODEL	START Y.	END Y.
SEDONA III (YP)	2014/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351233130
4351233140

10-50372




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50372

MATERIAL
TYPE-1

WEIGHT
7,57 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	49,3	28	25	62	114,3	5+2

LEXUS

MODEL	START Y.	END Y.
ES (_V4_)	2006/03	2012/12
ES (_V6_)	2012/06	2018/06




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
3U2Z2V026DB
3W1Z2C026AA
3W1Z1V125AB



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51166

MATERIAL
TYPE-1

WEIGHT
6,52 KG

BALANCING
100 %



10-51166

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295,3	61,7	19	18	70,7	114,3	10

LINCOLN

MODEL	START Y.	END Y.
TOWN CAR III	1996/11	2011/12



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2U2Z1V125AB

10-51177



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51177

MATERIAL
TYPE-1

WEIGHT
8,4 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	57,1	14	12	87,5	135	5

LINCOLN

MODEL	START Y.	END Y.
NAVIGATOR (UN173)	1997/05	2002/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
XW4Z1125AA

10-51189



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51189

MATERIAL
TYPE-1

WEIGHT
8,06 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	43,15	30	28	71	108	5

LINCOLN

MODEL	START Y.	END Y.
LS	1998/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
210421241264
A210421241264
A2104210712



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50234

MATERIAL
TYPE-1

WEIGHT
6,68 KG

BALANCING
100 %



10-50234

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	46,5	25	22,4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-CLASS (W202)	1993/03	2000/05
C-CLASS T-Model (S202)	1996/06	2001/03
CLK (C208)	1997/06	2003/12
CLK Convertible (A208)	1998/03	2002/03
E-CLASS (W210)	1995/06	2003/08
E-CLASS T-Model (S210)	1996/06	2003/03
SLK (R170)	1996/04	2004/04




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402061PA1B
402061PA1A

10-51167



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51167

MATERIAL
TYPE-1

WEIGHT
17,25 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	96	38	36,5	123	165,1	8

NISSAN

MODEL	START Y.	END Y.
NV 2500 Standard Cargo Van	2011/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402069BD0B
402069BD0A
40206EA01A



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51186

MATERIAL
TYPE-1

WEIGHT
7,48 KG

BALANCING
100 %



10-51186

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282,7	38	28	26	68	114,3	6

NISSAN

MODEL	START Y.	END Y.
Frontier	2005	2019




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
432061PA1B
432061PA1A

10-51194



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51194

MATERIAL
TYPE-1

WEIGHT
13,02 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
365	91,3	30	28,5	123	165,1	8

NISSAN

MODEL	START Y.	END Y.
NV 2500 Standard Cargo Van	2011/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
89047768

10-51191



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	51,95	30	27	71	115	5

OLDSMOBILE

MODEL	START Y.	END Y.
SILHOUETTE	1995/09	2004/12



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1643574180

10-50917



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	34,85	10	8	71,1	108	4+2

OPEL

MODEL	START Y.	END Y.
CORSA F (P2JO)	2019/07	
CORSA F Hatchback Van	2019/07	
MOKKA	2020/06	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
9804605780

10-50923



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	48	30	28	71	108	5+3

OPEL

MODEL	START Y.	END Y.
ASTRA L (O5)	2021/10	
ASTRA L Sports Tourer (O5)	2021/10	
GRANDLAND / GRANDLAND X (A18. P1UO)	2017/06	
GRANDLAND X Van	2017/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
9805260180

10-51168



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51168

MATERIAL
TYPE-1

WEIGHT
9,39 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303,7	54,05	28	26	71	108	5+3

OPEL

MODEL	START Y.	END Y.
VIVARO C Bus (K0)	2019/03	
VIVARO C Platform Cabin (K0)	2019/03	
VIVARO C Van (K0)	2019/03	
ZAFIRA LIFE Bus (K0)	2019/03	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1643574180

10-50917



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	34,85	10	8	71,1	108	4+2

PEUGEOT

MODEL	START Y.	END Y.
208 II (UD_, US_, UY_, UK_)	2019/08	
208 II (UB_, UP_, UW_, UJ_)	2019/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
9804605780
1642761480

10-50923



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50923

MATERIAL
TYPE-1

WEIGHT
9,83 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	48	30	28	71	108	5+3

PEUGEOT

MODEL	START Y.	END Y.
3008 SUV (MC_, MR_, MJ_, M4_)	2016/05	
3008 Van (MR_, MC_, MJ_)	2016/05	
308 Hatchback Van (LB_)	2015/03	
308 II (LB_, LP_, LW_, LH_, L3_)	2013/09	2021/06
308 III (FB_, FH_, FP_, F3_, FM_)	2021/07	
308 SW II (LC_, LJ_, LR_, LX_, L4_)	2014/03	2021/06
308 SW II Estate Van (LC_)	2014/04	
308 SW III (FC_, FJ_, FR_, F4_, FN_)	2021/07	
408 II (FP_, F3_)	2022/07	
508 II (FB_, FH_, F3_)	2018/09	
508 SW II (FC_, FJ_, F4_)	2018/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1647883380
9805260180

10-51168



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51168

MATERIAL
TYPE-1

WEIGHT
9,39 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303,7	54,05	28	26	71	108	5+3

PEUGEOT

MODEL	START Y.	END Y.
EXPERT Bus (V_)	2016/04	
EXPERT Platform/Chassis (V_)	2016/09	
EXPERT Van (V_)	2016/04	
TRAVELLER Bus (V_)	2016/04	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
89047768

10-51191



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	51,95	30	27	71	115	5

PONTIAC

MODEL	START Y.	END Y.
AZTEK	2000/09	2005/08
MONTANA	1998/04	2005/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
95B615601A
95B615601F
95B615601G



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51188

MATERIAL
TYPE-1

WEIGHT
7,78 KG

BALANCING
100 %



10-51188

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	36,3	22	20	68	112	5+1

PORSCHE

MODEL	START Y.	END Y.
MACAN (95B)	2014/02	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5561180J01
5561180J00
5561155L00



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51179

MATERIAL
TYPE-1

WEIGHT
4,31 KG

BALANCING
100 %



10-51179

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	43,6	9	8	62	114,3	5+2

SUZUKI

MODEL	START Y.	END Y.
SWIFT III (MZ. EZ)	2005/02	
SX4 (EY. GY)	2006/06	
SX4 Saloon (GY. RW)	2007/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5531182Z10
5531182Z12

10-51186




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51186

MATERIAL
TYPE-1

WEIGHT
7,48 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282,7	38	28	26	68	114,3	6

SUZUKI

MODEL	START Y.	END Y.
Equator	2009	2012




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5531161M00
5531161M00000
5531161M10

10-51200




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51200

MATERIAL
TYPE-1

WEIGHT
5,33 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	47	22	20	62	114,3	5+4

SUZUKI

MODEL	START Y.	END Y.
CIAZ	2015/05	
S-CROSS	2022/01	
SX4 S-CROSS (JY)	2013/08	
VITARA (LY)	2015/02	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351233130
4351206090
4351202250




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50372

MATERIAL
TYPE-1

WEIGHT
7,57 KG

BALANCING
100 %



10-50372

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	49,3	28	25	62	114,3	5+2

TOYOTA

MODEL	START Y.	END Y.
AURION (_V4_)	2006/03	2011/09
AURION (_V5_)	2011/09	
AURIS (_E15_)	2006/10	2012/09
AURIS (_E18_)	2012/10	2018/12
AURIS Estate (_E18_)	2013/07	2018/12
AVALON Saloon (_X3_)	2005/01	2012/11
CAMRY Saloon (_V4_)	2006/01	2014/12
CAMRY Saloon (_V5_)	2011/09	
GT 86 Coupe (ZN6_)	2012/03	
MIRAI (JPD1_)	2014/12	2020/05
PRIUS PLUS (_W4_)	2011/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
435120K070
435120K071
435120K060



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51165

MATERIAL
TYPE-1

WEIGHT
6,87 KG

BALANCING
100 %



10-51165

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
297	67,3	25	23	108	139,7	6+2

TOYOTA

MODEL	START Y.	END Y.
FORTUNER (_N5_. _N6_)	2004/06	2015/09
HILUX Platform/Chassis (_N1_. _N2_)	2005/02	
HILUX VII Pickup (_N1_. _N2_. _N3_)	2004/08	
HILUX VIII Pickup (_N1_)	2015/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
SU001A3869

10-51168



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51168

MATERIAL
TYPE-1

WEIGHT
9,39 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303,7	54,05	28	26	71	108	5+3

TOYOTA

MODEL	START Y.	END Y.
PROACE Bus (MDZ_)	2016/02	
PROACE Platform/Chassis (MDZ_)	2016/02	
PROACE Van (MDZ_)	2016/02	
PROACE VERSO Bus (MPY_)	2016/02	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351212590
4351212580
4351212360




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51202

MATERIAL
TYPE-1

WEIGHT
4,07 KG

BALANCING
100 %



10-51202

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
238	48,15	18	17	55	100	4+2

TOYOTA

MODEL	START Y.	END Y.
COROLLA (_E10_)	1991/06	1999/11
COROLLA (_E11_)	1995/05	2002/06
COROLLA Compact (_E11_)	1997/04	2002/01
COROLLA Estate (_E11_)	1997/04	2001/10
COROLLA LEVIN Coupe (_E10_)	1991/06	1997/08
COROLLA LEVIN Coupe (_E11_)	1995/05	2000/07
COROLLA Liftback (_E11_)	1997/04	2002/01
SPRINTER CARIB Estate (AE11_)	1992/06	2002/11
SPRINTER Saloon (_E1_)	1991/06	2002/11



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1643574180

10-50917



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
249	34,85	10	8	71,1	108	4+2

VAUXHALL

MODEL	START Y.	END Y.
CORSA Mk V (F)	2019/07	
MOKKA	2020/06	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
9804605780

10-50923



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	48	30	28	71	108	5+3

VAUXHALL

MODEL	START Y.	END Y.
ASTRA Mk VIII (L)	2021/10	
ASTRA Mk VIII (L) Sports Tourer	2021/10	
GRANDLAND X / GRANDLAND (A18)	2017/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
9805260180

10-51168



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51168

MATERIAL
TYPE-1

WEIGHT
9,39 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303,7	54,05	28	26	71	108	5+3

VAUXHALL

MODEL	START Y.	END Y.
VIVARO C Platform Cabin (K0)	2019/03	
VIVARO C Van (K0)	2019/03	
VIVARO LIFE Bus (K0)	2019/03	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
8W0615601K

10-51188



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51188

MATERIAL
TYPE-1

WEIGHT
7,78 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	36,3	22	20	68	112	5+1

VW

MODEL	START Y.	END Y.
TOUAREG (CR7. RC8)	2017/11	

