


new to range

SPEED TO MARKET SECOND TO NONE

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



FEBRUARY 2024

INDEX
BRAKE DISC

ACURA	3
BMW	4-5
BUICK	6
CADILLAC	7-9
CHEVROLET	10-11
CHRYSLER	12
CITROEN	13-14
DODGE	15-16
FORD	17-19
FORD USA	20-22
HONDA	23
HYUNDAI	24
INFINITI	25
JAGUAR	26
KIA	27
LAND ROVER	28
LEXUS	29-30
LINCOLN	31-32
MAZDA	33-34
MERCEDES BENZ	35
MERCURY	36-37
MINI	38
NISSAN	39-40
OPEL	41-42
PEUGEOT	43-44
RAM	45
SAAB	46
SSANGYONG	47
TOYOTA	48-49
VAUXHALL	50-51
BRAKE DRUM	
DODGE	52
HYUNDAI	53
KIA	54


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
45251TK4A00

10-51135



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51135
MATERIAL TYPE-1
WEIGHT 9,44 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
319.7	47.25	28	26	70.15	120	5+4

ACURA		
MODEL	START Y.	END Y.
TL (UA8. UA9)	2009/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34116866297
34116864439

10-51149




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51149

MATERIAL
TYPE-1

WEIGHT
6,37 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	45,2	22	20,4	67	112	5+1

BMW

MODEL	START Y.	END Y.
1 (F52)	2017/01	
2 Active Tourer (F45)	2013/11	2021/10
2 Active Tourer Van (F45)	2013/11	2021/10
2 Gran Tourer (F46)	2014/07	
X1 (F48)	2014/11	
X2 (F39)	2017/11	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34216763345
34216864053

10-51312



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51312

MATERIAL
TYPE-1

WEIGHT
7,98 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	86.1	20	18	75	120	5+1

BMW

MODEL	START Y.	END Y.
5 (E60)	2001/12	2010/03
5 Touring (E61)	2004/03	2010/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
18021772
18021389

10-51267



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51267
MATERIAL TYPE-1
WEIGHT 7,41 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285.6	38.1	26.5	24.7	70.8	115	5

BUICK			
MODEL		START Y.	END Y.
REGAL		1988/09	1997/09




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
15235141
18048935
19303819



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51184

MATERIAL
TYPE-1

WEIGHT
8,26 KG

BALANCING
100 %



10-51184

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	47,9	26	24	70,7	115	6+1

CADILLAC

MODEL	START Y.	END Y.
SRX	2003/09	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19303818
18048934
25998397



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51193

MATERIAL
TYPE-1

WEIGHT
10,18 KG

BALANCING
100 %



10-51193

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
323	52	32,2	30,7	70,7	115	6+3

CADILLAC

MODEL	START Y.	END Y.
SRX	2003/09	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
95526652

10-51214



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51214

MATERIAL
TYPE-1

WEIGHT
8,69KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	45,2	28	25	70	110	7+1

CADILLAC

MODEL	START Y.	END Y.
BLS	2006/04	
BLS Wagon	2007/12	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
95526652

10-51214



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51214

MATERIAL
TYPE-1

WEIGHT
8,69KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	45,2	28	25	70	110	7+1

CHEVROLET

MODEL	START Y.	END Y.
VECTRA	2005/01	
VECTRA	1996/03	2006/11




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
18021389
19122178

10-51267




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51267

MATERIAL
TYPE-1

WEIGHT
7,41 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285.6	38.1	26.5	24.7	70.8	115	5

CHEVROLET

MODEL	START Y.	END Y.
LUMINA Saloon	1994/09	2001/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4779101AA

10-51232



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51232

MATERIAL
TYPE-1

WEIGHT
7,65 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
297	54	26	24,4	73,4	114,3	5

CHRYSLER


MODEL	START Y.	END Y.
CIRRUS	1994/05	2000/09
NEON (PL)	1994/05	2000/09
NEON II	1999/08	2006/12
PT CRUISER (PT_)	2000/06	2010/12
SEBRING (JR)	2000/09	2007/06
SEBRING Convertible (JR)	2001/04	2007/06
STRATUS (JA)	1994/09	2001/04
STRATUS Convertible (JX)	1996/04	2001/04



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1670945780

10-50922



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
267,7	35	12	10	71	108	4+2

CITROËN


MODEL	START Y.	END Y.
C4 III (BA_, BB_, BC_)	2020/10	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1606308680

10-51309



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283	48	26	24	71	108	5+2

CITROËN

MODEL	START Y.	END Y.
XM (Y3)	1989/05	1994/10
XM (Y4)	1994/05	2000/10
XM Break (Y3)	1989/05	1994/07
XM Break (Y4)	1994/05	2000/10



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4779101AB

10-51232



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
297	54	26	24,4	73,4	114,3	5

DODGE

MODEL	START Y.	END Y.
AVENGER Coupe	1994/09	2000/12
STRATUS	1994/09	2001/04




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52009932AA

10-51271



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51271

MATERIAL
TYPE-1

WEIGHT
12,1 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
323.6	130.9	30	28.39	123	165.1	8

DODGE

MODEL	START Y.	END Y.
RAM 2500	2001	2002
RAM 3500	2000	2001




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
AL5Z2C026B
AL5Z2C026A

10-51175



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51175

MATERIAL
TYPE-1

WEIGHT
6,88 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295,15	61,75	19	18	71,2	114,3	5

FORD

MODEL	START Y.	END Y.
RANGER	2010	2011



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
YS4Z1V125D

10-51269



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256.6	45	22	20	55	100	4

FORD

MODEL	START Y.	END Y.
ESCORT V (AAL. ABL)	1990/07	1996/09




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
YW7Z1V125D
YW7Z1V125CA
F5AZ1125CA

10-51270




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51270

MATERIAL
TYPE-1

WEIGHT
8,24 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
290.8	65.7	26.2	24.75	71.8	114.3	5

FORD

MODEL	START Y.	END Y.
CROWN VICTORIA	1995	1997



BRAKE DISC

- Rear Axle
- solid




- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
GR3Z2C026E

10-51181



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51181

MATERIAL
TYPE-1

WEIGHT
5,97 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	41,5	11,3	9,9	71	114,3	5

FORD USA

MODEL	START Y.	END Y.
MUSTANG Convertible	2014/02	
MUSTANG Coupe	2014/02	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
2U2Z1V125EA

10-51190



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51190
MATERIAL
TYPE-1
WEIGHT
5,61 KG
BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	32,5	20	18,5	64,5	108	5

FORD USA

MODEL	START Y.	END Y.
THUNDERBIRD Convertible	2000/02	2005/09



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
F5TZ1102A

10-51268



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	78.8	30	28.5	130.4	165.1	8

FORD USA

MODEL	START Y.	END Y.
F-250	2003/10	2007/09
F-250	1991/10	1997/04
F-350	1988/10	1997/04



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
45251TK4A00

10-51135



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
319.7	47.25	28	26	70.15	120	5+4

HONDA

MODEL	START Y.	END Y.
ODYSSEY	2017/09	
ODYSSEY (RC1. RC2. RC4)	2013/12	
ODYSSEY (RL5)	2010/08	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
584113V500
584113Q000
S584113V500



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51178

MATERIAL
TYPE-1

WEIGHT
4.25 KG

BALANCING
100 %



10-51178

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	31,1	10	8,4	76	114,3	5+2

HYUNDAI

MODEL	START Y.	END Y.
CRETA (SU2_)	2020/03	
GRANDEUR (HG)	2011/01	
GRANDEUR (IG)	2016/11	
i30 (PDE. PD. PDEN)	2016/11	
i30 Estate (PDE)	2017/03	
i30 FASTBACK (PDE. PDEN)	2017/06	
i30 Hatchback Van (PDE)	2016/11	
i30 Kombi Van (PDE)	2017/03	
IONIQ (AE)	2016/03	
KONA (OS. OSE. OSI)	2017/06	
KONA SUV Van (OS. OSE. OSI)	2017/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
40206JL00A
40206JL00B

10-51187




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51187

MATERIAL
TYPE-1

WEIGHT
13,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
354,8	49,15	32	30	68	114,3	5+1

INFINITI

MODEL	START Y.	END Y.
FX	2008/07	
G Convertible	2010/09	
G Coupe	2007/09	
G Saloon	2007/01	
M (Y51)	2010/03	
M37	2010/01	
Q50	2013/04	
Q60 Convertible	2013/10	
Q60 Coupe	2016/09	
Q60 Coupe	2013/08	
Q70 (Y51)	2013/03	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
JLM20802
XR827087
XR858129



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51190

MATERIAL
TYPE-1

WEIGHT
5,61 KG

BALANCING
100 %



10-51190

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	32,5	20	18,5	64,5	108	5

JAGUAR

MODEL	START Y.	END Y.
S-TYPE II (X200)	1998/10	2008/12
XJ (X350. X358)	2003/03	2009/03




BRAKE DISC

• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
584113R700
584113V500
584113Q000



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51178

MATERIAL
TYPE-1

WEIGHT
4.25 KG

BALANCING
100 %



10-51178

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	31,1	10	8,4	76	114,3	5+2

KIA

MODEL	START Y.	END Y.
CADENZA I (VG)	2010/01	
CADENZA II (YG)	2016/01	
CEED (CD)	2018/03	
CEED Combi Van (CD)	2018/03	
CEED Hatchback Van (CD)	2018/03	
CEED Sportswagon (CD)	2018/03	
NIRO I (DE)	2016/09	2022/08
NIRO VAN (DE)	2016/09	
OPTIMA (FSGDS6B)	2010/01	
OPTIMA (JF)	2015/09	
OPTIMA Sportswagon (JF)	2016/09	2019/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
SDB000611
SDB000614
SDB500130



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51213

MATERIAL
TYPE-1

WEIGHT
11,57 KG

BALANCING
100 %



10-51213

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
337	62	30	27	79	120	5+1

LAND ROVER

MODEL	START Y.	END Y.
DISCOVERY III (L319)	2004/07	2009/09
RANGE ROVER SPORT I (L320)	2005/02	2013/03




BRAKE DISC

- Front Axle Left
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351630010

10-51196




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51196

MATERIAL
TYPE-1

WEIGHT
9,08 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296,2	50,8	32	30	62	114,3	5+2

LEXUS

MODEL	START Y.	END Y.
IS C (GSE2_)	2009/04	




BRAKE DISC

- Front Axle Right
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4351230320

10-51201



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51201
MATERIAL TYPE-1
WEIGHT 9,08 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296,2	50,8	32	30	62	114,3	5+2

LEXUS		
MODEL	START Y.	END Y.
IS C (GSE2_)	2009/04	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1R8Z2C026AA
XW4Z2C026AA

10-51190



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51190
MATERIAL TYPE-1
WEIGHT 5,61 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	32,5	20	18,5	64,5	108	5

LINCOLN

MODEL	START Y.	END Y.
LS	1998/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
YW7Z1V125D
YW7Z1V125CA
F5AZ1125CA
F5AZ1125A
YW7Z1V125D

10-51270




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51270

MATERIAL
TYPE-1

WEIGHT
8,24 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
290.8	65.7	26.2	24.75	71.8	114.3	5

LINCOLN

MODEL	START Y.	END Y.
Town Car	1995	1997



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
C23Y26251A
C26Y26251
C26Y26251A

10-51259



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51259

MATERIAL
TYPE-1

WEIGHT
5,06 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301.7	40.7	11	9	72	114.3	5

MAZDA

MODEL	START Y.	END Y.
5 (CR19)	2005/02	2010/12
5 (CW)	2010/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
YS4Z1V125D

10-51269



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51269
MATERIAL TYPE-1
WEIGHT 5,52 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256.6	45	22	20	55	100	4

MAZDA			
MODEL		START Y.	END Y.
Protege		1990	1998




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
902421061264
9024210312
9024210412



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51308

MATERIAL
TYPE-1

WEIGHT
6,70 KG

BALANCING
100 %



10-51308

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275.7	77	22	19	85	130	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
SPRINTER 2-t Bus (B901. B902)	1995/01	2006/05
SPRINTER 2-t Platform/Chassis (B901. B902)	1995/01	2006/05
SPRINTER 2-t Van (B901. B902)	1995/01	2006/05
SPRINTER 3-t Bus (B903)	1995/01	2012/05
SPRINTER 3-t Platform/Chassis (B903)	1995/01	2012/05
SPRINTER 3-t Van (B903)	1995/01	2012/05
SPRINTER 4-t Bus (B904)	1996/02	2006/05
SPRINTER 4-t Platform/Chassis (B904)	1995/02	2012/05
SPRINTER 4-t Van (B904)	1995/02	2012/05
SPRINTER CLASSIC 3.5-t Van (B909)	2013/09	
SPRINTER CLASSIC 4.6-t Van (B909)	2017/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
YS4Z1V125D

10-51269



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51269
MATERIAL TYPE-1
WEIGHT 5,52 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256.6	45	22	20	55	100	4

MERCURY

MODEL	START Y.	END Y.
Tracer	1991	1999




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:

YW7Z1V125D
YW7Z1V125CA
F5AZ1125CA
F5AZ1125A
YW7Z1V125D
10-51270




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51270

MATERIAL
TYPE-1

WEIGHT
8,24 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
290.8	65.7	26.2	24.75	71.8	114.3	5

MERCURY

MODEL	START Y.	END Y.
Grand Marquis	1995	1997




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34116864439
34116866297
34118835362




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51149

MATERIAL
TYPE-1

WEIGHT
6,37 KG

BALANCING
100 %



10-51149

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	45,2	22	20,4	67	112	5+1

MINI

MODEL	START Y.	END Y.
MINI (F55)	2013/09	
MINI (F56)	2013/12	
MINI CLUBMAN (F54)	2014/11	
MINI Convertible (F57)	2014/11	
MINI COUNTRYMAN (F60)	2016/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
40206JL00A
40206JL00B

10-51187



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51187

MATERIAL
TYPE-1

WEIGHT
13,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
354,8	49,15	32	30	68	114,3	5+1

NISSAN

MODEL	START Y.	END Y.
370Z Coupe (Z34)	2009/01	
370Z Roadster (Z34)	2009/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
40206JR70B
40206JR70C
402064KJ1B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51310

MATERIAL
TYPE-1

WEIGHT
8,61 KG

BALANCING
100 %



10-51310

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	53.1	28	26	68	114.3	6

NISSAN

MODEL	START Y.	END Y.
NP300 NAVARA (D40)	2004/10	
NP300 NAVARA Pickup (D23. D23T)	2014/07	
NP300 NAVARA Platform/Chassis (D40)	2008/07	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1670945780

10-50922



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
267,7	35	12	10	71	108	4+2

OPEL

MODEL	START Y.	END Y.
CORSA F (P2JO)	2019/07	
MOKKA	2020/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
569004

10-51214



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51214

MATERIAL
TYPE-1

WEIGHT
8,69KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	45,2	28	25	70	110	7+1

OPEL


MODEL	START Y.	END Y.
SIGNUM Hatchback (Z03)	2003/05	2008/12
VECTRA C (Z02)	2002/04	2009/01
VECTRA C Estate (Z02)	2003/10	2009/01
VECTRA C GTS (Z02)	2002/08	2009/01



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1670945780

10-50922



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
267,7	35	12	10	71	108	4+2

PEUGEOT


MODEL	START Y.	END Y.
208 II (UD_, US_, UY_, UK_)	2019/08	
208 II (UB_, UP_, UW_, UJ_)	2019/06	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1618862580

10-51309



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51309

MATERIAL
TYPE-1

WEIGHT
7,51 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283	48	26	24	71	108	5+2

PEUGEOT

MODEL	START Y.	END Y.
407 (6D_)	2004/02	2011/12
407 SW (6E_, 6D_)	2004/05	2011/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68276444AA

10-51198



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51198

MATERIAL
TYPE-1

WEIGHT
8,32 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	45,7	28	25,5	59	98	5+5

RAM

MODEL	START Y.	END Y.
ProMaster City	2015	2021



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
93171500

10-51214



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	45,2	28	25	70	110	7+1

SAAB

MODEL	START Y.	END Y.
9-3 (YS3F. E79. D79. D75)	2002/09	2015/02
9-3 Convertible (YS3F)	2003/08	2015/02
9-3 Estate (E50)	2005/03	2015/02
9-3X (YS3)	2009/02	2015/02




BRAKE DISC

• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
4840134100
4840134101
4840135100



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51250

MATERIAL
TYPE-1

WEIGHT
4,56 KG

BALANCING
100 %



10-51250

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	58	10	8,4	67	112	5+2

SSANGYONG

MODEL	START Y.	END Y.
ACTYON II	2012/08	
KORANDO (CK)	2010/07	
KORANDO VAN	2010/07	
TIVOLI	2015/01	
XLV SUV	2016/04	
XLV VAN	2016/04	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
435120D210

10-51212



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51212
MATERIAL TYPE-1
WEIGHT 5,84 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	46,2	22	20	55	100	4+2

TOYOTA		
MODEL	START Y.	END Y.
YARIS (_P13_)	2010/12	
YARIS Hatchback Van (_P13_)	2012/10	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
SU001B2510

10-51309



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51309
MATERIAL TYPE-1
WEIGHT 7,51 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
283	48	26	24	71	108	5+2


TOYOTA			
MODEL		START Y.	END Y.
PROACE CITY Box Body/MPV		2019/10	
PROACE CITY VERSO MPV		2019/10	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1670945780

10-50922



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50922

MATERIAL
TYPE-1

WEIGHT
4,3 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
267,7	35	12	10	71	108	4+2

VAUXHALL

MODEL	START Y.	END Y.
CORSA Mk V (F)	2019/07	
MOKKA	2020/06	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
93171500

10-51214



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51214

MATERIAL
TYPE-1

WEIGHT
8,69KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	45,2	28	25	70	110	7+1

VAUXHALL

MODEL	START Y.	END Y.
SIGNUM (Z03)	2003/03	2008/10
VECTRA Mk II (C) (Z02)	2000/01	2008/10
VECTRA Mk II (C) Estate (Z02)	2003/10	2009/05
VECTRA Mk II (C) GTS (Z02)	2002/08	2009/05




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
52008315

13-51264



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51264

MATERIAL
TYPE-1

WEIGHT
11,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
343.7	95.8	279	281.6	78.5	139.7	5

DODGE

MODEL	START Y.	END Y.
RAM 1500	1994	1999




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
584111G000

13-51183



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51183

MATERIAL
TYPE-1

WEIGHT
3,98 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
243.3	57.65	203.2	205.2	62.5	100	4+2

HYUNDAI

MODEL	START Y.	END Y.
ACCENT III (MC)	2005/08	2010/12
ACCENT III Saloon (MC)	2005/11	2012/12
i10 I (PA)	2007/10	
i10 II (BA. IA)	2013/08	
i10 II Saloon	2013/12	
i10 III (AC3. AI3)	2019/09	
i20 I (PB. PBT)	2008/08	
i20 II (GB. IB)	2014/11	
i20 II Hatchback Van (GB. IB)	2014/11	




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
584111G000

13-51183



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
13-51183

MATERIAL
TYPE-1

WEIGHT
3,98 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
243.3	57.65	203.2	205.2	62.5	100	4+2

KIA

MODEL	START Y.	END Y.
RIO II (JB)	2005/03	2011/12
RIO II Saloon (JB)	2005/03	2011/12

