



AUTOMOTIVE INDUSTRY

new to range

SPEED TO MARKET SECOND TO NONE



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY



JULY 2024

www.aydtr.com

INDEX BRAKE DISC

ALFA ROMEO	3
AUDI	4
CADILLAC	5
CHRYSLER	6
CITROEN	7
FIAT	8
FORD	9-10
HYUNDAI	11
INFINITI	12
JAGUAR	13
LANCIA	14
LAND ROVER	15
LEXUS	16-20
MERCEDES BENZ	21-25
MITSUBISHI	26
NISSAN	27-29
OPEL	30-31
PEUGEOT	32
RENAULT	33
SAAB	34
SEAT	35
SKODA	36
SUBARU	37
TOYOTA	38-42
VAUXHALL	43-44
VOLVO	45
VOLKSWAGEN	46-50


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
6001073198 / 60771548 / 82410539



10-51033

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	43.6	22	20.2	59	98	5+5

ALFA ROMEO

MODEL	START Y.	END Y.
147 (937_)	2000/10	2010/12
156 (932_)	1997/09	2005/10
156 Sportwagon (932_)	1997/02	2006/05
164 (164_)	1987/01	1998/10
GT (937_)	2003/11	2010/09
GTV (916_)	1994/09	2005/10
SPIDER (916_)	1994/09	2005/04




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
8J0615301G / 8J0615301



10-51245

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	49.6	30	28	65	112	5+1

AUDI

MODEL	START Y.	END Y.
TT (8J3)	2006/07	2015/01
TT Roadster (8J9)	2007/03	2014/06




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
95526643



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51368

MATERIAL
TYPE-1

WEIGHT
9.44 KG

BALANCING
100 %



10-51368

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	44.85	28	25	70	110	7+1

CADILLAC

MODEL	START Y.	END Y.
BLS	2006/04	
BLS Wagon	2007/12	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5135505AA / 5135505AB



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51369

MATERIAL
TYPE-1

WEIGHT
7.24 KG

BALANCING
100 %



10-51369

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	55.2	22	19.4	67	112	5+1

CHRYSLER

MODEL	START Y.	END Y.
CROSSFIRE	2003/07	2008/12
CROSSFIRE Roadster	2004/05	2008/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4249L5 / 1612090780



10-51240

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257.2	38.3	17	15.4	64	100	4+2

CITROËN

MODEL	START Y.	END Y.
C-ZERO	2010/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51990127 / 71711434 / 60578093



10-51033

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	43.6	22	20.2	59	98	5+5

FIAT

MODEL	START Y.	END Y.
500L (351_. 352_)	2012/09	
DOBLO Bus (263_)	2009/11	
DOBLO Cargo (263_)	2010/02	
DOBLO Platform/Chassis (263_)	2010/02	
QUBO (225_)	2008/02	
TIPO Estate (356_. 357_)	2016/03	
TIPO Hatchback (356_. 357_)	2016/03	
TIPO Saloon (356_. 357_)	2015/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2095058 / H1BC1125A1A



10-51241

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	44	23	21	63.5	108	4

FORD

MODEL	START Y.	END Y.
FIESTA VII (HJ, HF)	2017/05	
FIESTA VII Van	2018/09	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
YM212A315AB



10-51364

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	41.2	13.5	11.5	68.2	112	5+1

FORD

MODEL	START Y.	END Y.
GALAXY I (WGR)	1995/03	2006/05




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
584112H300



10-51124

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
262	61	10	8.4	76	114.3	5+3

HYUNDAI

MODEL	START Y.	END Y.
ELANTRA IV Saloon (HD)	2005/11	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
43206JL00A



10-51334

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	62	20	18	68	114.3	5+1

INFINITI

MODEL	START Y.	END Y.
G Convertible	2010/09	
G Coupe	2007/09	
G Saloon	2007/01	
Q60 Convertible	2013/10	
Q60 Coupe	2013/08	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
T4N1744



10-51367

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	42	20	18	63.5	107.95	5+1

JAGUAR

MODEL	START Y.	END Y.
XE (X760)	2015/03	
XF II (X260)	2015/05	
XF SPORTBRAKE (X260)	2017/07	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
6001073198 / 71711434 / 60569386



10-51033

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	43.6	22	20.2	59	98	5+5

LANCIA

MODEL	START Y.	END Y.
THEMA (834_)	1984/11	1994/07
THEMA SW (834_)	1987/03	1994/07




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
LR031846 / LR011891



AYD NO
10-51346

MATERIAL
TYPE-1

WEIGHT
10.62 KG

BALANCING
100 %



10-51346

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
365	75	20	17	79	120	5+2

LAND ROVER

MODEL	START Y.	END Y.
RANGE ROVER III (L322)	2002/03	2012/12




BRAKE DISC

- Front Axle Left
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351622011 / 4351622010



10-51335

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	50.9	30	27	62	114.3	5+2

LEXUS

MODEL	START Y.	END Y.
GS (_L1_)	2011/08	
GS (_S19_)	2005/01	2012/12
IS III (_E3_)	2013/04	
RC (_C1_)	2014/08	




BRAKE DISC

- Front Axle Right
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351222260 / 4351222261



10-51336

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	50.9	30	27	62	114.3	5+2

LEXUS

MODEL	START Y.	END Y.
GS (_L1_)	2011/08	
GS (_S19_)	2005/01	2012/12
IS III (_E3_)	2013/04	
RC (_C1_)	2014/08	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351260171



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51337

MATERIAL
TYPE-1

WEIGHT
8.67 KG

BALANCING
100 %



10-51337

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
313	69.8	32	30	115	144	5

LEXUS

MODEL	START Y.	END Y.
LX (UZJ100)	1997/09	2008/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351260180



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51353

MATERIAL
TYPE-1

WEIGHT
10.60 KG

BALANCING
100 %



10-51353

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	83.3	32	29	112	150	5+2

LEXUS

MODEL	START Y.	END Y.
LX (_J2_)	2007/08	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4243160290



10-51354

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	76.3	18	16	112	150	5+8

LEXUS

MODEL	START Y.	END Y.
LX (_J2_)	2007/08	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
247421031207 / 2474210312



10-51229

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	51	24	21,4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W177)	2018/03	
A-CLASS Saloon (V177)	2018/09	
B-CLASS Sports Tourer (W247)	2018/12	
CLA (C118)	2019/03	
CLA Shooting Brake (X118)	2019/06	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
901423101264 / 901423061264 /
901423081204



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51254

MATERIAL
TYPE-1

WEIGHT
6,27 KG

BALANCING
100 %



10-51254

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	96,7	12	10	85	130	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
G-CLASS (W463)	1989/09	
SPRINTER 2-t Bus (B901. B902)	1995/01	2006/05
SPRINTER 2-t Platform/Chassis (B901. B902)	1995/01	2006/05
SPRINTER 2-t Van (B901. B902)	1995/01	2006/05
SPRINTER 3-t Bus (B903)	1995/01	2012/05
SPRINTER 3-t Platform/Chassis (B903)	1995/01	2012/05
SPRINTER 3-t Van (B903)	1995/01	2012/05
SPRINTER 4-t Platform/Chassis (B904)	1995/02	2012/05
SPRINTER 4-t Van (B904)	1995/02	2012/05




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
221423101207 / 2214231012 /
2214230412



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51356

MATERIAL
TYPE-1

WEIGHT
8.33 KG

BALANCING
100 %



10-51356

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	58.5	24	21.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
S-CLASS (W221)	2005/09	2013/12
S-CLASS Coupe (C216)	2006/05	2013/12
SL (R230)	2001/10	2012/01




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
230423071264 / 2304230712



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51366

MATERIAL
TYPE-1

WEIGHT
4.97 KG

BALANCING
100 %



10-51366

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	58.1	10	8.3	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
SL (R230)	2001/10	2012/01




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
210423081264 / 2104230812



10-51369

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	55.2	22	19.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-CLASS (W202)	1993/03	2000/05
C-CLASS (W203)	2000/05	2007/12
C-CLASS Coupe (CL203)	2001/03	2011/06
C-CLASS T-Model (S202)	1996/06	2001/03
C-CLASS T-Model (S203)	2001/03	2007/08
CLK (C208)	1997/06	2003/12
CLK (C209)	2002/05	2010/03
CLK Convertible (A208)	1998/03	2002/03
CLK Convertible (A209)	2002/06	2010/03
E-CLASS (W210)	1995/06	2003/08
SLK (R170)	1996/04	2004/04




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4615A219 / 4615A093



10-51240

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257.2	38.3	17	15.4	64	100	4+2

MITSUBISHI

MODEL	START Y.	END Y.
i (HA_)	2006/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
402069X200 / 4020671U01 /
402066U00



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51343

MATERIAL
TYPE-1

WEIGHT
7.15 KG

BALANCING
100 %



10-51343

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	49.5	24.2	22	96.1	118	5

NISSAN

MODEL	START Y.	END Y.
CABSTAR E (TL_, VL_)	1992/07	2006/11




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
43206JL00A




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51334

MATERIAL
TYPE-1

WEIGHT
8.95 KG

BALANCING
100 %



10-51334

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	62	20	18	68	114.3	5+1

NISSAN

MODEL	START Y.	END Y.
370Z Coupe (Z34)	2009/01	
370Z Roadster (Z34)	2009/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
40206CD005 / 40206CD000 /
D0206CD00CNW



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51350

MATERIAL
TYPE-1

WEIGHT
9.16 KG

BALANCING
100 %



10-51350

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
324	49	30	28.4	68	114.3	5+1

NISSAN

MODEL	START Y.	END Y.
350Z Coupe (Z33)	2002/09	2009/12
350Z Roadster (Z33)	2002/09	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
52017292



10-51033

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	43.6	22	20.2	59	98	5+5

OPEL

MODEL	START Y.	END Y.
COMBO Box Body/MPV (X12)	2012/02	
COMBO Tour (X12)	2012/02	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
569005 / 95526643



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51368

MATERIAL
TYPE-1

WEIGHT
9.44 KG

BALANCING
100 %



10-51368

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	44.85	28	25	70	110	7+1

OPEL

MODEL	START Y.	END Y.
SIGNUM Hatchback (Z03)	2003/05	2008/12
VECTRA C (Z02)	2002/04	2009/01
VECTRA C Estate (Z02)	2003/10	2009/01
VECTRA C GTS (Z02)	2002/08	2009/01




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1612090780 / 4249L5



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51240

MATERIAL
TYPE-1

WEIGHT
3,97 KG

BALANCING
100 %



10-51240

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257.2	38.3	17	15.4	64	100	4+2

PEUGEOT

MODEL	START Y.	END Y.
ION	2010/11	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
7701208848 / 8660001230



10-51344

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44	24	21.8	61	108	5+2

RENAULT

MODEL	START Y.	END Y.
MEGANE II (BM0/1_. CM0/1_)	2001/07	2012/10
MEGANE II Coupé-Cabriolet (EM0/1_)	2003/09	2010/03
MEGANE II Estate (KM0/1_)	2003/08	2012/08
MEGANE II Saloon (LM0/1_)	2003/08	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
24435132



10-51368

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	44.85	28	25	70	110	7+1

SAAB

MODEL	START Y.	END Y.
9-3 (YS3F, E79, D79, D75)	2002/09	2015/02
9-3 Convertible (YS3F)	2003/08	2015/02
9-3 Estate (E50)	2005/03	2015/02
9-3X (YS3)	2009/02	2015/02




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
7D0615601A



10-51364

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	41.2	13.5	11.5	68.2	112	5+1

SEAT

MODEL	START Y.	END Y.
ALHAMBRA (7V8, 7V9)	1996/04	2010/03
ALHAMBRA VAN (7V8, 7V9)	1996/03	2010/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4B0615301B



10-51342

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	46.3	25	23	68	112	10

SKODA

MODEL	START Y.	END Y.
SUPERB I (3U4)	2001/12	2008/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
26300FE070 / SU00306805



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51338

MATERIAL
TYPE-1

WEIGHT
10.38 KG

BALANCING
100 %



10-51338

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
326	52.7	30	28	58	114.3	5+2

SUBARU

MODEL	START Y.	END Y.
IMPREZA Estate (GG)	2000/10	2008/12
IMPREZA Hatchback (GR. GH. G3)	2007/03	2014/05
IMPREZA Saloon (GD)	1999/09	2009/06
IMPREZA Saloon (GE. GV)	2007/01	
WRX Saloon (GJ)	2011/07	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351205030



10-50432

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	49.1	25	23	55	100	5+2

TOYOTA

MODEL	START Y.	END Y.
AVENSIS (_T22_)	1997/09	2003/02
AVENSIS Estate (_T22_)	1997/09	2003/02
AVENSIS Liftback (_T22_)	1997/09	2003/02




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4243147050 / 4243147080



10-51330

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
290	53.5	12	10.5	62	114.3	5+3

TOYOTA

MODEL	START Y.	END Y.
MIRAI (JPD1_)	2014/12	2020/05
PRIUS PLUS (_W4_)	2011/05	
PRIUS PLUS VAN (_W4_)	2011/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351260171 / 4351260170 /
4351260130



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51337

MATERIAL
TYPE-1

WEIGHT
8.67 KG

BALANCING
100 %



10-51337

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
313	69.8	32	30	115	144	5

TOYOTA

MODEL	START Y.	END Y.
LAND CRUISER 100 (_J1_)	1998/01	2008/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351260180



10-51353

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	83.3	32	29	112	150	5+2

TOYOTA

MODEL	START Y.	END Y.
LAND CRUISER 200 (_J2_)	2007/08	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4243160290



10-51354

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	76.3	18	16	112	150	5+8

TOYOTA

MODEL	START Y.	END Y.
LAND CRUISER 200 (_J2_)	2007/08	
TUNDRA Pickup (_K5_. _K6_)	2006/11	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
95515331 / 95511282



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51033

MATERIAL
TYPE-1

WEIGHT
6.23 KG

BALANCING
100 %



10-51033

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	43.6	22	20.2	59	98	5+5

VAUXHALL

MODEL	START Y.	END Y.
COMBO Mk III (D) Box Body/MPV (X12)	2011/11	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
93171606 / 95526643



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51368

MATERIAL
TYPE-1

WEIGHT
9.44 KG

BALANCING
100 %



10-51368

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	44.85	28	25	70	110	7+1

VAUXHALL

MODEL	START Y.	END Y.
SIGNUM (Z03)	2003/03	2008/10
VECTRA Mk II (C) (Z02)	2000/01	2008/10
VECTRA Mk II (C) Estate (Z02)	2003/10	2009/05
VECTRA Mk II (C) GTS (Z02)	2002/08	2009/05




BRAKE DISC

- Rear
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
31423721



10-51332

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	43	12	9.5	63.6	108	5+1

VOLVO

MODEL	START Y.	END Y.
S60 III (224)	2019/02	
S90 II (234)	2016/01	
V60 II (225)	2018/02	
V60 II Cross Country (227)	2018/02	
V90 II Cross Country (236)	2016/03	
V90 II Estate (235)	2016/03	
XC60 II (246)	2017/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
7E0615301F / 7E0615301C



10-51230

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	55,5	32,5	28,5	76	120	5+1

VW

MODEL	START Y.	END Y.
CALIFORNIA T5 Camper (7EC. 7EF. 7EG. 7HF)	2003/04	2015/08
CALIFORNIA T6 Camper (SGC. SGG. SHC)	2015/04	
MULTIVAN T5 (7HM. 7HN. 7HF. 7EF. 7EM. 7EN)	2003/04	2015/08
MULTIVAN T6 (SGF. SGM. SGN. SHM. SHN)	2015/04	
TRANSPORTER T5 Bus (7HB. 7HJ. 7EB. 7EJ)	2003/04	2015/08
TRANSPORTER T5 Platform/Chassis (7JD.7JE.7JL.7JY.7JZ.7F	2003/04	2015/08
TRANSPORTER T5 Van (7HA. 7HH. 7EA. 7EH)	2003/04	
TRANSPORTER T6 / CARAVELLE T6 Bus(SGB. SGJ. SHB. SHJ)	2015/04	
TRANSPORTER T6 Platform/Chassis(SFD.SFE.SFL.SFZ.SJD.SJ	2015/04	
TRANSPORTER T6 Van (SGA. SGH. SHA. SHH)	2015/04	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2D0615601 / 2D0615601C /
2D0501206



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51254

MATERIAL
TYPE-1

WEIGHT
6,27 KG

BALANCING
100 %



10-51254

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	96,7	12	10	85	130	5+1

VW

MODEL	START Y.	END Y.
LT 28-35 II Bus (2DB. 2DE. 2DK)	1996/04	2006/07
LT 28-46 II Platform/Chassis(2DC.2DF.2DG.2DL.2DM)	1996/04	2006/07
LT 28-46 II Van (2DA. 2DD. 2DH)	1996/04	2006/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4B0615301B / JZW615301B



10-51342

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	46.3	25	23	68	112	10

VW

MODEL	START Y.	END Y.
PASSAT B5 (3B2)	1996/08	2001/12
PASSAT B5 Variant (3B5)	1997/05	2001/12
PASSAT B5.5 (3B3)	2000/10	2005/12
PASSAT B5.5 Variant (3B6)	2000/09	2005/08




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
3QF615301 / 3QF615301C /
3QF615301F



10-51362

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
335	49.65	30	27	65	112	9+1

VW

MODEL	START Y.	END Y.
ATLAS (CA1. CA2. CA3)	2016/12	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
7D0615601C



10-51364

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	41.2	13.5	11.5	68.2	112	5+1

VW

MODEL	START Y.	END Y.
SHARAN (7M8. 7M9. 7M6)	1995/05	2010/03
SHARAN VAN (7M_)	1995/05	2010/03
TRANSPORTER T4 Bus(70B.70C.7DB.7DK.70J.70K.7DC. 7DJ)	1990/09	2004/08
TRANSPORTER T4 Platform/Chassis(70E.70L.70M.7DE.7DL.7D)	1990/07	2003/04
TRANSPORTER T4 Van (70A. 70H. 7DA. 7DH)	1990/07	2003/04

