



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

AUGUST 2024



www.aydtr.com

INDEX

BRAKE DISC

AUDI	3-4
BMW	5-6
DODGE	7
ISUZU	8
JAGUAR	9
LAND ROVER	10-14
MERCEDES BENZ	15-19
NISSAN	20-21
OPEL	22
RENAULT	23-26
SUBARU	27
VAUXHALL	28
VOLVO	29-33

BRAKE DRUM

NISSAN	34
VOLVO	35

BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
8W0615301P / 8W0615301AB

10-51360



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51360

MATERIAL
TYPE-1

WEIGHT
11.37 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
337.7	57.3	30	28	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A4 Allroad B9 (8WH. 8WJ)	2016/01	
A4 B9 (8W2. 8WC)	2015/05	
A4 B9 Avant (8W5. 8WD)	2015/08	
A5 (F53. F5P)	2016/06	
A5 Convertible (F57. F5E)	2016/11	
A5 Sportback (F5A. F5F)	2016/06	
A6 C8 (4A2)	2018/02	
A6 C8 Avant (4A5)	2018/05	
A7 Sportback (4KA)	2017/10	
Q5 (FYB. FYG)	2016/05	
Q5 Sportback (FYT)	2020/11	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
8K0615301M / 8K0615301Q /
8K0615301K




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51373

MATERIAL
TYPE-1

WEIGHT
11.29 KG

BALANCING
100 %



10-51373

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	51.85	29.5	28	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A4 B8 (8K2)	2007/08	2017/06
A4 B8 Avant (8K5)	2007/11	2017/06
A5 (8T3)	2007/06	2017/10
A5 Convertible (8F7)	2009/02	2017/10
A5 Sportback (8TA)	2007/07	2017/10
Q5 (8RB)	2008/11	2019/04
Q5 Van (8RB)	2008/11	2017/12



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
34212229379 / 2229379

10-51374



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51374

MATERIAL
TYPE-1

WEIGHT
7.39 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
328	61.2	20	18.4	75	120	5+2

BMW

MODEL	START Y.	END Y.
3 Convertible (E46)	2000/04	2007/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
34116886481 / 34116793243 /
34116771982

10-51375



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51375

MATERIAL
TYPE-1

WEIGHT
14.4 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
365	62.1	36	34.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
X5 (E70)	2006/02	2013/07
X6 (E71. E72)	2007/06	2015/12
X6 (F16. F86)	2014/08	2019/07



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5114479AA / 5114479AB

10-51339



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51339

MATERIAL
TYPE-1

WEIGHT
7,08 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285	72.2	22	19	85	130	5+1

DODGE


MODEL	START Y.	END Y.
SPRINTER 2500 Standard Cargo Van (VA)	1992/09	2006/12



BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51359

MATERIAL
TYPE-1

WEIGHT
6.74 KG

BALANCING
100 %



OE:
8943754251 / 8970340361 /
8970460811

10-51359

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
313	80.2	18	16	101	139.7	6+1

ISUZU

MODEL	START Y.	END Y.
AXIOM SUV	2001/09	2004/12
MU (_U_)	1989/02	2002/08
RODEO Closed Off-Road Vehicle	1997/09	2004/08
RODEO Closed Off-Road Vehicle	1990/09	1997/12
TFR/TFS Pickup (TF_)	1988/09	2002/12
TROOPER II (UB)	1991/08	2000/04
TROOPER II Open Off-Road Vehicle (UB)	1991/08	1998/07
TROOPER III	1998/05	2004/08
TROOPER III Open Off-Road Vehicle	2000/04	2004/08
VEHICROSS (_U_)	1997/04	2001/12
WIZARD (_U_)	1993/01	2004/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
C2P26267 / C2C25336

10-51345




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51345

MATERIAL
TYPE-1

WEIGHT
10,45 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
326	46.2	30	28	71.1	107.95	5

JAGUAR

MODEL	START Y.	END Y.
S-TYPE II (X200)	1998/10	2008/12
XF I (X250)	2008/03	2015/04
XF SPORTBRAKE (X250)	2012/09	2015/12
XJ (X350. X358)	2003/03	2009/03
XK II Convertible (X150)	2006/03	2014/07
XK II Coupe (X150)	2006/03	2014/12



BRAKE DISC

• Rear Axle


• solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
SDB000470 / NTC8781

10-51331



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
304	62.75	12.6	11.7	70.1	120	5+1

LAND ROVER

MODEL	START Y.	END Y.
DISCOVERY II (L318)	1998/10	2004/08
RANGE ROVER II (P38A)	1994/07	2002/03
RANGE ROVER III (L322)	2002/03	2012/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
LR098968 / LR161894

10-51333




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51333

MATERIAL
TYPE-1

WEIGHT
16.39 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
380	62	34	32	79	120	5+1

LAND ROVER

MODEL	START Y.	END Y.
DEFENDER Station Wagon (L663)	2019/09	
DEFENDER Van (L663)	2020/02	
DISCOVERY V (L462)	2016/09	
DISCOVERY V VAN (L462)	2016/09	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
LR001019

10-51358



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51358

MATERIAL
TYPE-1

WEIGHT
7.38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	66.1	20	18	63.6	108	5+2

LAND ROVER

MODEL	START Y.	END Y.
FREELANDER 2 (L359)	2006/10	2015/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
SDB500182 / SDB500181 /
SDB500220




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51371

MATERIAL
TYPE-1

WEIGHT
12.07 KG

BALANCING
100 %



10-51371

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
344	76.1	30	27	79	120	5+1

LAND ROVER

MODEL	START Y.	END Y.
RANGE ROVER III (L322)	2002/03	2012/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
LR016192

10-51372




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51372

MATERIAL
TYPE-1

WEIGHT
10.11 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
365	59.5	20	17	79	120	5+2

LAND ROVER

MODEL	START Y.	END Y.
RANGE ROVER SPORT I (L320)	2005/02	2013/03



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
9034210112 / 903421011264 /
9034210012

10-51339



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285	72.2	22	19	85	130	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
SPRINTER 3-t Bus (B903)	1995/01	2012/05
SPRINTER 3-t Platform/Chassis (B903)	1995/01	2012/05
SPRINTER 3-t Van (B903)	1995/01	2012/05
SPRINTER 4-t Bus (B904)	1996/02	2006/05
SPRINTER 4-t Platform/Chassis (B904)	1995/02	2012/05
SPRINTER 4-t Van (B904)	1995/02	2012/05



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
0004211712 / 2184210212 /
000421171207

10-51347



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51347

MATERIAL
TYPE-1

WEIGHT
15,20 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	51.6	36	34	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
CLS (C218)	2011/01	2017/12
CLS Shooting Brake (X218)	2012/10	2017/12



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1664230700 / 1664230212

10-51355




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51355

MATERIAL
TYPE-1

WEIGHT
8.47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	54	22	19.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
GL-CLASS (X166)	2012/07	2015/12
GLE (W166)	2015/04	2018/10
GLE Coupe (C292)	2015/03	2019/10
GLS (X166)	2015/11	2019/04
M-CLASS (W166)	2011/06	2015/12



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
000423111207 / 0004231112 /
2194230012

10-51357




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51357

MATERIAL
TYPE-1

WEIGHT
8.47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	68.25	24	21.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
CLS (C218)	2011/01	2017/12
CLS (C219)	2004/10	2011/02
CLS Shooting Brake (X218)	2012/10	2017/12
E-CLASS (W211)	2002/03	2009/03
E-CLASS (W212)	2009/01	2016/12
E-CLASS T-Model (S212)	2009/08	2016/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4474210012 / 447421001207

10-51370



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	58.6	32	28	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
MARCO POLO Camper (W447)	2015/03	
V-CLASS (W447)	2014/03	
VITO Mixto (Double Cabin) (W447)	2014/10	
VITO Tourer (W447)	2014/10	
VITO Van (W447)	2014/10	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
402069CE0B / 40206ZS60A /
D0206ZS60CNW

10-51351



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
319.75	38.15	28	26	68	114.3	6

NISSAN

MODEL	START Y.	END Y.
PATHFINDER III (R51)	2005/01	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
43206CD005 / 43206CD000 /
D3206CD00CNW



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51352

MATERIAL
TYPE-1

WEIGHT
8,10 KG

BALANCING
100 %



10-51352

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
322.2	62.1	22	20.2	68	114.3	5+1

NISSAN


MODEL	START Y.	END Y.
350Z Coupe (Z33)	2002/09	2009/12
350Z Roadster (Z33)	2002/09	2009/12
SKYLINE Coupe (R33)	1993/07	2000/07
SKYLINE Coupe (R34)	1998/01	2008/02



BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51359

MATERIAL
TYPE-1

WEIGHT
6.74 KG

BALANCING
100 %



OE:
569104 / 569106 / 97034036

10-51359

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
313	80.2	18	16	101	139.7	6+1

OPEL

MODEL	START Y.	END Y.
FRONTERA A (U92)	1992/03	1998/10
FRONTERA A Sport (U92)	1992/03	1998/10
FRONTERA B (U99)	1998/09	2004/07
MONTEREY A (M92)	1991/08	1998/07
MONTEREY B (M98)	1998/07	1999/08




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
432000166R / 432024629R /
432009292R




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51205

MATERIAL
TYPE-1

WEIGHT
5.78 KG

BALANCING
100 %



10-51205

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	86.15	8	7	55	114.3	5

RENAULT

MODEL	START Y.	END Y.
MEGANE IV Grandtour (K9A/M/N_)	2016/04	
MEGANE IV Hatchback (B9A/M/N_)	2015/11	



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
432000166R-B

10-51205B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51205B

MATERIAL
TYPE-1

WEIGHT
6.40 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	86.15	8	7	55	114.3	5

RENAULT

MODEL	START Y.	END Y.
MEGANE IV Grandtour (K9A/M/N_)	2016/04	
MEGANE IV Hatchback (B9A/M/N_)	2015/11	




BRAKE DISC

• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51263

MATERIAL
TYPE-1

WEIGHT
3.92 KG

BALANCING
100 %



OE:
7700828882 / 7701207611

10-51263

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
238	74.5	8	7	52	100	4

RENAULT


MODEL	START Y.	END Y.
CLIO II (BB_, CB_)	1998/03	2016/12



BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51263B

MATERIAL
TYPE-1

WEIGHT
4.33 KG

BALANCING
100 %



OE:
7701207611-B

10-51263B

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
238	74.5	8	7	52	100	4

RENAULT

MODEL	START Y.	END Y.
CLIO II (BB_, CB_)	1998/03	2016/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
26300AG000 / 26300AG001 /
26300AG02A

10-51341



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51341

MATERIAL
TYPE-1

WEIGHT
10,06 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315.5	56.9	30	28	58	100	5+2

SUBARU

MODEL	START Y.	END Y.
FORESTER (SJ_)	2012/11	
LEGACY IV (BL)	2003/09	2015/12
LEGACY IV Estate (BP)	2003/09	2009/12
LEGACY V (BM)	2009/05	
LEGACY V Estate (BR)	2008/06	2014/12
OUTBACK (BR)	2009/06	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
91151563 / 94375425 / 97034036

10-51359




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51359

MATERIAL
TYPE-1

WEIGHT
6.74 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
313	80.2	18	16	101	139.7	6+1

VAUXHALL

MODEL	START Y.	END Y.
FRONTERA Mk I (A) (U92)	1991/09	1998/10
FRONTERA Mk I (A) Sport (U92)	1992/03	1998/10
FRONTERA Mk II (B) (U99)	1998/10	2004/10
MONTEREY (M92)	1991/09	1998/07
MONTEREY Mk II (M98)	1998/07	1999/08



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
31423325 / 30736406 / 30636074

10-51340



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
316	50.3	28	28	68	108	5+5

VOLVO

MODEL	START Y.	END Y.
S60 I (384)	2000/07	2010/04
XC90 I (275)	2002/06	2015/01
XC90 I VAN (275)	2002/06	2015/01



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
32300811 / 31471752 / 31400568

10-51348



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	48	30	27.5	63.6	108	5+1

VOLVO

MODEL	START Y.	END Y.
C40 (539)	2021/10	
S60 III (224)	2019/02	
S90 II (234)	2016/01	
V60 II (225)	2018/02	
V60 II Cross Country (227)	2018/02	
V90 II Cross Country (236)	2016/03	
V90 II Estate (235)	2016/03	
XC40 (536)	2017/10	
XC60 II (246)	2017/03	
XC90 II (256)	2014/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
31423722

10-51349



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51349

MATERIAL
TYPE-1

WEIGHT
8,55 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	48	28	25.5	63.5	108	5+1

VOLVO

MODEL	START Y.	END Y.
S60 III (224)	2019/02	
S90 II (234)	2016/01	
V60 II (225)	2018/02	
V60 II Cross Country (227)	2018/02	
V90 II Cross Country (236)	2016/03	
V90 II Estate (235)	2016/03	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
31665446 / 31471413 / 31423724

10-51361




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51361

MATERIAL
TYPE-1

WEIGHT
10 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
322	48	28	25.5	63.6	108	5+1

VOLVO


MODEL	START Y.	END Y.
S60 III (224)	2019/02	
S90 II (234)	2016/01	
V60 II (225)	2018/02	
V60 II Cross Country (227)	2018/02	
V90 II Cross Country (236)	2016/03	
V90 II Estate (235)	2016/03	
XC40 (536)	2017/10	
XC60 II (246)	2017/03	



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality




AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51363

MATERIAL
TYPE-1

WEIGHT
10.84 KG

BALANCING
100 %



OE:
31423305 / 31423214 / 314233050

10-51363

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
324	52	28	26	63.6	108	5+1

VOLVO

MODEL	START Y.	END Y.
XC60 I SUV (156)	2008/05	2017/12




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
432061HL0C / 432061HL0B /
432061HL0A

13-51306



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51306

MATERIAL
TYPE-1

WEIGHT
6,66 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	75	203.3	204.2	55	100	4

NISSAN


MODEL	START Y.	END Y.
VERSA	2012	2019



BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51307

MATERIAL
TYPE-1

WEIGHT
4.17 KG

BALANCING
100 %



OE:
432065RB0B / D32065RB0JNW

13-51307

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
245.2	59.8	203.3	204.5	61	100	4+2

NISSAN

MODEL	START Y.	END Y.
VERSA	2020	

