



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

SEPTEMBER 2024



INDEX
BRAKE DISC

AUDI 3-4

BMW 5-12

FORD 13

LAND ROVER 14-15

MERCEDES BENZ 16-27

MINI 28-29

PORSCHE 30-31

VOLVO 32

VOLKSWAGEN 33-34

BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4E0615301P / 4E0615301T

10-51399



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51399

MATERIAL
TYPE-1

WEIGHT
14.47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	59.5	34	31	68	112	5+2

AUDI


MODEL	START Y.	END Y.
A6 C6 (4F2)	2004/04	2011/08
A8 D2 (4D2. 4D8)	1994/03	2005/12
A8 D3 (4E2. 4E8)	2002/10	2010/12



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
4E0615601K / 4E0615601A

10-51402




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51402

MATERIAL
TYPE-1

WEIGHT
7.03 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
310	42.4	22	20	68	112	5+2

AUDI

MODEL	START Y.	END Y.
A8 D3 (4E2. 4E8)	2002/10	2010/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34116866293

10-50918



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50918

MATERIAL
TYPE-1

WEIGHT
5.23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44.9	20	18.4	67.05	112	5+1

BMW

MODEL	START Y.	END Y.
i3 (I01)	2013/08	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
34116864057 / 34116750267

10-51379



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51379

MATERIAL
TYPE-1

WEIGHT
11.61 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
348	81	30	28.4	79	120	5+1

BMW

MODEL	START Y.	END Y.
7 (E65. E66. E67)	2001/07	2009/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34216794303 / 34216766219 /
34216754137

10-51380



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51380

MATERIAL
TYPE-1

WEIGHT
6.48 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	74.7	19	17.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
Z4 Coupe (E86)	2006/03	2009/01
Z4 Roadster (E85)	2002/09	2009/12




BRAKE DISC

- Front Axle Left
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34106884001

10-51381



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51381

MATERIAL
TYPE-1

WEIGHT
12,43 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	45.15	30	28.4	67	112	5+1

BMW

MODEL	START Y.	END Y.
X1 (F48)	2014/11	2022/12





BRAKE DISC

- Front Axle Right
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34106884002

10-51382



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51382

MATERIAL
TYPE-1

WEIGHT
12,43 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	45.15	30	28.4	67	112	5+1

BMW

MODEL	START Y.	END Y.
X1 (F48)	2014/11	2022/12



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
34216864044 / 34216855159 /
34211166165

10-51398



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294	60.6	19	17	75	120	5+1

BMW

MODEL	START Y.	END Y.
3 (E46)	1997/12	2005/05
3 Touring (E46)	1999/06	2005/07




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
34216782605

10-51401



AYD
AUTOMOTIVE INDUSTRY

AYD NO 10-51401
MATERIAL TYPE-1
WEIGHT 6.39 KG
BALANCING 100 %

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	54.2	20	18.4	75	120	5+1

BMW		
MODEL	START Y.	END Y.
Z4 Roadster (E89)	2009/02	2016/08




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
34216792227

10-51406



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51406

MATERIAL
TYPE-1

WEIGHT
6.35 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
299.75	66	20	18.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
1 (F20)	2011/07	2019/06
1 (F21)	2011/12	2019/12
1 Van (F20)	2015/03	2019/06
2 Convertible (F23)	2014/03	2021/06
2 Coupe (F22. F87)	2012/10	2021/06
3 (F30. F80)	2011/11	2018/10
3 Convertible (E93)	2006/05	2013/12
3 Gran Turismo (F34)	2012/07	
3 Touring (E91)	2004/12	2012/12
3 Touring (F31)	2012/07	2019/06
4 Coupe (F32. F82)	2013/07	2020/06



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
VWN3CA1125DA / 2630560

10-51396



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
306	49.4	25.6	23	65	112	9+1

FORD

MODEL	START Y.	END Y.
TOURNEO CONNECT/GRAND TOURNEO CONNECT V761 MPV(SK)	2022/02	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
SDB000380 / SBD000380 / ANR4582

10-51376



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51376

MATERIAL
TYPE-1

WEIGHT
8.75 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
297	91.4	25	22	70	120	5+1

LAND ROVER

MODEL	START Y.	END Y.
DISCOVERY II (L318)	1998/10	2004/08



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
SDB000201 / SDB000200

10-51405




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51405

MATERIAL
TYPE-1

WEIGHT
12.41 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
344	76	30	28.4	79	120	5+1

LAND ROVER

MODEL	START Y.	END Y.
RANGE ROVER III (L322)	2002/03	2012/12



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
221423121207 / 2214231212 /
2304230412

10-51365



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51365

MATERIAL
TYPE-1

WEIGHT
6.97 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	58.2	22	19.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
S-CLASS (W221. V221)	2005/09	2013/12
SL (R230)	2001/10	2012/01




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
140421101264

10-51378




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51378

MATERIAL
TYPE-1

WEIGHT
10.85 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	82	30	27.4	67	112	5+5

MERCEDES-BENZ

MODEL	START Y.	END Y.
S-CLASS (W140)	1991/02	1998/10
S-CLASS Coupe (C140)	1992/07	1999/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
000421201207 / 0004212012 /
2044211212

10-51383




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51383

MATERIAL
TYPE-1

WEIGHT
16.35 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	64.5	36	34	67	112	5+2

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-CLASS (W204)	2007/01	2015/01
C-CLASS (W205)	2013/07	2023/02
C-CLASS Convertible (A205)	2016/06	2023/04
C-CLASS Coupe (C204)	2011/01	
C-CLASS Coupe (C205)	2015/10	2023/04
C-CLASS T-Model (S204)	2007/08	2014/08
C-CLASS T-Model (S205)	2014/09	2023/02
E-CLASS (W212)	2009/01	2016/12
E-CLASS Convertible (A207)	2010/01	2016/12
E-CLASS Coupe (C207)	2009/01	2016/12
E-CLASS T-Model (S212)	2009/08	2016/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
220421251264 / 2204212512 /
2204210812

10-51384



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51384

MATERIAL
TYPE-1

WEIGHT
11.11 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	76	32	30	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
S-CLASS (W220)	1998/09	2005/08
S-CLASS Coupe (C215)	1999/03	2006/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
220421091264 / 2204210912

10-51386



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51386

MATERIAL
TYPE-1

WEIGHT
9.03 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
312	76	28	26	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
S-CLASS (W220)	1998/09	2005/08



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2034210912

10-51387



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51387

MATERIAL
TYPE-1

WEIGHT
12.03 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	46.5	30	28	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-CLASS (W203)	2000/05	2007/12
C-CLASS Coupe (CL203)	2001/03	2011/06
C-CLASS T-Model (S203)	2001/03	2007/08
CLK (C209)	2002/05	2010/03
CLK Convertible (A209)	2002/06	2010/03
SLK (R171)	2004/03	2011/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
231421131207 / 2314211312 /
2314211412

10-51388



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51388

MATERIAL
TYPE-1

WEIGHT
13,39 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	64.6	36	34	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
SL (R231)	2011/12	2020/04



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
000421151207 / 2044211112 /
2074210012

10-51389




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51389

MATERIAL
TYPE-1

WEIGHT
12.84 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
344	64.45	32	30	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
E-CLASS (W212)	2009/01	2016/12
E-CLASS T-Model (S212)	2009/08	2016/12



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1634210112 / 1634230112

10-51394



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285	55.1	15	13	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
M-CLASS (W163)	1998/02	2005/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2094210012

10-51400



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51400

MATERIAL
TYPE-1

WEIGHT
12.03 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	46.5	30	27.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-CLASS (W203)	2000/05	2007/12
C-CLASS T-Model (S203)	2001/03	2007/08
CLK (C209)	2002/05	2010/03
CLK Convertible (A209)	2002/06	2010/03



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1634210512 / 1634210312

10-51403



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51403

MATERIAL
TYPE-1

WEIGHT
11.74 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	51.1	32	30	67	112	5+3

MERCEDES-BENZ

MODEL	START Y.	END Y.
M-CLASS (W163)	1998/02	2005/07



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
129423031264 / 1294230312

10-51404




AYD NO
10-51404

MATERIAL
TYPE-1

WEIGHT
7.45 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	57.2	22	19.4	67	112	5+2

MERCEDES-BENZ

MODEL	START Y.	END Y.
124 Saloon (W124)	1984/12	1993/08
E-CLASS (W124)	1993/02	1996/06
E-CLASS (W210)	1995/06	2003/08
SL (R129)	1989/03	2004/09



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
34216784389 / 6784389

10-51395



AUTOMOTIVE INDUSTRY

AYD NO 10-51395
MATERIAL TYPE-1
WEIGHT 3.75 KG
BALANCING 100 %

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44.1	10	8.4	64.15	100	4+1

MINI		
MODEL	START Y.	END Y.
MINI (R56)	2005/11	2014/01
MINI CLUBMAN (R55)	2006/10	2015/12
MINI CLUBVAN (R55)	2012/12	2014/06
MINI Convertible (R57)	2007/10	2015/06
MINI Coupe (R58)	2010/12	2015/05
MINI Roadster (R59)	2011/01	2015/04



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
34216774987

10-51407



AYD[®]
 AUTOMOTIVE INDUSTRY

AYD NO
10-51407

MATERIAL
TYPE-1

WEIGHT
3.46 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258.7	43.8	10	8.4	64.2	100	4+1

MINI

MODEL	START Y.	END Y.
MINI (R50. R53)	2001/06	2006/09
MINI (R56)	2005/11	2014/01
MINI CLUBMAN (R55)	2006/10	2015/12
MINI CLUBVAN (R55)	2012/12	2014/06
MINI Convertible (R52)	2004/04	2008/07
MINI Convertible (R57)	2007/10	2015/06
MINI Coupe (R58)	2010/12	2015/05
MINI Roadster (R59)	2011/01	2015/04



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
98635240104 / 98635240103

10-51377



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51377

MATERIAL
TYPE-1

WEIGHT
6.02 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292	67	20	18	98	130	5+4

PORSCHE

MODEL	START Y.	END Y.
BOXSTER (986)	1996/09	2004/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
99635240104 / 99635240105 /
98735203200

10-51385



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51385

MATERIAL
TYPE-1

WEIGHT
6.65 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
299	75	24	22	98	130	5+4

PORSCHE

MODEL	START Y.	END Y.
911 (996)	1997/08	2005/09
911 (997)	2004/07	2013/12
911 Convertible (996)	1997/08	2005/08
911 Convertible (997)	2005/04	2013/12
911 Targa (996)	2001/12	2005/08
911 Targa (997)	2006/07	2012/12
CAYMAN (987)	2005/11	2013/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
30645222 / 8672112

10-51397



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51397

MATERIAL
TYPE-1

WEIGHT
10.1 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	50.3	32	30	68	108	5+5

VOLVO

MODEL	START Y.	END Y.
S60 I (384)	2000/07	2010/04
V70 II (285)	1999/11	2008/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
3D0615301M

10-51399




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51399

MATERIAL
TYPE-1

WEIGHT
14.47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	59.5	34	31	68	112	5+2

VW


MODEL	START Y.	END Y.
PHAETON (3D1. 3D2. 3D3.3D4.3D6.3D7.3D8.3D9)	2002/04	2016/03



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
3D0615601D

10-51402




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51402

MATERIAL
TYPE-1

WEIGHT
7.03 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
310	42.4	22	20	68	112	5+2

VW

MODEL	START Y.	END Y.
PHAETON (3D1. 3D2. 3D3.3D4.3D6.3D7.3D8.3D9)	2002/04	2016/03

