



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY



INDEX

BRAKE DISC

AUDI	3-6
BENTLEY	7
CUPRA	8
FORD	9-11
GENESIS	12-13
HYUNDAI	14
INFINITI	15
IVECO	16
JAGUAR	17
JEEP	18
KIA	19-23
MERCEDES-BENZ	24-26
MINI	27
NISSAN	28-31
OPEL	32-33
SUZUKI	34
TOYOTA	35
VOLKSWAGEN	36-39

BRAKE DRUM

LEXUS	40
PEUGEOT	41

new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4M0615601P / 4M0615601J /
4M0615301P



10-51445

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	36.3	28	26	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A6 Allroad C8 (4AH)	2018/11	
A6 C8 (4A2)	2018/02	
A6 C8 Avant (4A5)	2018/05	
A7 Sportback (4KA)	2017/10	
A8 D5 (4N2. 4N8. 4NC. 4NL)	2017/06	
E-TRON (GEN)	2018/09	
E-TRON Sportback (GEA)	2019/09	
Q7 (4MB. 4MG. 4MQ)	2015/01	
Q7 Van (4MB. 4MG)	2015/01	
Q8 (4MN. 4MT)	2018/02	
Q8 E-TRON Sportback (GET)	2022/11	



new to range

BRAKE DISCS

NOVEMBER 2024

www.aydtr.com

4


BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4E0615601L



10-51450

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
335	42.2	22	20	68	112	5+2

AUDI

MODEL	START Y.	END Y.
A8 D3 (4E2, 4E8)	2002/10	2010/12



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
8D0615601D / 3B0615601B



10-51452

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	47.8	22	20	68	112	5

AUDI

MODEL	START Y.	END Y.
A4 B5 (8D2)	1994/11	2001/12
A4 B5 Avant (8D5)	1994/11	2002/12




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
6R0615601 / 6R0615601B



10-51454

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
272	48.4	10	8	65	100	5+1

AUDI

MODEL	START Y.	END Y.
A1 (8X1. 8XK)	2010/05	2019/09
A1 Sportback (8XA. 8XF)	2011/09	2019/09



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
3W0615601G



10-51450

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
335	42.2	22	20	68	112	5+2

BENTLEY

MODEL	START Y.	END Y.
CONTINENTAL Convertible (3W_. 394)	2006/06	2018/11
CONTINENTAL Coupe (3W_. 393)	2003/06	2018/07
CONTINENTAL FLYING SPUR (3W_)	2005/03	2013/12
FLYING SPUR (4W_)	2013/03	



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1EA615301A



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50915

MATERIAL
TYPE-1

WEIGHT
10.17 KG

BALANCING
100 %



10-50915

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	49.7	27	25.5	65	112	9+1

CUPRA

MODEL	START Y.	END Y.
BORN (K11)	2021/08	



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2305503 / JX611125AEB / 2208066



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51447

MATERIAL
TYPE-1

WEIGHT
7,07 KG

BALANCING
100 %



10-51447

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	50.5	27	25	63.55	107.95	5

FORD

MODEL	START Y.	END Y.
FOCUS IV (HN)	2018/01	
FOCUS IV Saloon (HM)	2018/11	
FOCUS IV Turnier (HP)	2018/09	



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2305506 / JX611125BEB



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51448

MATERIAL
TYPE-1

WEIGHT
8,57 KG

BALANCING
100 %



10-51448

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	50.6	27	25	63.6	108	5

FORD

MODEL	START Y.	END Y.
FOCUS IV (HN)	2018/01	
FOCUS IV Turnier (HP)	2018/09	
KUGA III (DFK)	2019/07	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
L1MZ2C026B



10-51460

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	27.3	12.2	10.5	71.1	114.3	5

FORD USA

MODEL	START Y.	END Y.
EXPLORER (U6_)	2019/07	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712J5500



10-51437

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	56.6	30	28	69	114.3	5+2

GENESIS

MODEL	START Y.	END Y.
G70 (IK)	2017/09	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
58411J5500



AYD NO
10-51438

MATERIAL
TYPE-1

WEIGHT
9,27 KG

BALANCING
100 %



10-51438

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	58.6	22	20	69	114.3	5+3

GENESIS

MODEL	START Y.	END Y.
G70 (IK)	2017/09	



new to range

BRAKE DISCS

NOVEMBER 2024

www.aydtr.com

14


BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
58411B2500



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51462

MATERIAL
TYPE-1

WEIGHT
4,14 KG

BALANCING
100 %



10-51462

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	45	10	8.4	76	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
KONA (OS, OSE, OSI)	2017/06	2023/04



new to range

BRAKE DISCS

NOVEMBER 2024

www.aydtr.com

15


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
402065DH0A / D02065DH0CNW



10-51444

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	51	30	27.4	67	112	5+1

INFINITI

MODEL	START Y.	END Y.
Q30	2015/11	



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
7186309 / 2996027 / 46393181



10-51457

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	69.6	16	13	76.015	125	6+1

IVECO

MODEL	START Y.	END Y.
DAILY IV Bus	2006/05	2016/12
DAILY IV Platform/Chassis	2006/05	2012/03
DAILY IV Van	2006/05	2012/03
DAILY V Bus	2011/09	2014/02
DAILY V Platform/Chassis	2011/09	2014/02
DAILY V Van	2011/09	2014/02
DAILY VI Platform/Chassis	2014/03	
DAILY VI Van	2014/03	



new to range

BRAKE DISCS

NOVEMBER 2024

www.aydtr.com

17


BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
T4N1742



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51458

MATERIAL
TYPE-1

WEIGHT
5.22 KG

BALANCING
100 %



10-51458

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	42	10	8	63.6	108	5+1

JAGUAR

MODEL	START Y.	END Y.
XE (X760)	2015/03	
XF II (X260)	2015/05	
XF SPORTBRAKE (X260)	2017/07	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4779886AC / 4779886AB /
K68243428AB



10-51455

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	33.2	12	10.4	70	110	5+5

JEEP

MODEL	START Y.	END Y.
CHEROKEE (KL)	2013/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712J5500



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51437

MATERIAL
TYPE-1

WEIGHT
11,49 KG

BALANCING
100 %



10-51437

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	56.6	30	28	69	114.3	5+2

KIA

MODEL	START Y.	END Y.
STINGER (CK)	2017/06	
STINGER Hatchback Van (CK)	2017/06	



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
58411J5500



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51438

MATERIAL
TYPE-1

WEIGHT
9,27 KG

BALANCING
100 %



10-51438

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	58.6	22	20	69	114.3	5+3

KIA

MODEL	START Y.	END Y.
STINGER (CK)	2017/06	
STINGER Hatchback Van (CK)	2017/06	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
58411C5700



AYD NO
10-51446

MATERIAL
TYPE-1

WEIGHT
6,68 KG

BALANCING
100 %



10-51446

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	71.5	18	16.4	69	114.3	5+3

KIA

MODEL	START Y.	END Y.
SORENTO III (UM)	2015/01	2023/02



new to range

BRAKE DISCS

NOVEMBER 2024

www.aydtr.com

22


BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
58411A4000



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51456

MATERIAL
TYPE-1

WEIGHT
4.1 KG

BALANCING
100 %



10-51456

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	45.2	10	8.4	76.06	114.3	5+2

KIA

MODEL	START Y.	END Y.
CARENS IV	2013/01	
CARENS IV Van (A4)	2013/03	



new to range

BRAKE DISCS

NOVEMBER 2024

www.aydtr.com

23

BRAKE DISC


▪ Rear Axle

▪ Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
58411B2500



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51462

MATERIAL
TYPE-1

WEIGHT
4,14 KG

BALANCING
100 %



10-51462

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	45	10	8.4	76	114.3	5+2

KIA

MODEL	START Y.	END Y.
SELTOS (SP2. SP2I)	2019/08	
SOUL III (SK3)	2019/01	
SOUL III Cargo (SK3)	2020/06	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
220423021264 / 2204230212



10-51443

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	58.4	22	19.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
S-CLASS (W220)	1998/09	2005/08
S-CLASS Coupe (C215)	1999/03	2006/12



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2464212612 / 246421261207



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51444

MATERIAL
TYPE-1

WEIGHT
9,72 KG

BALANCING
100 %



10-51444

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	51	30	27.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W176)	2012/06	2018/05
B-CLASS Sports Tourer (W246, W242)	2011/10	2018/12
CLA Coupe (C117)	2013/01	2019/03
CLA Shooting Brake (X117)	2015/01	2019/03
GLA-CLASS (X156)	2013/12	2022/05



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2114211112 / 211421111264



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51449

MATERIAL
TYPE-1

WEIGHT
11,68 KG

BALANCING
100 %



10-51449

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	47.5	32	29.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
E-CLASS (W211)	2002/03	2009/03
E-CLASS T-Model (S211)	2003/02	2009/07



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
34116774984



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51451
MATERIAL
TYPE-1
WEIGHT
5,36 KG
BALANCING
100 %



10-51451

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275.6	44.3	22	20.4	64.1	100	4+1

MINI

MODEL	START Y.	END Y.
MINI (R50, R53)	2001/06	2006/09
MINI Convertible (R52)	2004/04	2008/07



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
40206ZC60A



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51439

MATERIAL
TYPE-1

WEIGHT
12,79 KG

BALANCING
100 %



10-51439

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	43.1	30	28.5	82.1	139.7	6

NISSAN

MODEL	START Y.	END Y.
ARMADA (TA60)	2003/08	2015/12



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
432061LB0A



10-51441

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	64.4	20	18	82	139.7	6+1

NISSAN

MODEL	START Y.	END Y.
PATROL VI (Y62)	2010/04	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
40206AZ60A / 40206AZ61A /
40206EL000



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51442

MATERIAL
TYPE-1

WEIGHT
4,71 KG

BALANCING
100 %



10-51442

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	43.9	22	20	68	114.3	4

NISSAN

MODEL	START Y.	END Y.
TIIDA Hatchback (C11)	2004/05	2014/12
TIIDA Saloon (SC11)	2004/05	2014/02




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
43206MB600



10-51459

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	62.2	16	13	108.1	127	6

NISSAN

MODEL	START Y.	END Y.
CABSTAR (F24M, F24W)	2006/09	2013/12




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13509120 / 13515914



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51436

MATERIAL
TYPE-1

WEIGHT
5,26 KG

BALANCING
100 %



10-51436

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	45.6	12	10	60	105	5+1

OPEL

MODEL	START Y.	END Y.
ASTRA K (B16)	2015/06	2022/12
ASTRA K Estate Van	2015/11	
ASTRA K Hatchback Van	2015/06	
ASTRA K Sports Tourer (B16)	2015/11	2022/12



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13597467 / 13515909



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51453

MATERIAL
TYPE-1

WEIGHT
8,5 KG

BALANCING
100 %



10-51453

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	45.5	26	23	60	105	5+1

OPEL

MODEL	START Y.	END Y.
AMPERA-E (F17)	2017/05	2019/03
ASTRA K (B16)	2015/06	2022/12
ASTRA K Estate Van	2015/11	
ASTRA K Hatchback Van	2015/06	
ASTRA K Sports Tourer (B16)	2015/11	2022/12




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5561161M00 / 5561161M21000 /
5561161M21



10-51435

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
259	43.3	9	8	62	114.3	5+2

SUZUKI

MODEL	START Y.	END Y.
GRAND VITARA (YM)	2023/02	
S-CROSS	2022/01	
SX4 S-CROSS (JY)	2013/08	
VITARA (LY)	2015/02	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
43512WB001



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51440

MATERIAL
TYPE-1

WEIGHT
5,27 KG

BALANCING
100 %



10-51440

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	43.9	22	20	55	100	4+1

TOYOTA

MODEL	START Y.	END Y.
YARIS R / iA (DL2S_)	2015/08	



new to range

BRAKE DISCS

NOVEMBER 2024


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1EA615301A



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50915

MATERIAL
TYPE-1

WEIGHT
10.17 KG

BALANCING
100 %



10-50915

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	49.7	27	25.5	65	112	9+1

VW

MODEL	START Y.	END Y.
ID.4 (E21)	2020/05	
ID.7 (ED2)	2023/06	
ID.7 Tourer (ED5)	2024/02	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4M0615601J



10-51445

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
350	36.3	28	26	68	112	5+1

VW

MODEL	START Y.	END Y.
TOUAREG (CR7. RC8)	2017/11	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
3D0615601C



10-51450

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
335	42.2	22	20	68	112	5+2

VW

MODEL	START Y.	END Y.
PHAETON (3D1. 3D2. 3D3. 3D4. 3D6. 3D7. 3D8. 3D9)	2002/04	2016/03




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
8D0615601D



10-51452

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	47.8	22	20	68	112	5

VW

MODEL	START Y.	END Y.
PASSAT B5.5 (3B3)	2000/10	2005/12
PASSAT B5.5 Variant (3B6)	2000/09	2005/08



new to range

BRAKE DRUM

NOVEMBER 2024

www.aydtr.com

40


BRAKE DRUM

- Rear Axle



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
432063LM0A



13-51424

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264.8	66.55	228.7	230	68	114.3	5+3

LEXUS

MODEL	START Y.	END Y.
LS (_F4_)	2006/04	




BRAKE DRUM

- Rear Axle



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
9821572480



13-51425

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239	64.7	203.1	204	71.1	108	4+1

PEUGEOT

MODEL	START Y.	END Y.
208 II (UB_, UP_, UW_, UJ_)	2019/06	

