



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY



MAY 2025

www.aydtr.com

INDEX BRAKE DISC

AUDI	3-4
BUICK	5-6
BYD	7-8
CADILLAC	9-11
CHEVROLET	12-14
FORD	15
GENESIS	16
HYUNDAI	17-22
JAGUAR	23
JEEP	24-25
KIA	26-28
LEXUS	29-32
LINCOLN	33
MAZDA	34-35
MERCEDES BENZ	36-37
PORSCHE	38
SEAT	39
SUBARU	40-41
SUZUKI	42
TOYOTA	43-47
VOLKSWAGEN	48-49

BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
8E0615301T / 8E0615301K

10-51598



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	46.2	30	28	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A4 B6 (8E2)	2000/11	2005/12
A4 B6 Avant (8E5)	2000/02	2005/12
A4 B6 Convertible (8H7)	2002/01	2009/12
A4 B7 (8EC)	2004/11	2009/01
A4 B7 Avant (8ED)	2004/11	2008/11
A4 B7 Convertible (8HE)	2002/01	2010/01




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
7L8615601A / 7L8615601 /
7L8615601D

10-51600



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51600

MATERIAL
TYPE-1

WEIGHT
10,07 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
358	73.65	28	26	85.1	130	5+2

AUDI

MODEL	START Y.	END Y.
Q7 (4LB)	2006/03	2016/01
Q7 Van (4LB)	2006/03	2016/01



BRAKE DISC


• Rear Axle

• solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
13507431

10-51588



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51588

MATERIAL
TYPE-1

WEIGHT
3,96 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264	43.9	10	8	70.8	115	5+1

BUICK

MODEL	START Y.	END Y.
Encore	2020	2022




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13529994

10-51606



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	45.4	28	25	67.5	120	5+1

BUICK


MODEL	START Y.	END Y.
Envision	2019	2025



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1378167400 / SCF3502114A

10-51611



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
268	33	12	10	62.05	114.3	5+4

BYD

MODEL	START Y.	END Y.
ATTO 3	2022/11	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1378167200 / HA2EL3501111A

10-51615



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	47	26	24	62	114.3	5+4

BYD

MODEL	START Y.	END Y.
ATTO 3	2022/11	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
25851166 / 92223366

10-51593



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
365	47.6	28	26	67.4	120	5+1

CADILLAC

MODEL	START Y.	END Y.
CTS	2007/07	
CTS Coupe	2008/01	
CTS Sport Wagon	2008/01	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13529992 / 13517848

10-51606



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	45.4	28	25	67.5	120	5+1

CADILLAC

MODEL	START Y.	END Y.
XT4	2018/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13515495

10-51618



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51618

MATERIAL
TYPE-1

WEIGHT
9,85 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	61.4	28	26	67.5	120	5+2

CADILLAC

MODEL	START Y.	END Y.
CTS	2014	2019
CT5	2020	2025




BRAKE DISC

• Rear Axle

• solid

- Safety
- Performance
- OEM Standarts
- AYD Quality



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51588

MATERIAL
TYPE-1

WEIGHT
3,96 KG

BALANCING
100 %



OE:
13507431

10-51588

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
264	43.9	10	8	70.8	115	5+1

CHEVROLET

MODEL	START Y.	END Y.
TRAILBLAZER	2020/05	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
92245929 / 22798839 / 23304410

10-51593




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51593

MATERIAL
TYPE-1

WEIGHT
10.84 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
365	47.6	28	26	67.4	120	5+1

CHEVROLET

MODEL	START Y.	END Y.
CAMARO	2009/02	2015/12
CAMARO Convertible	2011/01	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
22991317 / 13547580 / 13515495

10-51618



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
321	61.4	28	26	67.5	120	5+2

CHEVROLET

MODEL	START Y.	END Y.
CAMARO	2015/09	
CAMARO Convertible	2015/09	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
LX6Z1125N / LX6Z1125B /
LX6Z1125E



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51605

MATERIAL
TYPE-1

WEIGHT
8,82 KG

BALANCING
100 %



10-51605

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	50.5	27	25	63.5	107.95	5

FORD


MODEL	START Y.	END Y.
ESCAPE	2020	2025
Bronco Sport	2021	2024



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
517123N800

10-51592



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51592

MATERIAL
TYPE-1

WEIGHT
13.58 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	56.7	30	28.4	69	114.3	5+3

GENESIS

MODEL	START Y.	END Y.
G80	2018	2020



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
58411L1000

10-51587



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	32	10	8	76	114.3	5+2

HYUNDAI


MODEL	START Y.	END Y.
ELANTRA VII Saloon (CN7)	2020/03	
KONA (SX2)	2023/04	
SONATA VIII (DN8)	2019/03	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712B1800 / 517123N800

10-51592



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
360	56.7	30	28.4	69	114.3	5+3

HYUNDAI

MODEL	START Y.	END Y.
Genesis	2015	2016
Equus	2012	2016



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712L1000 / 51712L4000

10-51603




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51603

MATERIAL
TYPE-1

WEIGHT
8.27 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	48.2	25	23	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
ELANTRA VII Saloon (CN7)	2020/03	
SONATA VIII (DN8)	2019/03	



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
58411G4300

10-51612



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51612

MATERIAL
TYPE-1

WEIGHT
3,88 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
272	32.25	10	8	76	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
i30 (PDE. PD. PDEN)	2016/11	
i30 Estate (PDE)	2017/03	
i30 FASTBACK (PDE. PDEN)	2017/06	
i30 Hatchback Van (PDE)	2016/11	
i30 Kombi Van (PDE)	2017/03	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5276159000

10-51613



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51613

MATERIAL
TYPE-1

WEIGHT
8,38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
316	83.1	16.5	14.5	96.3	139.7	6+3

HYUNDAI

MODEL	START Y.	END Y.
H350 Bus	2015/04	
H350 Platform/Chassis	2015/04	
H350 Van	2015/04	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
58411CG300

10-51622



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	35	20	18	96.3	139.7	6+2

HYUNDAI

MODEL	START Y.	END Y.
STARIA Bus (US4)	2021/01	
STARIA Van (US4)	2021/01	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
C2C41249 / JLM20150 / JLM20653

10-51597



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51597

MATERIAL
TYPE-1

WEIGHT
8,69 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	49.3	28	26	73.7	120.65	5

JAGUAR


MODEL	START Y.	END Y.
XJ (X308)	1996/09	2003/06
XK 8 Convertible (X100)	1996/03	2006/12
XK 8 Coupe (X100)	1996/03	2006/12
XK II Convertible (X150)	2006/03	2014/07
XK II Coupe (X150)	2006/03	2014/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68250085AA / 68250087AA /
68250087AB

10-51617



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	55.7	28	26.4	72	127	5+5

JEEP

MODEL	START Y.	END Y.
GLADIATOR Pickup (JT_)	2019/04	
WRANGLER IV (JL)	2017/11	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68273502AB / 68273502AA

10-51621



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	55.6	24	22.4	72	127	5+5

JEEP

MODEL	START Y.	END Y.
WRANGLER IV (JL)	2017/11	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
58411L1000

10-51587



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	32	10	8	76	114.3	5+2

KIA

MODEL	START Y.	END Y.
NIRO II (SG2)	2022/01	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712L1000

10-51603



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	48.2	25	23	69	114.3	5+2

KIA

MODEL	START Y.	END Y.
K5	2021	2023



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
58411G4300

10-51612



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51612

MATERIAL
TYPE-1

WEIGHT
3,88 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
272	32.25	10	8	76	114.3	5+2

KIA


MODEL	START Y.	END Y.
CEED (CD)	2018/03	
CEED Combi Van (CD)	2018/03	
CEED Hatchback Van (CD)	2018/03	
CEED Sportswagon (CD)	2018/03	
PROCEED (CD)	2018/10	
PROCEED Combi Van (CD)	2018/10	
XCEED (CD)	2019/06	
XCEED Van (CD)	2019/06	



BRAKE DISC


- Front Axle Left
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351630041 / 4351630040

10-51590



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51590

MATERIAL
TYPE-1

WEIGHT
11.52 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	50.9	30	27	62	114.3	5+3

LEXUS


MODEL	START Y.	END Y.
GS (_L1_)	2011/08	
GS (_S19_)	2005/01	2012/12
IS II (_E2_)	2005/08	2013/04
IS III (_E3_)	2013/04	
RC (_C1_)	2014/08	



BRAKE DISC


- Front Axle Right
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351230350 / 4351230351

10-51591



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	50.9	30	27	62	114.3	5+3

LEXUS

MODEL	START Y.	END Y.
GS (_L1_)	2011/08	
GS (_S19_)	2005/01	2012/12
IS II (_E2_)	2005/08	2013/04
IS III (_E3_)	2013/04	
RC (_C1_)	2014/08	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
424310E070

10-51604



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51604

MATERIAL
TYPE-1

WEIGHT
6,88 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
338	39.6	18	16.5	62	114.3	5+2

LEXUS

MODEL	START Y.	END Y.
RX350	2023	
RX350h	2023	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
435120E100 / 4351248180

10-51607



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	49.3	28	25	62	114.3	5+2

LEXUS

MODEL	START Y.	END Y.
RX (_LA1_ _LH1_)	2022/06	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
LX6Z1125M

10-51605



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51605

MATERIAL
TYPE-1

WEIGHT
8,82 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	50.5	27	25	63.5	107.95	5

LINCOLN

MODEL	START Y.	END Y.
Corsair	2020	2024




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1M0426251

10-51601



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51601

MATERIAL
TYPE-1

WEIGHT
5,99 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	46.2	22	19	55	100	5+2

MAZDA

MODEL	START Y.	END Y.
2 Hatchback (KB)	2022/03	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
BEET33251 / BDWK33251

10-51609



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	46.7	25	23	68	114.3	5+1

MAZDA

MODEL	START Y.	END Y.
3 Hatchback (BP)	2018/11	
3 Saloon (BP_)	2018/11	
CX-30 (DM)	2019/04	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
129421211264 / 1294212112

10-51599



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	51.6	32	30	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
SL (R129)	1989/03	2004/09



BRAKE DISC

• Rear Axle


• solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
2474230212 / 247423021207

10-51614



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51614

MATERIAL
TYPE-1

WEIGHT
5,16 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	44	12	10.3	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W177)	2018/03	
A-CLASS Saloon (V177)	2018/09	
B-CLASS Sports Tourer (W247)	2018/12	
CLA (C118)	2019/03	
CLA Shooting Brake (X118)	2019/06	
GLA (H247)	2020/02	
GLB (X247)	2019/07	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
95835240150 / 95535240150 /
95535240151

10-51600



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51600

MATERIAL
TYPE-1

WEIGHT
10,07 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
358	73.65	28	26	85.1	130	5+2

PORSCHE

MODEL	START Y.	END Y.
CAYENNE (92A)	2010/05	
CAYENNE (9PA)	2002/09	2010/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
7M3615301

10-51594



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
313	56.25	26	22	68.2	112	5+1

SEAT

MODEL	START Y.	END Y.
ALHAMBRA (7V8. 7V9)	1996/04	2010/03
ALHAMBRA VAN (7V8. 7V9)	1996/03	2010/03




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
26700XC00A

10-51596



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51596

MATERIAL
TYPE-1

WEIGHT
7.03 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
331	46.4	17	15	58	114.3	5+2

SUBARU


MODEL	START Y.	END Y.
ASCENT	2019/01	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
26300SJ010 / 26300AN010

10-51602



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315.5	48.4	28	26	58	114.3	5+2

SUBARU

MODEL	START Y.	END Y.
FORESTER (SK_)	2018/04	
OUTBACK (BT)	2019/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5531168L50 / 5531168L50000

10-51620



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
272	40	22	20	60	100	4+4

SUZUKI


MODEL	START Y.	END Y.
SWIFT IV (FZ. NZ)	2010/10	



BRAKE DISC


- Front Axle Left
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351630041

10-51590



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51590

MATERIAL
TYPE-1

WEIGHT
11.52 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	50.9	30	27	62	114.3	5+3

TOYOTA


MODEL	START Y.	END Y.
MARK X II (GRX13_)	2009/10	



BRAKE DISC


- Front Axle Right
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351230350

10-51591



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
334	50.9	30	27	62	114.3	5+3

TOYOTA

MODEL	START Y.	END Y.
MARK X II (GRX13_)	2009/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
43512K0040

10-51601



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51601

MATERIAL
TYPE-1

WEIGHT
5,99 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	46.2	22	19	55	100	5+2

TOYOTA

MODEL	START Y.	END Y.
YARIS (_P21_ _PA1_ _PH1_)	2020/02	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
424310E070 / 424310E100 /
4243148100

10-51604



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51604

MATERIAL
TYPE-1

WEIGHT
6,88 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
338	39.6	18	16.5	62	114.3	5+2

TOYOTA

MODEL	START Y.	END Y.
HIGHLANDER (GSU7_, AXUH7_, TXUA7_)	2019/12	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
435120E060

10-51607



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	49.3	28	25	62	114.3	5+2

TOYOTA

MODEL	START Y.	END Y.
HIGHLANDER (GSU7_, AXUH7_, TXUA7_)	2019/12	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
7M3615301

10-51594



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
313	56.25	26	22	68.2	112	5+1

VW

MODEL	START Y.	END Y.
CALIFORNIA T4 Camper (7DJ. 7DK. 70J)	1990/09	2004/08
KOMBI T2 Bus (22. 7X)	1974/09	
SHARAN (7M8. 7M9. 7M6)	1995/05	2010/05
SHARAN VAN (7M_)	1995/05	2010/03
TRANSPORTER T4 Bus (70B.70C.7DB.7DK.70J.70K.7DC.7DJ)	1990/09	2004/10
TRANSPORTER T4 Platform/Chassis (70E. 70L. 70M. 7DE. 7DL. 7D)	1990/07	2003/04
TRANSPORTER T4 Van (70A. 70H. 7DA. 7DH)	1990/07	2003/04



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
7L8615601A / 7L8615601E

10-51600



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51600

MATERIAL
TYPE-1

WEIGHT
10,07 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
358	73.65	28	26	85.1	130	5+2

VW

MODEL	START Y.	END Y.
TOUAREG (7LA. 7L6. 7L7)	2002/10	2013/01

