



# BRAKING THE DIFFERENCE

**SAFETY**

**PERFORMANCE**

**OEM Standards**

**AYD QUALITY**



**SEPTEMBER 2025**

[www.aydtr.com](http://www.aydtr.com)

## INDEX BRAKE DISC

|                     |       |
|---------------------|-------|
| ACURA .....         | 3-4   |
| ALFA ROMEO .....    | 5     |
| CADILLAC .....      | 6-7   |
| CHRYSLER .....      | 8     |
| DODGE .....         | 9-11  |
| FIAT .....          | 12-13 |
| FORD .....          | 14-15 |
| HONDA .....         | 16    |
| HYUNDAI .....       | 17-19 |
| JAGUAR .....        | 20    |
| JEEP .....          | 21    |
| KIA .....           | 22-24 |
| LAND ROVER .....    | 25    |
| LINCOLN .....       | 26-27 |
| MAZDA .....         | 28-29 |
| MERCEDES BENZ ..... | 30    |
| PONTIAC .....       | 31    |
| RAM .....           | 32    |
| SKYWELL .....       | 33-34 |
| SUBARU .....        | 35-36 |
| TESLA .....         | 37    |
| TOGG .....          | 38    |

### BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
45251SJA900 / 45251SJA902 /  
45251SJA903

**10-51730**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 320           | 50.2        | 28                        | 26                  | 70.2                    | 120                   | 5+4           |

### ACURA

| MODEL | START Y. | END Y. |
|-------|----------|--------|
| RL    | 2004/10  |        |




## BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
42510TGHA00

**10-51745**



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51745**

MATERIAL  
**TYPE-1**

WEIGHT  
**4,89 KG**

BALANCING  
**100 %**



### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 304.6         | 43.55       | 11                        | 9                   | 70.1                    | 120                   | 5+3           |

## ACURA

| MODEL   | START Y. | END Y. |
|---------|----------|--------|
| Integra | 2024     |        |



### BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
50554319 / 50532946 / 50546509

**10-51760**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 320           | 43.2        | 22                        | 20                  | 70.1                    | 110                   | 5+5           |

### ALFA ROMEO

| MODEL          | START Y. | END Y. |
|----------------|----------|--------|
| GIULIA (952_)  | 2015/10  |        |
| STELVIO (949_) | 2016/12  |        |



### BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
19303811

**10-51732**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51732**

MATERIAL  
**TYPE-1**

WEIGHT  
**10,19 KG**

BALANCING  
**100 %**



### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 323           | 52          | 32.2                      | 30.7                | 70.7                    | 115                   | 5+3           |

### CADILLAC


| MODEL | START Y. | END Y. |
|-------|----------|--------|
| CTS   | 2006     | 2007   |
| STS   | 2005     | 2008   |



### BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51733**

MATERIAL  
**TYPE-1**

WEIGHT  
**8,25 KG**

BALANCING  
**100 %**



OE:  
25846216 / 15235140 / 25737788

**10-51733**

#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 320           | 47.9        | 26                        | 24                  | 70.7                    | 114.3                 | 5+1           |

### CADILLAC

| MODEL | START Y. | END Y. |
|-------|----------|--------|
| CTS   | 2006     | 2007   |
| STS   | 2005     | 2008   |



### BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
5273141AB / 5273141AA

**10-51746**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 280           | 39.7        | 28                        | 26.4                | 61                      | 100                   | 5             |

### CHRYSLER


| MODEL                                         | START Y. | END Y.  |
|-----------------------------------------------|----------|---------|
| PT CRUISER (PT_)   PT CRUISER Hatchback (PT_) | 2000/06  | 2010/12 |



### BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51729**

MATERIAL  
**TYPE-1**

WEIGHT  
**9.08 KG**

BALANCING  
**100 %**



OE:  
52010415AA

**10-51729**

#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 316.5         | 71.1        | 22                        | 20.6                | 72                      | 114.3                 | 6             |

### DODGE

| MODEL        | START Y. | END Y.  |
|--------------|----------|---------|
| DURANGO (HB) | 2003/09  | 2010/12 |



### BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
5181512AB / 5181512AC

**10-51737**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 350           | 63.6        | 28                        | 26                  | 72.1                    | 127                   | 5             |

### DODGE

| MODEL        | START Y. | END Y. |
|--------------|----------|--------|
| DURANGO (WD) | 2010/12  |        |



### BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
5273141AB / 5273141AA

**10-51746**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 280           | 39.7        | 28                        | 26.4                | 61                      | 100                   | 5             |

### DODGE

| MODEL      | START Y. | END Y. |
|------------|----------|--------|
| PT Crusier | 2003     | 2007   |



### BRAKE DISC


• Rear Axle

• solid

• Safety  
• Performance  
• OEM Standards  
• AYD Quality

OE:  
68201271AA

**10-51742**



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51742**

MATERIAL  
**TYPE-1**

WEIGHT  
**3,65 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 264           | 40.5        | 10                        | 8                   | 59                      | 98                    | 5+5           |

### FIAT

| MODEL                                                   | START Y. | END Y. |
|---------------------------------------------------------|----------|--------|
| 500L (351_. 352_)                                       | 2012/09  |        |
| TIPO Estate (356_. 357_)   EGEA Estate (356_. 357_)     | 2016/03  |        |
| TIPO Hatchback (356_.357_)   EGEA Hatchback (356_.357_) | 2016/03  |        |
| TIPO Saloon (356_. 357_)   EGEA Saloon (356_. 357_)     | 2015/10  |        |



### BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
52161300 / 52161299

**10-51761**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 300           | 80          | 22                        | 19.9                | 79                      | 130                   | 5+5           |

### FIAT

| MODEL             | START Y. | END Y. |
|-------------------|----------|--------|
| DUCATO Bus (250_) | 2006/07  |        |
| DUCATO Van (250_) | 2006/07  |        |



## BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
KB3Z1125A

**10-51671**



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51671**

MATERIAL  
**TYPE-1**

WEIGHT  
**11.2 KG**

BALANCING  
**100 %**



### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 311           | 66          | 34                        | 32                  | 98.05                   | 139.7                 | 6             |

## FORD

| MODEL                   | START Y. | END Y.  |
|-------------------------|----------|---------|
| RANGER III (2N. 2G. 2P) | 2011/12  | 2023/01 |




### BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
G1FZ1125A

**10-51748**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51748**

MATERIAL  
**TYPE-1**

WEIGHT  
**10,59 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 350           | 48.8        | 25                        | 23                  | 63.5                    | 107.95                | 5             |

### FORD

| MODEL     | START Y. | END Y.  |
|-----------|----------|---------|
| FOCUS III | 2010/07  | 2020/02 |



### BRAKE DISC


• Rear Axle

• solid

• Safety  
• Performance  
• OEM Standards  
• AYD Quality

OE:  
42510TGHA00

**10-51745**



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51745**

MATERIAL  
**TYPE-1**

WEIGHT  
**4,89 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 304.6         | 43.55       | 11                        | 9                   | 70.1                    | 120                   | 5+3           |

### HONDA

| MODEL                        | START Y. | END Y. |
|------------------------------|----------|--------|
| CIVIC X Hatchback (FC_, FK_) | 2016/09  |        |
| CIVIC XI Hatchback (FL)      | 2021/01  |        |



### BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
517122M000

**10-51731**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51731**

MATERIAL  
**TYPE-1**

WEIGHT  
**9,88 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 320           | 56.6        | 28                        | 26.4                | 69                      | 114.3                 | 5+2           |

### HYUNDAI

| MODEL         | START Y. | END Y. |
|---------------|----------|--------|
| GENESIS Coupe | 2008/01  |        |




### BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
517123M000

**10-51735**



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51735**

MATERIAL  
**TYPE-1**

WEIGHT  
**9,07 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 320           | 56.6        | 28                        | 26.4                | 69                      | 114.3                 | 5+3           |

### HYUNDAI

| MODEL        | START Y. | END Y.  |
|--------------|----------|---------|
| GENESIS (BH) | 2008/01  | 2015/12 |




### BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
58411P2700

**10-51758**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51758**

MATERIAL  
**TYPE-1**

WEIGHT  
**6,69 KG**

BALANCING  
**100 %**



### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 325           | 35          | 20                        | 18                  | 69                      | 114.3                 | 5+2           |

### HYUNDAI

| MODEL                 | START Y. | END Y. |
|-----------------------|----------|--------|
| SANTA FE IV (TM. TMA) | 2018/02  |        |




### BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
T4A34339

**10-51736**



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51736**

MATERIAL  
**TYPE-1**

WEIGHT  
**10,05 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 325           | 48          | 30                        | 28                  | 63.5                    | 107.95                | 5+1           |

### JAGUAR

| MODEL         | START Y. | END Y. |
|---------------|----------|--------|
| F-PACE (X761) | 2015/09  |        |



### BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
5181512AC / 5151512AC

**10-51737**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 350           | 63.6        | 28                        | 26                  | 72.1                    | 127                   | 5             |

### JEEP

| MODEL                       | START Y. | END Y. |
|-----------------------------|----------|--------|
| GRAND CHEROKEE IV (WK. WK2) | 2010/06  |        |
| GRAND CHEROKEE VAN (WK2)    | 2010/06  |        |




### BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
584111D000

**10-51722**



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51722**

MATERIAL  
**TYPE-1**

WEIGHT  
**4,64 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 275           | 60.95       | 10                        | 8.4                 | 76                      | 114.3                 | 5+3           |

### KIA

| MODEL | START Y. | END Y. |
|-------|----------|--------|
| RONDO | 2007     | 2011   |




### BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
51712R0050

**10-51726**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51726**

MATERIAL  
**TYPE-1**

WEIGHT  
**10,64 KG**

BALANCING  
**100 %**



### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 325           | 48.35       | 30                        | 28                  | 69                      | 114.3                 | 5+2           |

### KIA

| MODEL             | START Y. | END Y. |
|-------------------|----------|--------|
| CARNIVAL IV (KA4) | 2020/09  |        |




### BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
58411P2700

**10-51758**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51758**

MATERIAL  
**TYPE-1**

WEIGHT  
**6,69 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 325           | 35          | 20                        | 18                  | 69                      | 114.3                 | 5+2           |

### KIA

| MODEL                  | START Y. | END Y. |
|------------------------|----------|--------|
| SORENTO IV (MQ4. MQ4A) | 2020/03  |        |




### BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
LR125902

**10-51736**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51736**

MATERIAL  
**TYPE-1**

WEIGHT  
**10,05 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 325           | 48          | 30                        | 28                  | 63.5                    | 107.95                | 5+1           |

### LAND ROVER

| MODEL                    | START Y. | END Y. |
|--------------------------|----------|--------|
| RANGE ROVER VELAR (L560) | 2017/03  |        |




### BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
4U2Z1V125KA / 2C5Z1125AA /  
4U2Z1V125N



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51734**

MATERIAL  
**TYPE-1**

WEIGHT  
**10,95 KG**

BALANCING  
**100 %**



**10-51734**

#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 330           | 58.2        | 28                        | 26.5                | 82                      | 114.3                 | 5             |

### LINCOLN

| MODEL   | START Y. | END Y. |
|---------|----------|--------|
| AVIATOR | 2003     | 2005   |




### BRAKE DISC

• Rear Axle

• solid

• Safety  
• Performance  
• OEM Standards  
• AYD Quality

OE:  
5C5Z2C026B / 4C5Z2C026AA /  
5C5Z2C026A



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51741**

MATERIAL  
**TYPE-1**

WEIGHT  
**7,53 KG**

BALANCING  
**100 %**



**10-51741**

#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 323           | 58.2        | 12                        | 10.5                | 82                      | 114.3                 | 5             |

### LINCOLN

| MODEL   | START Y. | END Y. |
|---------|----------|--------|
| AVIATOR | 2003     | 2005   |



### BRAKE DISC

• Rear Axle


• solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
VA4026251

**10-51689**



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51689**

MATERIAL  
**TYPE-1**

WEIGHT  
**5,13 KG**

BALANCING  
**100 %**

#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 324.7         | 39.6        | 10                        | 8                   | 68.1                    | 114.3                 | 5+3           |

### MAZDA

| MODEL | START Y. | END Y. |
|-------|----------|--------|
| CX-50 | 2023     | 2024   |




### BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
NF4Y3325X / N12Y3325XC /  
N12Y3325X



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51739**

MATERIAL  
**TYPE-1**

WEIGHT  
**6,52 KG**

BALANCING  
**100 %**



**10-51739**

#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 290           | 45          | 22                        | 20                  | 72                      | 114.3                 | 5+3           |

### MAZDA

| MODEL      | START Y. | END Y. |
|------------|----------|--------|
| MX-5 Miata | 2006     | 2015   |



### BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
2474210712 / 247421071207

**10-51738**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51738**

MATERIAL  
**TYPE-1**

WEIGHT  
**8,99 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 318           | 51          | 30                        | 27.4                | 67                      | 112                   | 5+1           |

### MERCEDES-BENZ

| MODEL                        | START Y. | END Y. |
|------------------------------|----------|--------|
| A-CLASS (W177)               | 2018/03  |        |
| A-CLASS Saloon (V177)        | 2018/09  |        |
| B-CLASS Sports Tourer (W247) | 2018/12  |        |
| CLA (C118)                   | 2019/03  |        |
| CLA Shooting Brake (X118)    | 2019/06  |        |
| GLA (H247)                   | 2020/02  |        |
| GLB (X247)                   | 2019/07  |        |



### BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
89047762 / 19303811

**10-51732**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51732**

MATERIAL  
**TYPE-1**

WEIGHT  
**10,19 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 323           | 52          | 32.2                      | 30.7                | 70.7                    | 115                   | 5+3           |

### PONTIAC

| MODEL      | START Y. | END Y. |
|------------|----------|--------|
| Bonneville | 2005     |        |



### BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
2AMV5534AC / 1BP00050AA

**10-51749**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 300           | 80          | 22                        | 19                  | 79                      | 130                   | 5+5           |

### RAM

| MODEL          | START Y. | END Y. |
|----------------|----------|--------|
| ProMaster 1500 | 2014     | 2021   |
| ProMaster 2500 | 2014     | 2021   |
| ProMaster 3500 | 2014     | 2021   |



### BRAKE DISC


• Rear Axle

• solid

• Safety  
• Performance  
• OEM Standards  
• AYD Quality

OE:  
C2040095BAA

**10-51744**



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51744**

MATERIAL  
**TYPE-1**

WEIGHT  
**5,32 KG**

BALANCING  
**100 %**



### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 305.1         | 47          | 12                        | 9                   | 62                      | 114.3                 | 5+2           |

### SKYWELL

| MODEL           | START Y. | END Y. |
|-----------------|----------|--------|
| ET5/BE11   ET05 | 2020/10  |        |



### BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:  
C2040074BAAA

**10-51752**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51752**

MATERIAL  
**TYPE-1**

WEIGHT  
**11,1 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 333.5         | 49.4        | 28                        | 25                  | 62                      | 114.3                 | 5+2           |

### SKYWELL

| MODEL           | START Y. | END Y. |
|-----------------|----------|--------|
| ET5/BE11   ET05 | 2020/10  |        |




### BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
26700XA00A

**10-51720**



**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51720**

MATERIAL  
**TYPE-1**

WEIGHT  
**7,18 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 320           | 67.65       | 18                        | 16                  | 58                      | 114.3                 | 5+3           |

### SUBARU

| MODEL        | START Y. | END Y. |
|--------------|----------|--------|
| TRIBECA (B9) | 2005/01  |        |




### BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
26700AE030 / 26700AE081 /  
26700AE080




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51753**

MATERIAL  
**TYPE-1**

WEIGHT  
**5,67 KG**

BALANCING  
**100 %**



**10-51753**

#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 290           | 67.4        | 18                        | 16                  | 58                      | 100                   | 5+2           |

### SUBARU

| MODEL                   | START Y. | END Y.  |
|-------------------------|----------|---------|
| IMPREZA Estate (GG)     | 2000/10  | 2008/12 |
| IMPREZA Saloon (GD)     | 1999/09  | 2009/06 |
| IMPREZA Saloon (GE. GV) | 2007/01  |         |
| LEGACY IV (BL)          | 2003/09  | 2015/12 |
| LEGACY IV Estate (BP)   | 2003/09  | 2009/12 |
| OUTBACK (BL. BP)        | 2003/09  | 2010/06 |




### BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:  
102763200B

**10-51747**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51747**

MATERIAL  
**TYPE-1**

WEIGHT  
**9,83 KG**

BALANCING  
**100 %**



### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 365           | 60          | 28                        | 26                  | 70.2                    | 120                   | 9+1           |

### TESLA

| MODEL          | START Y. | END Y. |
|----------------|----------|--------|
| MODEL S (5YJS) | 2012/09  |        |
| MODEL X (5YJX) | 2013/09  |        |



### BRAKE DISC

• Rear Axle


• solid

• Safety  
• Performance  
• OEM Standards  
• AYD Quality



OE:  
B0604101020AC

**10-51740**




**AYD**  
AUTOMOTIVE INDUSTRY

AYD NO  
**10-51740**

MATERIAL  
**TYPE-1**

WEIGHT  
**8,05 KG**

BALANCING  
**100 %**



#### Technical Specifications:

| Diameter (mm) | Height (mm) | Brake Disc Thickness (mm) | Min. Thickness (mm) | Centering Diameter (mm) | Bolt Hole Circle (mm) | Num. of Holes |
|---------------|-------------|---------------------------|---------------------|-------------------------|-----------------------|---------------|
| 340           | 43          | 14                        | 12.5                | 65.1                    | 112                   | 5+1           |

### TOGG

| MODEL | START Y. | END Y. |
|-------|----------|--------|
| T10X  | 2023/07  |        |

